



**Mueller Streamline Co. Headquarters**

150 Schilling Blvd  
Suite 201  
Collierville, Tennessee 38017  
United States  
Phone: 901 753 3200

**Mueller Streamline Co. International**

525 Okeechobee Blvd  
Suite 860  
West Palm Beach, FL 33401  
United States  
Phone: 561 273 8300

**ITEM # 61230500C, STANDARD LINE SETS - PLAIN END**

Streamline® Standard and Mini-split Line Sets are available with Duraguard UV™ (Coated Elastomeric) insulation. This high-quality insulation’s durable polymeric jacket is designed to handle the toughest solar and weather conditions. Every Streamline® Line Set meets our rigorous standards for quality and consistency – made and assembled in the USA, UL Recognized to 700 PSI, compliant with ASTM B1003, and covered by a 10 year warranty.



[Specifications](#) | [Dimensions](#) | [Details](#)

Specifications	
Line Set Type	Standard Line Sets
Weight	21.95 lb
SK Weight	87.80 lb
Material	C12200
UPC (EA / FT / CL)	685768440734

Insulation Material	Duraguard UV™ (coated)
Liquid Line Size	3/8"
Suction Line Size	3/4"
Insulation Wall Thickness	3/4"
90° Bends	NO
Standards	ASTM B1003 UL 700 PSI
Customization	NO
Finish Option 1 - Flare Fittings	NO
Finish Option 2 - Cable Gage	NO
Finish Option 3 - Cable Strands	NO
Finish Option 4 - T-stat Wire Gauge	NO
Finish Option 3 - T-stat Cable Strands	NO

Dimensions

Length	50 ft
Overall Height	10.5 in
Overall Length	32.5 in
Overall Width	32.5 in
SK Height	35 in
SK Length	34 in
SK Width	45.5 in

Details

EA/SK	4
Style	910

Type	9018
Mueller Description 1	Standard Line Sets
Mueller Description 2	50-612-3/4 CER (4)
Mueller Description 3	SLS - COATED ELASTOMERIC RUBBER