American Standard

INSTALLATION INSTRUCTIONS

COMMERCIAL SHOWER SYSTEM KITS:


TU662.221 TU662.211

1.5 gpm & 2.5 gpm


Thank you for selecting American Standard... the benchmark of fine quality for over 140 years.


To ensure that your installation proceeds smoothly-please read these instructions carefully before you begin.

Installation must conform to all local building codes.



Certified to comply with ANSI A112.18.1






1 INSTALL VALVE TRIM

NOTE: REFER TO INSTALLATION INSTRUCTIONS (M965937)
SUPPLIED WITH VALVE TRIM KIT FOR COMPLETE
INSTALLATION AND REPAIR PART INFORMATION.

■ When finished tiling the wall, remove PLASTER GUARD.





2 INSTALL WALL SUPPLY

NOTE: REFER TO INSTALLATION INSTRUCTIONS (M968637) SUPPLIED WITH WALL SUPPLY FOR COMPLETE INSTALLATION AND REPAIR PART INFORMATION.


- Supply to WALL SUPPLY is 1/2" NPT. See rough-in above for detailed information.
- Apply sealant or sealing tape to threads of 1/2" NPT supply nipple.



3 INSTALL HAND SHOWER SLIDE BAR

NOTE: REFER TO INSTALLATION INSTRUCTIONS (M968637) SUPPLIED WITH SHOWER SYSTEM KIT FOR COMPLETE INSTALLATION AND REPAIR PART INFORMATION.


■ The height and location of the SLIDE BAR is optional.



4 INSTALL HOSE AND HAND SHOWER TEST SHOWER SYSTEM

NOTE: REFER TO INSTALLATION INSTRUCTIONS
(M968637) SUPPLIED WITH SHOWER SYSTEM
KIT FOR COMPLETE INSTALLATION AND
REPAIR PART INFORMATION.

- Place the HAND SHOWER into the SLIDE BAR after all hose connections are made. The installation of the SHOWER SYSTEM KIT is now complete.
- Turn on water supplies and check all fuctions of the SHOWER SYSTEM KIT. Check for any leaks.



CARE INSTRUCTIONS:

DO: SIMPLY RINSE THE PRODUCT CLEAN WITH CLEAR WATER. DRY WITH A SOFT COTTON FLANNEL CLOTH. **DO NOT:** DO NOT CLEAN THE PRODUCT WITH SOAPS, ACID, POLISH, ABRASIVES, HARSH CLEANERS, OR A CLOTH WITH A COARSE SURFACE.

