

General Product Specification

Item No. GDM200

Date 6/12/2016

No. Pages 1

Product Description:

| Style | Pads |
|------------------|--|
| Item Size (each) | 15" x 18" |
| Color | Gray |
| Composition | 100% Polypropylene |
| Structure | Single-ply composition, straight meltblown |
| Technology | Meltblown |
| Absorbency | Universal (Hydrophilic) |
| Bonding | Thermal bonded |

Intended Application Universal (Hydrophilic) absorbent

| Absorbency Capacity | 25.2 gallons per bale |
|---------------------|-----------------------|

Packaging Description:

| Packaging Configuration | bale |] |
|-------------------------|---------------|---|
| Items Per Package | 200 Pads/bale |] |
| Container Type | bag | |

| Package Weight | 11.5 lbs | | |
|--------------------|-------------------|--|--|
| Package Dimensions | 16" x 19" x 13.9" | | |
| | | | |

Physical Properties:

| Parameter | MBT Test Method | Units | Nominal | (+/-) Tolerance |
|------------------------|-----------------|-------|---------|-----------------|
| Basis Weight | MBTTM001 | LBS | 11.5 | 2 |
| Absorbency** (med Oil) | MBTTM012 | GAL | 25.2 | 7 |
| 3" Tensile Strength | MBTTM02 | LBS | 7 | 3 |
| Color | N/A | | | |

The above properties are "nominal" values used for process control when the product is produced and/or inspected. Performance "nominals" may very depending upon the specific application, and/or environment being applied, stored, or shipped.

** The "Absorbency" spec and "MBTTM012" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

| Attributes | Product will be free of foreign material contamination, rips, holes and tears. |
|---------------|--|
| Labeling | |
| Certification | Make no changes in basic process or composition without notifying customer. |