Miele

KFN 15943 DE edt/cs

Freestanding fridge-freezer 30" (75 cm) wide for a lot of storage space.



- Optimum and maintenance-free LED lighting in compartment
- High level of economy with perfect freshness A++
- No icing up of food and no need to defrost thanks to Frost free
- Easy and effortless opening of refrigerators thanks to EasyOpen
- Ice cubes thanks to the plumbed lceMaker

| Appliance category | |
|--|----------------------------|
| Fridge-freezer | • |
| Construction type | _ |
| Free-standing | • |
| Door hinge side | right |
| Convertible hinging | - IIgnt |
| Design | |
| Casing color | Stainless steel look |
| Front color | Stainless steel/CleanSteel |
| | LED |
| Type of lighting Control panel | LED |
| ComfortClean | • |
| DynaCool | • |
| • | ` |
| NoFrost DupleyCool | ` |
| DuplexCool Varia Da am | ` |
| VarioRoom | <u> </u> |
| SoftClose door closing damper | <u>•</u> |
| Plumbed water connection | |
| Concealed door opener | EasyOpen lever handle |
| Control | - 10 · · · |
| Electronic temperature display and control | <u>TouchControl</u> |
| Fridge compartment can be switched off | <u> </u> |
| Independent temperature control of fridge and freezer compartments | • |
| Super Cooling | • |
| SuperFrost | • |
| No. of temperature zones | 2 |
| Sabbath mode | <u> </u> |
| Fridge / Fridge compartment | |
| Height-adjustable toughened glass shelves | • |
| No. of shelves | 4 |
| Chrome-plated metal bottle rack | · |
| No. of removable fruit and vegetable drawers | Qty 3 |
| of which on castors | 2 |
| Half width storage racks | 4 |
| Inner door racks for bottles | _ |
| Freezer / Freezer compartment | <u> </u> |
| No. of removable freezer drawers/baskets | Qty 4 |
| Safety | Qty + |
| Lock function | • |
| Acoustic door alarm | <u> </u> |
| Acoustic door alarm Acoustic temperature alarm, freezer section | _ |
| Optical door alarm | ` |
| Optical door alarm Optical temperature alarm | ` |
| Concartemperature alami | • |

More information at www.MieleUSA.com

Miele

KFN 15943 DE edt/cs

Freestanding fridge-freezer 30" (75 cm) wide for a lot of storage space.




| Technical data | |
|---|----------------|
| Appliance width in in.(mm) | 29 5/8 (750) |
| Appliance height in in.(mm) | 79 5/8 (2,020) |
| Appliance depth in in.(mm) | 24 7/8 (630) |
| Climatic classification | SN-T |
| Fridge compartment volume in I | 331 |
| 4-star freezer compartment volume in I | 121 |
| PerfectFresh zone volume in gal(I) | 0.00 (0) |
| Storage time in case of fault | 24 |
| Freezing capacity in h/lbs. (h/kg) | 31 (14.0) |
| Current consumption in milliampere (mA) | 2,500 |
| Voltage in V | 115 |
| Fuse rating in A | 15 |
| Wire length in ft (m) | 7 (2.4) |
| Standard accessories | |
| Butter dish | <u>•</u> |
| Egg rack | • |
| Freezer packs | • |



KFN 15943 DE edt/cs

Freestanding fridge-freezer 30" (75 cm) wide for a lot of storage space.





KFN14947SDEed/cs-1, KFN14943SDed/cs-1, KFN14943SDEed/cs-1, KFN16947Ded/cs, KFN15943Dedt/cs (*footnote)

"To ensure that energy consumption as stated is achieved, machines should be used together with the enclosed spacer brackets. This increases the total depth of the unit by approx. 3.5 cm.
Machines are still fully functional when operated without these brackets but have a slightly higher energy consumption.