



Think ahead.

Tork Advanced PeakServe Continuous Hand Towel

105065



Description

Tork Advanced PeakServe Continuous Hand Towels means fewer washroom delays - gets guests in and out faster. Avoid run outs with 250% more hand towels and lower consumption thanks to one-at-a-time dispensing. Faster dispensing serves guests in 3 seconds - quicker than jet air drying time. Taking a towel is always smooth and easy with our patented continuous towel system. More flexibility means more time to clean. Top it up when it suits you with up to 600 more guests served between refills. Double the towels you carry as they're compressed by 50%. Cut refill time in half with over 2000 towels per dispenser. Poly Bag Wrapped.

- Compressed hand towels for increased capacity, reducing maintenance time required
- Continuous hand towels dispense smoothly, even between bundles, for a better restroom flow with no hold ups for guests
- One-at-a-time dispensing for reduced consumption and increased hygiene

Product Certifications



Product Details

Print	No
Unfolded Width	3.11 in
Folded width	3.11 in
Embossing	Yes
Folded length	1.26 in
Ply	1
Unfolded length	3.5 in
System	H5
Color	White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	73286645869	10073286645866	7322540927085
Packaging Material	Banderole	Plastic	-
Pieces	410	4920 (12 CON)	590400 (120 TRP)
Height	3.94 in	7.91 in	79.13 in
Length	7.91 in	15.75 in	47.24 in
Width	3.31 in	9.8 in	39.21 in
Gross Weight	1.19 lb	14.34 lb	1,720.93 lb
Net Weight	1.16 lb	13.95 lb	1,674.24 lb
Volume	0.06 ft	0.71 ft	84.83 ft
Layers Per Pallet	-	-	10
TRP Per Layer	-	-	12

Tork Advanced PeakServe Continuous Hand Towel

105065

Compatible Products



DISP H5 ELEV PKSRV WHT 1/CS
552520



DISP H5 PKSRV REC ADAPTER SM 1/CS
552521



DISP H5 PKSRV REC ADAPTER LG 1/CS
552522



DISP H5 ELEV PKSRV BLK 1/CS
552528

Environmental Information

Content

The product is made from

Virgin pulp

The packaging material is made from paper or plastic.

Material

Virgin fibers

There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Virgin pulp fibers are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibers are separated out and lignin and other residuals are removed.

Bleaching is a cleaning process of the fibers and the aim is to achieve a bright pulp, but also to get a certain purity of the fiber in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)
- For colored papers dyes and fixatives (to secure perfect fastness of the color) are added
- For printing products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

Tork Advanced PeakServe Continuous Hand Towel

105065

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification	This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 03-08-2020 Revision date: 17-06-2025
Production	This product is produced at Harrodsburg - US mill.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.

Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA