

Phylrich®

Doralfe®

**INSTALLATION INSTRUCTIONS
FOR LAVATORY FAUCETS TEELESS ASSEMBLY**



2937 North Ontario Street • Burbank • California 91504-2017

Telephone: 800-PHYLRICH • Fax: 866-800-9774





www.phylrich.com

www.doralfe.com


LAVATORY INSTALLATION GUIDE



Note:
All lever handle sets are supplied with one right hand valve (cold: turns on counter-clockwise) and one left hand valve (hot: turns on clockwise). Install valve with the blue tag on the cold side. Both valves on a round handle set turn in the same direction (hot: clockwise for on).



Rough In Specifications For Lavatory Sets, Teeless



**ALL PHYLRICH AND DORALFE VALVE INSTALLATIONS MUST FOLLOW
THE MEASUREMENTS FOR "A" LISTED BELOW.
PLEASE CONSULT THE TRIM NUMBER FOR THE CORRECT ROUGH IN DIMENSION.**

<u>Phylrich Prod#</u>	<u>Rough In</u>	<u>Doralfe Prod#</u>	<u>Rough In</u>
K104.....	2 5/8"	D100.....	2 1/4"
K105.....	2 5/8"	D102.....	2 1/4"
K160.....	2 1/4"	D103.....	2 1/4"
K161.....	2 1/4"	D111.....	2 1/4"
K280.....	2 7/8"	D130.....	2 1/4"
K310.....	2 5/8"	D131.....	2 1/4"
K311.....	2 5/8"	D134.....	2 1/4"
K314.....	2 5/8"	D135.....	2 1/4"
K330.....	2 1/8"	D136.....	2 1/4"
K331.....	2 1/8"	D137.....	2 1/4"
K332.....	2 1/8"	D138.....	2 1/4"
K333.....	2 1/8"	D139.....	2 1/4"
K334.....	2 1/8"	D205.....	2 1/4"
K338A.....	2 5/16"	D206.....	2 1/4"
K338B.....	2 5/16"	D220.....	2 1/4"
K338C.....	2 5/16"	D221.....	2 1/4"
K338D.....	2 5/16"	D222.....	2 1/4"
K338F.....	2 5/16"	D223.....	2 1/4"
K360.....	2 5/16"		
K361.....	2 5/16"		
K370.....	2 1/8"		
K371.....	2 1/8"		
K372.....	2 1/8"		
K373.....	2 1/8"		
K374.....	2 1/8"		