



Vitreous China Oval Undermount Lavatory

SS-3001-CN

Product description

Carbon Neutral, Vitreous China Undermount Lavatory.

Compliances & Certifications



(BREEAM Materials Credit, Carbon Neutral, Carbon Offset, cUPC Certified, EPD, HPD, IAPMO, LEED Credit, LEED HPD, Satisfies LEED Credits)

Code 3873001T

Downloads

- [Sloan SS-3001 Installation Instructions.pdf](#)
- [SS-3001 Cutout Template - PDF.pdf](#)
- [SS:ST:SU:WETS:WEUS Fixtures Repair and Maintenance Guide.pdf](#)
- [Vitreous China Lavatories Repair and Maintenance Guide.pdf](#)
- [Sinks - Full Line Brochure.pdf](#)
- [Fixture Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan - Company Overview](#)

Details

- Nominal Dimensions: 16.5" x 19.5" x 7.5" (419 x 495 x 191mm)
- Lavatory Type: Undermount
- Shape: Oval

Features

- White, vitreous china undermount lavatory
- Great complement to all of Sloan's sensor faucet series
- Front overflow provides clean appearance
- All mounting hardware included
- IAPMO certified to meet or exceed ASME A112.19.2 standards
- Meets ADA guidelines and ANSI A117.1 requirements when installed accordingly



Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

All vitreous china dimensions shown in these drawings are nominal and not to scale. Dimensions can vary within the tolerances established in the governing ASME A112.19.2/CSA B45.1 standard. It is important to consider this when planning rough-in and plumbing layouts.



*The dip of the overflow shall not be considered in determining knee and toe clearance (2010 Federal ADA, ANSI A117.1, TAS)