

60" 3 Blade Fan

 Ceiling mounted • Damp location listed **PROGRESS LED**

Description:

You'll find the time to unwind under the eye-pleasing urban industrial design of this ceiling fan. Breathe easy after a warm summer day or a long day at work as three slightly curved Lucite blades circle the fan's center column. An LED light is covered by a clear glass shade ready to provide soothing illumination.

Specifications:

- White (-030)
- Steel Construction
- Clear Glass Bowl
- An LED light is covered by a clear glass shade ready to provide soothing illumination.
- Breathe easy after a warm summer day or a long day at work as three slightly curved Lucite blades circle the fan's center column.
- You'll find the time to unwind under the eye-pleasing urban industrial design of this ceiling fan.
- Ideal for any living room, great room, or bedroom.
- Perfect for any urban industrial setting.
- Measures 60-inch width by 17.7-inch height.
- Uses one LED module that is included (24w max).
- Able to be fully dimmable with dimmable bulbs.
- Includes installation instructions and mounting hardware.
- Progress Lighting products are designed for exceptional quality, reliability, and functionality.
- Dimmable to 10% brightness (See Dimming Notes)
- Canopy 80" of wire supplied
- Meets California Title 24 JA8-2016

Performance:

Number of Modules	1
Input Power	24w
Input Voltage	120 V
Input Frequency	60 Hz
Lumens/LPW (Source)	2000/83 (LM-82)
CCT	3000 K
CRI	90 CRI
Life (hours)	50,000 (L70/TM-21)
Warranty	Limited Lifetime warranty
Labels	cULus Damp location listed Meets California Title 24 JA8-2016

P250038-030-30

Images:



Dimensions:

 Diameter: 60"
 Height: 17-11/16"

 Width: 6-1/2"
 Height: 1-3/4"

ENERGYGUIDE

Estimated
Yearly Energy Cost

\$6

\$3

\$34

Cost Range of Similar Models (19" – 84")

• Based on 12 cents per kWh and 6.4 hours use per day
 • Your cost depends on rates and use
 • Energy Use: 20 Watts

Airflow

4,635

Cubic Feet Per Minute

• The higher the airflow, the more air the fan will move
 • Airflow Efficiency: 228 Cubic Feet Per Minute Per Watt

All estimates based on typical use, excluding lights ftc.gov/energy

P250038-030-30**Dimming Notes:**

P250038 is designed to be compatible with many controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.