



Project/Job Name:

Location:

Fixture Type:

Notes:

80-944 - 6" Rough-In Remote Driver Mounting Plate

ELECTRICAL

PACKAGING

Each UPC:	045923809446
Each Quantity:	1
Each Dimensions:	18.19 x 9.02 x 1.65
Case UPC:	10045923809443
Case Quantity:	12
Case Dimensions:	18.90 x 10.83 x 18.90

PHYSICAL

Weight (Lbs.):	21.16
Material:	Metal

COMPLIANCE

Energy Star Qualified:	No
RoHS Compliant:	No
Restrictions:	No Restrictions

INFO

For Use With:

S11262

ACCESSORIES


S11262 12 Watt; LED Direct Wire Downlight; 6 Inch; Tunable White; Round; Starfish IOT; 120 Volt; 850 Lumens



S11280 12 Watt; LED Direct Wire Downlight; 6 Inch; Tunable White and RGB; Round; Starfish IOT; 120 Volt; 850 Lumens; 90CRI



S11295 15 Watt; LED Gimbaled Downlight; 6 Inch; RGB & Tunable White; Round; Starfish IOT; White Finish; 1200 Lumens; 120-277 Volt



S11296 15 Watt; LED Gimbaled Downlight; 6 Inch; RGB & Tunable White; Round; Starfish IOT; Black Finish; 1200 Lumens; 120-277 Volt



S11562 12 Watt; LED Direct Wire; Low Profile Downlight; 6 Inch Round; Starfish IOT; Tunable White and RGB; 120 Volt; 90 CRI; White Finish



S11563 12 Watt; LED Direct Wire; Low Profile Downlight; 6 Inch Square; Starfish IOT; Tunable White and RGB; 120 Volt; 90 CRI; White Finish



S11566 12 Watt; LED Direct Wire; Low Profile Regress Baffle Downlight; 6 Inch Round; Starfish IOT; Tunable White and RGB; 120 Volt; 90 CRI; White Finish



S11567 12 Watt; LED Direct Wire; Low Profile Regress Baffle Downlight; 6 Inch Square; Starfish IOT; Tunable White and RGB; 120 Volt; 90 CRI; White Finish



S11827 12 Watt; LED Direct Wire Downlight; Edge-lit; 6 inch; CCT Selectable; 120 volt; Dimmable; Round; Remote Driver



S11830 12 Watt; LED Direct Wire Downlight; Edge-lit; 6 inch; CCT Selectable; 120 volt; Dimmable; Square; Remote Driver



S11860 15 Watt; CCT Selectable; LED Direct Wire Downlight; Gimbaled; 6 Inch Round; Remote Driver; White



S11861 15 Watt; CCT Selectable; LED Direct Wire Downlight; Gimbaled; 6 Inch Square; Remote Driver; White



S11862 15 Watt; CCT Selectable; LED Direct Wire Downlight; Gimbaled; 6 Inch Round; Remote Driver; Black



S11863 15 Watt; CCT Selectable; LED Direct Wire Downlight; Gimbaled; 6 Inch Square; Remote Driver; Black



S11866 13 Watt LED; Fire Rated 6 Inch Direct Wire Downlight; Round Shape; White Finish; CCT Selectable; 120 Volts; Dimmable



S11867 13 Watt LED; Fire Rated 6 Inch Direct Wire Downlight; Round Shape; White Finish; CCT Selectable; 120 Volts; Dimmable; Remote Driver

ACCESSORIES

S11869 13 Watt LED; Fire Rated 6 Inch; Direct Wire Downlight; Round Shape; White Finish; CCT Selectable; 120-277 Volts; Dimmable



S11872 15 Watt LED Low Profile Recessed Baffle Downlight; 6 Inch; Remote Driver; CCT Selectable; Round Shape; White Finish; 120 Volt



S11873 15 Watt LED Low Profile Recessed Baffle Downlight; 6 Inch; Remote Driver; CCT Selectable; Square Shape; White Finish; 120 Volt