

# BEASLEY

## THERMOSTATIC SHOWER VALVE

SKU: 948778



### FEATURES

- Shape: Round
- Handle Type: Lever
- Features: Thermostatic
- Assembly Required: No
- Installation Type: Wall
- Mounting Hardware Included: Yes
- Temperature Outlet Factory Preset to 104 Degrees Fahrenheit
- Temperature Can Be Easily Adjusted Up and Down to User's Comfort Level
- Scald Guard Protection
- High Temperature Limit Stop
- Thermostatic Technology Keeps Shower Temperature Within 1 Degree Celsius
- For Proper Installation, Requires Use of Volume Control Valve and Trim
- Optional Rough-In Valve

### SIGNATURE HARDWARE Lifetime Warranty

See website for detailed warranty information.

### CONTENTS


TRIM .....	PAGE 2
VALVE .....	PAGE 3

REVISED 01/21/2020

# BEASLEY

## THERMOSTATIC SHOWER VALVE

SKU: 948778



### FEATURES

Material: Brass  
Diameter: 6-3/4"  
Depth: 7"  
Wall Thickness Range: 1" to 1-3/4"

### CODES/STANDARDS

cUPC  
ASME A112.18.1/CSA B125.1  
Massachusetts Accepted

### SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 2  
Code: SHBE9009BN/SHBE9009CP/SHBE9009PN

# BEASLEY

## OPTIONAL THERMOSTATIC VALVE WITH 1/2" -OR- 3/4" CONNECTION

SKU: 948778



### FEATURES

- Bronze Valve Body
- Ceramic Cartridge
- Integral Water Stops and Check Valve
- Recommended Valve Installation Depth 1-5/8" to 2-3/8"
- Must Be Installed in Accordance With Provided Installation Instructions

### CODES/STANDARDS

- cUPC
- ASME A112.18.1/CSA B125.1
- ASSE 1016 Type T

### SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 3  
Code: SH6004/SH6006