## PINECREST

## SIMPLE SELECT 2-WAY PRESSURE BALANCE SHOWER VALVE TRIM - CROSS HANDLES SKU: 948978



#### **CONTENTS**

TRIM	 PAGE 2
VALVE	 PAGE 3

#### **FEATURES**

Shape: Square

Features: Pressure-Balanced Installation Type: Wall Mount Diverter Included: Optional

Dual Functionality Allows For One or Both Shower Features to Run at a Time

Optional Rough-in Valve:

Pressure Balanced With Integral Stops One-Piece Cartridge Design For Ease of Maintenance Back-to-Back Capability Adjustable Temperature Limit Stop

Adjustable Temperature Limit Stop Quick Remove Plaster Guard Easy Mounting Brackets

#### **SIGNATURE HARDWARE Lifetime Warranty**

See website for detailed warranty information.


REVISED 01/30/2020



## PINECREST

#### SIMPLE SELECT VALVE TRIM

SKU: 948978



#### **FEATURES**

Material: Brass Width: 7-1/8" Height: 7-1/8" Depth: 3"

NPT Connection: 1/2"

#### **CODES/STANDARDS**

cUPC ASME A112.18.1/CSA B125.1 Massachusetts Accepted

# **LIFETIME WARRANTY**See website for warranty information

**SIGNATURE HARDWARE** 



PAGE 2 Code: SHPC8040LHCP SHPC8040LHPN/SHPC8040LHCP




 $All\ dimensions\ and\ specifications\ are\ nominal\ and\ may\ vary.\ Use\ actual\ products\ for\ accuracy\ in\ critical\ situations.$ 




## PINECREST


#### SIMPLE SELECT PRESSURE BALANCE ROUGH-IN VALVE

SKU: 948978





Pressure (PSI)		20	40	60	80
Simultaneous (Both Valves Open)	Total (GPM)	3.4	5	6.3	7.4
	Outlet A (GPM)	1.2	2.2	2.9	3.5
	Outlet B (GPM)	2.2	2.8	3.4	3.9
Separate (A or B Closed)	Outlet A (GPM)	2.5	3.9	4.8	5.5
	Outlet B (GPM)	2.5	3.9	4.8	5.5



#### **FEATURES**

Material: Bronze Length: 4-7/8" Width: 4-3/8" Depth: 5-1/2" NPT Connection: 1/2"

#### CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 ASSE 1016 Type P

### SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 3 Code: SH5001SS