GREYFIELD

SIMPLE SELECT 2-WAY PRESSURE BALANCE SHOWER VALVE TRIM SKU: 948973



CONTENTS

TRIM PAGE 2 VALVE PAGE 3

FEATURES

Shape: Round

Features: Pressure-Balanced Installation Type: Wall Mount Diverter Included: Optional

Dual Functionality Allows For One or Both Shower Features to Run at a Time

Optional Rough-in Valve:

Pressure Balanced With Integral Stops
One-Piece Cartridge Design For Ease
of Maintenance
Back-to-Back Capability
Adjustable Temperature Limit Stop
Quick Remove Plaster Guard
Easy Mounting Brackets

SIGNATURE HARDWARE Lifetime Warranty

See website for detailed warranty information.


REVISED 01/30/2020



GREYFIELD

SIMPLE SELECT TRIM

SKU: 948973



FEATURES

Material: Brass Diameter: 7-1/2" Depth: 3" NPT Connection: 1/2"

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 ICC/ANSI A117.1 (when installed according to ADA standards) Massachusetts Accepted

SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information



PAGE 2 Code: SHGF8040BN SHGF8040CP/SHGF8040PN




 $All \ dimensions \ and \ specifications \ are \ nominal \ and \ may \ vary. \ Use \ actual \ products \ for \ accuracy \ in \ critical \ situations.$




GREYFIELD


SIMPLE SELECT PRESSURE BALANCE ROUGH-IN VALVE

SKU: 948973





D (DCI)					
Pressure (PSI)		20	40	60	80
Simultaneous (Both Valves Open)	Total (GPM)	3.4	5	6.3	7.4
	Outlet A (GPM)	1.2	2.2	2.9	3.5
	Outlet B (GPM)	2.2	2.8	3.4	3.9
Separate (A or B Closed)	Outlet A (GPM)	2.5	3.9	4.8	5.5
	Outlet B (GPM)	2.5	3.9	4.8	5.5



FEATURES

Material: Bronze Length: 4-7/8" Width: 4-3/8" Depth: 5-1/2"

NPT Connection: 1/2"

CODES/STANDARDS

CUPC ASME A112.18.1/CSA B125.1 ASSE 1016 Type P

SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information





 $All \ dimensions \ and \ specifications \ are \ nominal \ and \ may \ vary. \ Use \ actual \ products \ for \ accuracy \ in \ critical \ situations.$

PAGE 3 Code: SH5001SS