HIBISCUS

HAND SHOWER AND HOSE SKU: 949086



FEATURES

Assembly Required: No Single Function Hand Shower (Full Spray) Easy-Clean Spray Nozzles Hand Shower Includes Backflow Prevention 60" - 72" Stretchable Metal Shower Hose Double Spiral Constructed Hose Metal Conical Nut Maximum Flow Rate: 1.8 gpm (6.8L/min) max @ 80 psi

SIGNATURE HARDWARE Lifetime Warranty

See website for detailed warranty information.


CONTENTS

HAND SHOWER	 PAGE 2
HOSE	 PAGE 3

REVISED 12/18/2019

HIBISCUS

HAND SHOWER SKU: 949086



FEATURES

Material: ABS Shape: Rectangle Length: 1-3/8" Width: 9/16" Height: 8-7/16"

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 ASME A112.18.3 WaterSense Massachusetts Accepted SIGNATURE HARDWARE LIFETIME WARRANTY See website for warranty information



PAGE 2 Code: SHHS4080GBN SHHS4080GCP/SHHS4080GMB

All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

) SIGNATURE HARDWARE


customer service 1.800.221.3379 signature**hardware**.com




(ISI)

HIBISCUS

METAL HAND SHOWER HOSE SKU: 949086





FEATURES

Length: 60" Width: 1/2" NPT Connection: 1/2"

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 Massachusetts Accepted SIGNATURE HARDWARE LIFETIME WARRANTY See website for warranty information



PAGE 3 Code: /SHH1010CP SHH1010MB



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



customer service 1.800.221.3379 signature**hardware**.com