

# MODERN

## SQUARE RAINFALL SHOWER HEAD WITH WALL-MOUNT SHOWER ARM

SKU: 949054



### FEATURES

- Shape: Square
- Assembly Required: No
- Installation Type: Wall Mount
- Shower Head Installation Type: Wall
- Shower Head Spray: Single Function (Full Spray)
- Shower Arm Included: Yes
- Shower Head Spray: Rainfall
- Shower Head Swivel: Yes
- Escutcheon Included
- Easy Clean Rubber Nozzles
- Brass Ball Joint & Threaded Connection
- Easy Installation

### SIGNATURE HARDWARE Lifetime Warranty

See website for detailed warranty information.

### CONTENTS



SHOWER HEAD .....	PAGE 2
SHOWER ARM .....	PAGE 3

REVISED 01/07/2020

# MODERN

## SQUARE RAINFALL SHOWER HEAD WITH ROUNDED CORNERS

SKU: 949054



Product Code	Reference A	Max Flow-Rate
SHRS820SG	8" (203 mm)	1.8 gpm (6.8L/min) max @ 80 psi
SHRS825S	8" (203 mm)	2.5 gpm (9.5L/min) max @ 80 psi
SHRS1020SG	10" (254 mm)	1.8 gpm (6.8L/min) max @ 80 psi
SHRS1025S	10" (254 mm)	2.5 gpm (9.5L/min) max @ 80 psi
SHRS1225S	12" (305 mm)	2.5 gpm (9.5L/min) max @ 80 psi

### FEATURES

Material: Stainless Steel  
 Height: 2-1/2"  
 IPS: 1/2"

### CODES/STANDARDS

SHRS820S/SHRS1020SG  
 cCSAus  
 ASME A112.18.1/CSA B125.1  
 WaterSense  
 CEC Listed  
 Massachusetts Accepted



SHRS825S/SHRS1025S/SHRS1225S  
 cCSAus  
 ASME A112.18.1/CSA B125.1  
 Massachusetts Accepted



### SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 2  
 Code: SHRS820SGBN/SHRS820SGCP  
 SHRS825SBN/SHRS825SCP/SHRS1020SGBN  
 SHRS1020SGCP/SHRS1025SBN/SHRS1025SCP  
 SHRS1225SBN/SHRS1225SCP

# MODERN

## SQUARE WALL-MOUNT SHOWER ARM WITH FLANGE

SKU: 949054



### FEATURES

Material: Brass  
Base Plate Length: 2-3/8"  
Base Plate Width: 2-3/8"  
IPS: 1/2"

### SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.