




CODE	ND	L1	L	H	D
27NME2073	1/2" => 20 mm	1.34	2.76	2.05	1.30
27NME2573	3/4" => 25 mm	1.34	2.76	2.28	1.52
27NME3273	1" => 32 mm	1.34	2.76	2.56	1.79
27NME4073	1" 1/4" => 40 mm	1.61	3.35	2.95	2.17
27NME5073	1" 1/2" => 50 mm	1.67	3.47	3.43	2.68
27NME6373	2" => 63 mm	1.89	3.86	3.82	3.07
27NME7573	2" 1/2" => 75 mm	2.40	4.92	4.49	3.86



NIRON



ITEM: **NME_73**

C:\Vault_Temp\Disegn\ISchede Tecniche\Niron Grey inches\Electrofusione
Fittings\NI10334.dwg

DESC: ELECTROFUSION COUPLING
SDR 7.3




DRAWING No:
NI10334

SHEET OF	REV.
1 3	-3

www.nupiamericas.com - info@nupiamericas.com

All dimensions have to be considered in inches with 5% tolerance if not otherwise mentioned excluding values as per standard ASTM F2389



CODE	ND	L1	L	H	D
27NME9073	3" => 90 mm	2.84	5.75	5.12	4.45
27NME11073	4" => 110 mm	3.03	6.10	5.67	5.35
27NME12573	5" => 125 mm	3.23	6.54	6.58	6.16

NIRON



ITEM: **NME_73**

C:\Vault_Templ\Disegni\Schede Tecniche\Niron Grey inches\Electrofusion Fittings\NI10334.dwg

DESC: ELECTROFUSION COUPLING
SDR 7.3




DRAWING No:
NI10334

SHEET OF	REV.
2 3	-3

www.nupiamericas.com - info@nupiamericas.com

All dimensions have to be considered in inches with 5% tolerance if not otherwise mentioned excluding values as per standard ASTM F2389



CODE	ND	L	D
27NME16073	6" => 160 mm	7.64	8.23
27NME20073	8" => 200 mm	10.24	10.04
27NME25073	10" => 250 mm	10.43	12.28
27NME31573	12"=> 315 mm	10.23	15.75

NIRON



ITEM: **NME_73**

C:\Vault_Temp\Disegn\ISchede Tecniche\Niron Grey inches\Electrofusione
Fittings\NI10334.dwg

DESC: ELECTROFUSION COUPLING
SDR 7.3



DRAWING No:
NI10334

SHEET OF	REV.
3 3	-3

www.nupiamericas.com - info@nupiamericas.com

All dimensions have to be considered in inches with 5% tolerance if not otherwise mentioned excluding values as per standard ASTM F2389