





CODE	ND1	ND2	S1	S2	L1	L2	L	H1	H
27NTR1116063M160	6" => 160 mm	2" => 63 mm	0.58	0.23	4.58	2.52	13.01	6.69	9.84
27NTR1116075M160	6" => 160 mm	2" 1/2 => 75 mm	0.58	0.27	4.58	3.23	13.71	7.01	10.16
27NTR1116090M160	6" => 160 mm	3" => 90 mm	0.58	0.32	4.58	2.95	14.18	6.89	10.04
27NTR11160110M160	6" => 160 mm	4" => 110 mm	0.58	0.39	4.58	3.35	15.35	7.09	10.24
27NTR11160125M160	6" => 160 mm	5" => 125 mm	0.58	0.45	4.58	3.94	16.05	8.27	11.42
27NTR1120063M200	8" => 200 mm	2" => 63 mm	0.72	0.23	5.48	2.52	14.81	7.48	11.42
27NTR1120075M200	8" => 200 mm	2" 1/2 => 75 mm	0.72	0.27	5.48	3.23	15.51	7.80	11.73
27NTR1120090M200	8" => 200 mm	3" => 90 mm	0.72	0.32	5.48	2.95	15.98	7.68	11.61
27NTR11200110M200	8" => 200 mm	4" => 110 mm	0.72	0.39	5.48	3.35	17.15	7.87	11.81
27NTR11200125M200	8" => 200 mm	5" => 125 mm	0.72	0.45	5.48	3.94	17.85	9.06	12.99
27NTR11200160M200	8" => 200 mm	6" => 160 mm	0.72	0.58	5.48	3.78	19.84	9.06	12.99

NIRON



ITEM: **NTR11_M**

C:\Vault_Templ\Disegn\ISchede Tecniche\Niron Grey inches\Butt Fusion Fittings\NI10220.dwg

DESC: MALE SIDE FUSION REDUCED TEE -
LONG SPIGOT
SDR 11





DRAWING No:
NI10220

SHEET OF
1 5

REV.
-9

www.nupiamericas.com - info@nupiamericas.com

All dimensions have to be considered in inches with 5% tolerance if not otherwise mentioned excluding values as per standard ASTM F2389



CODE	ND1	ND2	S1	S2	L1	L2	L	H1	H
27NTR1125063M250	10" => 250 mm	2" => 63 mm	0.89	0.23	6.26	2.52	16.37	8.46	13.39
27NTR1125075M250	10" => 250 mm	2" 1/2 => 75 mm	0.89	0.27	6.26	3.23	17.07	8.78	13.70
27NTR1125090M250	10" => 250 mm	3" => 90 mm	0.89	0.32	6.26	2.95	17.54	8.66	13.58
27NTR11250110M250	10" => 250 mm	4" => 110 mm	0.89	0.39	6.26	3.35	18.71	8.86	13.78
27NTR11250125M250	10" => 250 mm	5" => 125 mm	0.89	0.45	6.26	3.94	19.41	10.04	14.96
27NTR11250160M250	10" => 250 mm	6" => 160 mm	0.89	0.58	6.26	3.78	21.40	10.04	14.96
27NTR11250200M250	10" => 250 mm	8" => 200 mm	0.89	0.72	6.26	7.48	22.26	13.78	18.70
27NTR1131563M315	12" => 315 mm	2" => 63 mm	1.13	0.23	7.50	2.52	18.85	9.74	15.94
27NTR1131575M315	12" => 315 mm	2" 1/2 => 75 mm	1.13	0.27	7.50	3.23	19.55	10.06	16.26
27NTR1131590M315	12" => 315 mm	3" => 90 mm	1.13	0.32	7.50	2.95	20.02	9.94	16.14
27NTR11315110M315	12" => 315 mm	4" => 110 mm	1.13	0.39	7.50	3.35	21.19	10.14	16.34
27NTR11315125M315	12" => 315 mm	5" => 125 mm	1.13	0.45	7.50	3.94	21.89	11.32	17.52
27NTR11315160M315	12" => 315 mm	6" => 160 mm	1.13	0.58	7.50	3.78	23.88	11.32	17.52
27NTR11315200M315	12" => 315 mm	8" => 200 mm	1.13	0.72	7.50	7.48	24.74	15.06	21.26
27NTR11315250M315	12" => 315 mm	10" => 250 mm	1.13	0.89	7.50	7.48	26.87	15.06	21.26

NIRON



ITEM: **NTR11_M**

C:\Vault_TemplDisegn\ISchede Tecniche\Niron Grey inches\Butt Fusion Fittings\NI10220.dwg

DESC: MALE SIDE FUSION REDUCED TEE -
LONG SPIGOT
SDR 11





DRAWING No:
NI10220

SHEET OF
2 5

REV.
-9

www.nupiamericas.com - info@nupiamericas.com

All dimensions have to be considered in inches with 5% tolerance if not otherwise mentioned excluding values as per standard ASTM F2389



CODE	ND1	ND2	S1	S2	L1	L2	L	H1	H
27NTR1135563M355	14" => 355 mm	2" => 63 mm	1.27	0.23	7.82	2.52	19.49	10.53	17.52
27NTR1135575M355	14" => 355 mm	2" 1/2 => 75 mm	1.27	0.27	7.82	3.23	20.19	10.85	17.83
27NTR1135590M355	14" => 355 mm	3" => 90 mm	1.27	0.32	7.82	2.95	20.66	10.73	17.72
27NTR11355110M355	14" => 355 mm	4" => 110 mm	1.27	0.39	7.82	3.35	21.83	10.93	17.91
27NTR11355125M355	14" => 355 mm	5" => 125 mm	1.27	0.45	7.82	3.94	22.53	12.11	19.09
27NTR11355160M355	14" => 355 mm	6" => 160 mm	1.27	0.58	7.82	3.78	24.52	12.11	19.09
27NTR11355200M355	14" => 355 mm	8" => 200 mm	1.27	0.72	7.82	7.48	25.38	15.85	22.83
27NTR11355250M355	14" => 355 mm	10" => 250 mm	1.27	0.90	7.82	7.48	27.51	15.85	22.83
27NTR11355315M355	14" => 355 mm	12" => 315 mm	1.27	1.13	7.82	9.45	31.50	17.81	24.80
27NTR1140063M400	16" => 400 mm	2" => 63 mm	1.43	0.23	9.45	2.52	30.36	11.42	19.29
27NTR1140075M400	16" => 400 mm	2" 1/2 => 75 mm	1.43	0.27	9.45	3.23	19.67	11.73	19.61
27NTR1140090M400	16" => 400 mm	3" => 90 mm	1.43	0.32	9.45	2.95	20.14	11.61	19.49
27NTR11400110M400	16" => 400 mm	4" => 110 mm	1.43	0.39	9.45	3.35	21.31	11.81	19.69
27NTR11400125M400	16" => 400 mm	5" => 125 mm	1.43	0.45	9.45	3.94	22.01	12.99	20.87
27NTR11400160M400	16" => 400 mm	6" => 160 mm	1.43	0.58	9.45	3.78	24.00	12.99	20.87
27NTR11400200M400	16" => 400 mm	8" => 200 mm	1.43	0.72	9.45	7.48	24.86	16.73	24.61
27NTR11400250M400	16" => 400 mm	10" => 250 mm	1.43	0.89	9.45	7.48	26.99	16.73	24.61
27NTR11400315M400	16" => 400 mm	12" => 315 mm	1.43	1.13	9.45	9.45	29.84	18.70	26.57
27NTR11400355M400	16" => 400 mm	14" => 355 mm	1.43	1.27	9.45	9.45	31.30	18.50	26.38

NIRON



ITEM: **NTR11_M**

C:\Vault_Temp\Disegn\ISchede Tecniche\Niron Grey inches\Butt Fusion Fittings\NI10220.dwg

DESC: MALE SIDE FUSION REDUCED TEE -
LONG SPIGOT
SDR 11





DRAWING No:
NI10220

SHEET OF
3 5

REV.
-9

www.nupiamericas.com - info@nupiamericas.com

All dimensions have to be considered in inches with 5% tolerance if not otherwise mentioned excluding values as per standard ASTM F2389



CODE	ND1	ND2	S1	S2	L1	L2	L	H1	H
27NTR1145063M450	18" => 450 mm	2" => 63 mm	1.61	0.23	9.98	2.52	23.81	12.40	21.26
27NTR1145075M450	18" => 450 mm	2" 1/2 => 75 mm	1.61	0.27	9.98	3.23	24.51	12.72	21.57
27NTR1145090M450	18" => 450 mm	3" => 90 mm	1.61	0.32	9.98	2.95	24.98	12.60	21.46
27NTR11450110M450	18" => 450 mm	4" => 110 mm	1.61	0.39	9.98	3.35	26.15	12.80	21.65
27NTR11450125M450	18" => 450 mm	5" => 125 mm	1.61	0.45	9.98	3.94	26.85	13.98	22.83
27NTR11450160M450	18" => 450 mm	6" => 160 mm	1.61	0.58	9.98	3.78	28.84	13.98	22.83
27NTR11450200M450	18" => 450 mm	8" => 200 mm	1.61	0.72	9.98	7.48	29.70	17.72	26.57
27NTR11450250M450	18" => 450 mm	10" => 250 mm	1.61	0.89	9.98	7.48	31.83	17.72	26.57
27NTR11450315M450	18" => 450 mm	12" => 315 mm	1.61	1.13	9.98	9.45	34.68	19.69	28.54
27NTR11450355M450	18" => 450 mm	14" => 355 mm	1.61	1.27	9.98	9.45	36.14	19.49	28.35
27NTR11450400M450	18" => 450 mm	16" => 400 mm	1.61	1.43	9.98	9.45	38.15	20.08	28.94

NIRON



ITEM: **NTR11_M**

C:\Vault_Temp\Disegn\ISchede Tecniche\Niron Grey inches\Butt Fusion Fittings\NI10220.dwg

DESC: MALE SIDE FUSION REDUCED TEE -
LONG SPIGOT
SDR 11





DRAWING No:
NI10220

SHEET OF
4 5

REV.
-9

www.nupiamericas.com - info@nupiamericas.com

All dimensions have to be considered in inches with 5% tolerance if not otherwise mentioned excluding values as per standard ASTM F2389



CODE	ND1	ND2	S1	S2	L1	L2	L	H1	H
27NTR1150063M500	20" => 500 mm	2" => 63 mm	1.79	0.23	10.78	2.52	25.41	14.17	24.41
27NTR1150075M500	20" => 500 mm	2" 1/2 => 75 mm	1.79	0.27	10.78	3.23	26.11	14.49	24.72
27NTR1150090M500	20" => 500 mm	3" => 90 mm	1.79	0.32	10.78	2.95	26.58	14.37	24.61
27NTR11500110M500	20" => 500 mm	4" => 110 mm	1.79	0.39	10.78	3.35	27.75	14.37	24.80
27NTR11500125M500	20" => 500 mm	5" => 125 mm	1.79	0.45	10.78	3.94	28.45	15.55	25.98
27NTR11500160M500	20" => 500 mm	6" => 160 mm	1.79	0.58	10.78	3.78	30.44	15.55	25.98
27NTR11500200M500	20" => 500 mm	8" => 200 mm	1.17	0.72	10.78	7.48	31.30	19.29	29.72
27NTR11500250M500	20" => 500 mm	10" => 250 mm	1.17	0.89	10.78	7.48	33.43	19.29	29.72
27NTR11500315M500	20" => 500 mm	12" => 315 mm	1.17	1.13	10.78	9.45	36.28	21.26	31.69
27NTR11500355M500	20" => 500 mm	14" => 355 mm	1.17	1.27	10.78	9.45	37.74	21.06	31.50
27NTR11500400M500	20" => 500 mm	16" => 400 mm	1.17	1.43	10.78	9.45	39.75	21.65	32.09
27NTR11500450M500	20" => 500 mm	18" => 450 mm	1.17	1.61	10.78	9.45	41.91	21.65	32.09

NIRON



ITEM: **NTR11_M**

C:\Vault_TemplDisegni\Schede Tecniche\Niron Grey inches\Butt Fusion Fittings\NI10220.dwg

DESC: MALE SIDE FUSION REDUCED TEE -
LONG SPIGOT
SDR 11



DRAWING No:
NI10220

SHEET OF
5 5

REV.
-9

www.nupiamericas.com - info@nupiamericas.com

All dimensions have to be considered in inches with 5% tolerance if not otherwise mentioned excluding values as per standard ASTM F2389