

BALDWIN®

TOUCHSCREEN DEADBOLTS



TOUCHSCREEN



INTRODUCING

TOUCHSCREEN

LUXURIOUS SIMPLICITY. BOLD DESIGN.

Beautifully Baldwin, This new offering combines a Touchscreen and Securescreen Technology with bold Baldwin design to create a simple electronic connected solution.



SECURE SCREEN™ TECHNOLOGY

Features patented SecureScreen™ Technology that provides additional security by employing random digits prior to entering your personal code to prevent fingerprint and code detection.



USER CODES

Up to 16 customizable user codes (30 for Z-Wave version) with 4 to 8 digit code length for family, guests and service professionals.



ONE TOUCH LOCKING

Lock your door with a single touch. No need for a key or code to lock the door.



WIRELESS SECURITY

128-bit Advanced Encryption Standard (AES) communication with Z-Wave 500 chipset.

TOUCHSCREEN | STYLE PAIRING

TRADITIONAL

Boulder Touchscreen +
Canterbury Handle Grip



CONTEMPORARY

Minneapolis Touchscreen +
Minneapolis Handle Grip




RUSTIC

Boulder Touchscreen +
Boulder Handle Grip



FINISHES



HANDLESETS

DEADBOLT AND HANDLESET SPECIFICATIONS

Solid Brass	Manufactured of solid brass for maximum strength and durability.
Door Thickness	1-3/4" standard with service part conversion kit available for 2" and 2-1/4" thick doors. Grip latch has a brass bolt with 0.5" throw.
Latch Bolt	Deadbolt has 1" solid brass tapered bolt and a hardened steel insert for maximum security.
Backset	Adjustable backset 2-3/8" or 2-3/4".
Face Plate	1" square corner face plate. Round corner face plate available as a service part.
Strike	Full-lip reinforcing steel strike with two (2) 3" security jamb screws, dust box and armored front to conceal the fasteners. Round corner strike available as a service part.
Door Prep	2-1/8" cross bore and 1" edge bore for latch.
Cylinder	Cylinder supplied with 5-pin keying.
ANSI/BHMA	Exceeds Grade 2 requirements in ANSI/BHMA A156.36 test standard.
UL Rated	20-minute fire rated certified UL deadbolt.
Security	128-bit Advanced Encryption Standard (AES) communication with Z-Wave 500 chipset.
Power	Deadbolt requires four AA batteries (supplied).
Smart Home Devices	Wirelessly communicate with security and smart home systems via Z-Wave.

FUNCTIONS



Touchscreen/Single Cylinder




Full Dummy



Entry

DEADBOLT AND HANDLESET DIMENSIONS



TOUCHSCREEN DEADBOLT AND HANDLESET

	CANTERBURY	BOULDER	MINNEAPOLIS
A	6-15/16"	6-15/16"	5-9/32"
B	12-1/32"	12-19/32"	11-29/32"
C	3"	3"	2-25/32"
D	2-7/8"	2-7/8"	2-5/8"
E	2-1/8"	2-3/8"	1-29/32"
F	23/32"	23/32"	23/32"
G	4-15/32"	4-15/32"	3-5/8"
H	2-13/16"	3-5/16"	2-23/32"
I	7/16"	7/16"	17/32"
J	1/2"	17/32"	17/32"
K	2-1/8"	3-1/4"	2-5/8"
L	1-7/16"	1-7/16"	1-7/16"
M	2-13/32"	2-13/32"	2-5/16"
N	2-19/32"	2-3/32"	2-7/16"
O	3/8"	3/8"	3/8"
P	8-3/4"	8-3/4"	8-3/4"
Q	2-31/32"	2-21/32"	2-31/32"
R	6-5/8"	6-5/8"	5-19/32"
S	2-13/16"	2-13/16"	2-21/32"
T	3-15/16"	3-15/16"	2-21/32"
U	4"	4-1/8"	4-15/32"

FINISHES



LIMITED LIFETIME WARRANTY • 1 YEAR ELECTRONIC WARRANTY • LIMITED FINISH WARRANTY