

Florestone Mop Receptors

QUALITY YOU CAN TRUST.

Since 1947, Florestone Products Company has built a reputation based on product quality, ease of installation and reliability. Today we serve contractors, engineers, specifiers, architects and builders with products, service and distribution nationwide. The manufacturing methods, craftsmanship and attention to detail of Florestone Mop Receptors are second to none.

WIDE VARIETY OF SIZES AND STYLES.


You have a wide choice of models, sizes, and styles. Many models are available in recess, corner, and neo-angle styles, with a choice of flanges and caps. You can choose between the durability of heavy-weight terrazzo and practicality of light-weight pressure molded construction.

ONE PIECE CONSTRUCTION

Molded under pressures up to 100,000 pounds per square foot, Florestone Molded Mop Receptors are designed not to crack or leak under normal use. Terrazzo receptors are also one-piece design with galvanized steel flanges cast integral for durability.

EXCLUSIVE WEDGE-LOK® INTEGRAL SEAL (MOLDED MOP RECEPTORS ONLY)

Florestone Molded Mop Receptors come with an integral drain molded into the receptor, eliminating the need for a separate drain. The Wedge-Lok Seal connects easily to a 2" or 3" drain.



FLORESTONE PRODUCTS CO., INC.

2851 Falcon Drive • Madera, CA 93637


T. 559.661.4171 • T. 800.446.8827

F. 559.661.2070 • florestone.com

Florestone Molded and Terrazzo Mop Receptors Accessories

Architect's Specifications

- (1) **MR-370** $\frac{5}{8}$ " Hose, 5' long with clamp.
- (2) **MR-371** Moen Faucet with vacuum braker, double stops and bucket hook with brace. U.S. made.
- (3) **MR-372** Mop hanger with 3 clamps.
- (4) **MR-373** Stainless Steel rim guard, #304, 20 gauge, 24" or 36".
Specify length and one (1), two (2), three (3) or four (4) each.
(available on Molded Mop Sinks only)
- (5) **MR-374 Wedge-Lok®** Seal, specify 2" or 3".
(available on Molded Mop Sinks only)
- (6) **MR-375** Flat strainer, chrome.
(available on Molded Mop Sinks only)
- (7) **MR-376** Dome strainer, chrome.
(available on Molded Mop Sinks only)
- (8) **MR-377** Two (2) each 24" panels or
Two (2) each 32" panels or
One (1) 24" panel and
One (1) 36" panel.



FLORESTONE PRODUCTS CO., INC.


2851 Falcon Drive • Madera, CA 93637

T. 559.661.4171 • T. 800.446.8827


F. 559.661.2070 • florestone.com

Floestone Terrazzo Mop Receptors Installation Instructions

Please Note: Flanges and Stainless Steel Caps are integral to the unit. They cannot be added later.



1. Place Mop Receptor on a thin bed of mortar or plaster.
2. Level unit front to back, right to left.
3. Use water to check for proper drainage after attaching drain pipe before finishing walls. Check for any cracks that may have resulted from handling or shipping.




FLOESTONE PRODUCTS CO., INC.

2851 Falcon Drive • Madera, CA 93637

T. 559.661.4171 • T. 800.446.8827

F. 559.661.2070 • floestone.com



Construction Detail showing optional flange and cap.

THREE YEAR LIMITED WARRANTY -
6/01/2017

Three Year Limited Warranty

Florestone Molded Shower Receptors, Terrazzo Shower Receptors , Molded Mop Receptors, Utility Sinks, Terrazzo Mop Receptors, Fiberglass Shower Units and Fiberglass Bath Shower Combinations are guaranteed to be free from defective workmanship and material solely caused by Florestone for (3) three years from date of purchase, when the unit is installed by A LICENSED PROFESSIONAL according to the installation instructions, local codes and ordinances.

Any unit reported to Florestone and found to be defective in workmanship and material solely caused by Florestone upon inspection by an authorized Florestone representative will be repaired or exchanged at Florestone's option without charge.

This warranty is non-transferable and shall be void if the unit is removed from its place of initial installation. This warranty does not cover shipping damage. Such damage is the responsibility of the carrier. The purchaser must open the box and inspect it for damage when it is delivered and, if damage is discovered, should file a freight claim directly with the carrier. Cost of repair or replacement for damage during shipment shall be paid by the purchaser, who must look to the carrier for reimbursement.

Florestone will not be responsible for labor, transportation or other costs incurred in the removal and or reinstallation of the defective unit. Florestone will not be responsible for any incidental or consequential damage arising from any cause whatsoever, nor for damage to the unit produced from outside causes, including but not limited to the following: improper installation, use of abrasive cleaners, lightning, flood, fire, careless handling, lack of proper cleaning or maintenance of the caulking, or an act of God.

There are no warranties applicable to Florestone products except as expressly stated herein. Implied warranties of merchantability and fitness for a particular purpose and any other potential warranty are hereby expressly disclaimed and eliminated. Florestone disclaims any and all liability for defective work or materials provided by the party installing the Florestone unit or any other party. Florestone is only responsible for its own work completed and materials existing as of the time the unit leaves Florestone's facility.

NOTICE TO END USERS

To maintain your limited warranty rights, the Florestone unit should be kept clean and the caulking around the unit should be regularly maintained by the end user.

Modification alteration to a Florestone unit after it leaves the factory will void all warranties.

Dimension Verification: Verify unit dimensions prior to roughing in installation. Dimensions are subject to change without notice.