



Think ahead.

Tork Premium Extra Soft Matic® Hand Towel Roll

290094



Description

Premium, quick-absorbing, thicker 2-ply paper towel with improved softness and strength that feels more like cloth. Designed specifically for the Tork Elevation® Matic® Hand Towel Roll Dispensers, this high-end Tork Premium Extra Soft Hand Towel offers a truly best-in-class product for no-touch, hygienic dispensing systems. Ideal for Class-A office buildings and upscale dining facilities.

- Made from 100% recycled fiber, minimum 25% post-consumer fibers, providing environmental benefits and positive image builder.
- One-at-a-time dispensing for reduced consumption and increased hygiene
- Environmental Label
- Premium
- Tork Easy Handling® Packaging

Product Certifications



Tork
Premium

Product Details

| | |
|----------------------|--------------|
| Print | No |
| Core inside diameter | 1.51 in |
| Roll diameter | 7.25 in |
| Embossing | Yes |
| Roll length | 300 null |
| Roll width | 7.7 in |
| Ply | 2 |
| System | H1 |
| Color | White, White |

Shipping Data

| | Consumer Units (CON) | Transport unit (TRP) | Pallet (PAL) |
|--------------------|----------------------|----------------------|---------------|
| EAN | 73286618887 | 10073286618884 | 7322540844528 |
| Packaging Material | Roll | Carton | - |
| Pieces | 1 | 6 (6 CON) | 330 (55 TRP) |
| Height | 7.28 in | 9.13 in | 100.38 in |
| Length | 7.72 in | 22.38 in | 45 in |
| Width | 7.28 in | 15 in | 37.38 in |
| Gross Weight | 0 lb | 11.02 lb | 605.91 lb |
| Net Weight | 1.62 lb | 9.7 lb | 533.61 lb |
| Volume | 0.24 ft | 1.77 ft | 97.7 ft |
| Layers Per Pallet | - | - | 11 |
| TRP Per Layer | - | - | 5 |



Think ahead.

Tork Premium Extra Soft Matic® Hand Towel Roll

290094

Compatible Products



DISP H1 ELEV MATIC HWRT WHITE 1/CS
5510202



DISP H1 ELEV MATIC HWRT BLACK 1/CS
5510282



Tork Matic HTR Disp -Intuition sensor Wh
551100

Environmental Information

Content

The product is made from

Virgin pulp

The packaging material is made from paper or plastic.

Material

Virgin fibers

There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Virgin pulp fibers are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibers are separated out and lignin and other residuals are removed.

Bleaching is a cleaning process of the fibers and the aim is to achieve a bright pulp, but also to get a certain purity of the fiber in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)
- For colored papers dyes and fixatives (to secure perfect fastness of the color) are added
- For printing products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:



Think ahead.

Tork Premium Extra Soft Matic® Hand Towel Roll

290094

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

| | |
|--|--|
| Environmental certification | This product is certified for FSC®. |
| Packaging | Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes |
| Article creation date and latest article revision | Date of issue: 19-04-2019 Revision date: 22-01-2025 |
| Production | This product is produced at Essity Professional Hygiene NA - US mill. |
| Destruction | This product is mainly used for personal hygiene and can be collected together with household waste. |

Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA