

LEED Green Building Submittal Sheet- Saddle Tee Kits and Mushroom Vent Cap



	Description of Section's Relevance	Saddle Tee Kits	Mushroom Vent Cap
Product Offerings	Various products offered by Oatey SCS [®] that apply to information as follows.	<ul style="list-style-type: none"> Oatey PVC Saddle Tee Kits Oatey ABS Saddle Tee Kits 	<ul style="list-style-type: none"> Oatey Mushroom Vent Cap
Low Emitting Materials- VOC Emission Limits	Strictest VOC regulatory limit in which governs the above products.	There are no VOC regulations for this product.	There are no VOC regulations for this product.
Low Emitting Materials-Product VOC Content	Best estimate of the actual VOC content within product in g/L or % by weight. Products with low VOC content may assist in earning LEED credit and improving air quality.	These products have no VOC content.	These products have no VOC content.
Building Product Disclosure- Recycled Content of Materials	Recycled content used within product that may assist in earning LEED points.	There is no recycled content used within these products.	There is no recycled content used within this product.
PBT¹ Source Reduction-Lead, Cadmium, Copper	Lead, Cadmium, and Copper content for use in determining LEED credit for PBT reduction.	There is no lead, cadmium, or copper present in these products.	There is no lead, cadmium, or copper present in this product.

Red List Content	Any red list materials as defined by the Living Building Challenge (LBC).	PVC saddle kits contain Polyvinyl Chloride, which has been red listed by the LBC.	This product contains Polyvinyl Chloride, which has been red listed by the LBC.
Conflict Mineral Content	Any materials within the product that may be from the DRC (Democratic Republic of Congo).	These products contain no conflict minerals.	This product contains no conflict minerals.
Hazardous Substance Content (ROHS)	Any substances contained within the product reportable per ROHS guidelines.	No substances present which are reportable per ROHS guidelines.	No substances present which are reportable per ROHS guidelines.
Location(s) Where Manufactured	Manufacturing location of the product pertains to its carbon footprint. If jobsite area is within 500 straight-line miles ² of this location, LEED credit may be earned.	Locations of manufacturing: <ul style="list-style-type: none"> • Englewood, California 	Locations of manufacturing: <ul style="list-style-type: none"> • Ningbo, China
Additional Information	Additional product information relative to LEED or environmental health and safety.	There is no additional information for these products.	There is no additional information for this product.

¹PBT's are known as Persistent Bioaccumulative Toxins.

²For use in determining distance between jobsite and manufacturing location in straight-line miles, use tool provided by this link <http://www.daftlogic.com/projects-google-maps-distance-calculator.htm>.

*All information contained in this document is gathered from reliable sources believed to be up-to-date and accurate to the best of our knowledge.



4700 W. 160th St.
Cleveland, OH 44135
PH:800-321-9532
FX:800-321-9535
www.oatey.com

TECHNICAL SPECIFICATION

SADDLE TEE KITS



TECHNICAL SPECIFICATION: Oatey Saddle Tee Kit is designed for tapping into a 3" or 4" Schedule 40 DWV line. The Saddle Tee is solvent welded to the existing pipe line and secured with metal V-bolts, washers and nuts. The tee accepts the incoming line inside the socket, or joins with a Schedule 40 DWV fitting.



PHYSICAL/CHEMICAL PROPERTIES

Material Schedule 40 PVC or ABS
Color White or Black

PRODUCT NUMBER	DESCRIPTION	PACK	CARTON WEIGHT
43788	3" x 2" ABS Saddle Tee Kit	6	5 lbs.
43789	3" x 2" PVC Saddle Tee Kit	6	6 lbs.
43790	4" x 2" ABS Saddle Tee Kit	6	7 lbs.
43791	4" x 2" PVC Saddle Tee Kit	6	8 lbs.
43792	4" x 3" ABS Saddle Tee Kit	6	8 lbs.
43793	4" x 3" PVC Saddle Tee Kit	6	9 lbs.
43794	4" x 4" ABS Saddle Tee Kit	6	9 lbs.
43795	4" x 4" PVC Saddle Tee Kit	6	4 lbs.
43796	Saddle Tee Gasket for Cast Iron Pipe	12	1 lb.