



# Anchor

Serial Number: \_\_\_\_\_

- Pass
- Remove From Service

Inspector Name: \_\_\_\_\_ Inspection Date: \_\_\_\_\_

Model Number: \_\_\_\_\_ Manufacture Date: \_\_\_\_\_ Date of First Use: \_\_\_\_\_

For more information, please see user instructions sent with the product at the time of shipment.

## Webbing

To inspect webbing, bend a portion of the webbing 6-8 inches into an upsidedown 'U' shape. Continue along all webbing inspecting for tears, cuts, fraying, abrasion, discoloration, burns, holes, mold, pulled or broken stitches, or other signs of wear and damage. Adjust all keepers, buckles, padding and D-ring to inspect webbing hidden by these components.

- |                                     |                             |                               |                                |  |
|-------------------------------------|-----------------------------|-------------------------------|--------------------------------|--|
| <input type="radio"/> Tears         | <input type="radio"/> Cuts  | <input type="radio"/> Fraying | <input type="radio"/> Abrasion | <input type="checkbox"/> Pass                |
| <input type="radio"/> Discoloration | <input type="radio"/> Burns | <input type="radio"/> Holes   | <input type="radio"/> Mold     | <input type="checkbox"/> Remove From Service |

Comments: \_\_\_\_\_

## Stitching

Sewn terminations must be secure, complete, and not visibly damaged.

- |                              |                               |  |  |
|------------------------------|-------------------------------|--|--|
| <input type="radio"/> Broken | <input type="radio"/> Missing | <input type="radio"/> Load Indicator Warning | <input type="checkbox"/> Pass                |
|                              |                               |  | <input type="checkbox"/> Remove From Service |

Comments: \_\_\_\_\_

## Cable

Cable must be inspected for kinks, broken strands, corrosion, abrasion, or other signs of wear and damage. Swaged terminations should be secure with the thimble tight, and not visibly damaged.

- |                                       |                                   |                                  |  |  |
|---------------------------------------|-----------------------------------|----------------------------------|--|--|
| <input type="radio"/> Kinks           | <input type="radio"/> Corrosion   | <input type="radio"/> Abrasion   | <input type="radio"/> Separation of Wire | <input type="checkbox"/> Pass                |
| <input type="radio"/> Chemical Attack | <input type="radio"/> Broken Wire | <input type="radio"/> Alteration | <input type="radio"/> Excessive Heating  | <input type="checkbox"/> Remove From Service |

Comments: \_\_\_\_\_

## Hardware

All hardware must be free of cracks, sharp edges, deformation, corrosion, or any evidence of defect.

- |                                       |                                   |                                   |   |  |
|---------------------------------------|-----------------------------------|-----------------------------------|---|--|
| <input type="radio"/> Cracks          | <input type="radio"/> Sharp Edges | <input type="radio"/> Deformation | <input type="radio"/> Corrosion         | <input type="checkbox"/> Pass                |
| <input type="radio"/> Chemical Attack | <input type="radio"/> Wear        | <input type="radio"/> Alteration  | <input type="radio"/> Excessive Heating | <input type="checkbox"/> Remove From Service |

Comments: \_\_\_\_\_

## Labels

All markings must be legible and attached to the product.

- |                                 |                               |  |
|---------------------------------|-------------------------------|--|
| <input type="radio"/> Illegible | <input type="radio"/> Missing | <input type="checkbox"/> Pass                |
|                                 |                               | <input type="checkbox"/> Remove From Service |

Comments: \_\_\_\_\_

# Inspection Sheet