

PINECREST

SIMPLE SELECT DUAL SHOWER HEAD SHOWER SYSTEM - LEVER HANDLE

SKU: 949736



FEATURES

Dual Functionality Allows For One or Both Shower Features to Run at a Time

Dual Single Function Shower Heads (Full Spray) With Easy-Clean Silicone Nozzles

Optional Rough-In Valve:

Pressure Balanced With Integral Stops
One-Piece Cartridge Design For Ease of Maintenance

Back-to-Back Capability

Adjustable Temperature Limit Stop

Quick Remove Plaster Guard

Easy Mounting Brackets

With Restrictor Installed, This Valve is Compliant With CALGreen and the California Plumbing Code

CONTENTS


TRIM	PAGE 2
OPTIONAL ROUGH-IN VALVE	PAGE 3
SHOWER HEAD	PAGE 4
SHOWER ARM	PAGE 5

REVISED 03/18/2021

PINECREST

SIMPLE SELECT VALVE TRIM

SKU: 949736



FEATURES

Material: Brass
Width: 7-1/8"
Height: 7-1/8"
Depth: 3"
NPT Connection: 1/2"

CODES/STANDARDS

cUPC
ASME A112.18.1/CSA B125.1
Massachusetts Accepted

PRODUCT IMAGE






All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 2
Code: SHPC8040LH

PINECREST

OPTIONAL PRESSURE BALANCE ROUGH-IN VALVE FOR SIMPLE SELECT TRIMS

SKU: 949736



STANDARD:

Pressure (psi)		20	40	60	80
Simultaneous (Both Valves Open)	Total (gpm)	3.4	5	6.3	7.4
	Outlet A (gpm)	1.2	2.2	2.9	3.5
	Outlet B (gpm)	2.2	2.8	3.4	3.9
Separate (A or B Closed)	Outlet A (gpm)	2.5	3.9	4.8	5.5
	Outlet B (gpm)	2.5	3.9	4.8	5.5

WITH FLOW RESTRICTOR:

Pressure (psi)		20	40	60	80
Simultaneous (Both Valves Open)	Total (gpm)	1.20	1.40	1.53	1.64
	Outlet A (gpm)	0.43	0.56	0.64	0.68
	Outlet B (gpm)	0.77	0.84	0.89	0.96
Separate (A or B Closed)	Outlet A (gpm)	1.17	1.38	1.49	1.59
	Outlet B (gpm)	1.16	1.39	1.49	1.60

FEATURES

Material: Bronze
 Length: 4-7/8"
 Width: 4-3/8"
 Depth: 5-1/2"
 NPT Connection: 1/2"

CODES/STANDARDS

cUPC
 ASME A112.18.1/CSA B125.1
 ASSE 1016 Type P
 Massachusetts Accepted

PRODUCT IMAGE





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 3
 Code: SH5001SSG

PINECREST

TRADITIONAL ROUND RAINFALL SHOWER HEAD

SKU: 949736



FEATURES

Material: Stainless Steel
Diameter: 10"
Height: 2-1/2"
IPS: 1/2"
Shower Head Flow Rate:
1.8 gpm (6.8 L/min) @ 80 psi

CODES/STANDARDS

cUPC
ASME A112.18.1/CSA B125.1
CEC Listed
Massachusetts Accepted

PRODUCT IMAGE




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 4
Code: SHRS1020TG

PINECREST

WALL-MOUNT RAINFALL SHOWER ARM

SKU: 949736



FEATURES

Material: Brass
Shower Arm Extension: 12"
Height: 1-9/16"
Base Plate Diameter: 2-3/8"
Escutcheon Included
IPS: 1/2"

CODES/STANDARDS

cCSAus
ASME A112.18.1/CSA B125.1
Massachusetts Accepted

PRODUCT IMAGE



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 5
Code: SHRSA120