SHOWER SYSTEM WITH RAINFALL SHOWER HEAD & HAND SHOWER - KNOB HANDLE

SKU: 953088-K



CONTENTS

| PRESSURE BALANCE VALVE TRIM | PAGE 2 |
|-----------------------------|-------------|
| PB ROUGH-IN VALVE | PAGE 3 |
| DIVERTER VALVE TRIM | PAGE 4 |
| DIVERTER ROUGH-IN VALVE | PAGE 5 |
| SHOWER HEAD | PAGE 6 |
| WALL SHOWER ARM | PAGE 7 |
| HAND SHOWER | PAGE 8 |
| SLIDE BAR | PAGE 9 |
| HOSE | PAGE 10 |
| WATER SUPPLY ELBOW | PAGE 11 |
| | |

FEATURES

Design: Modern Shape: Round

Installation Type: Wall Mount

Handle Type: Knob Assembly Required: No Metal Handles

Single Function Shower Head (Full Spray)

Easy Clean Rubber Nozzles

Brass Ball-Joint

Brass Constructed Shower Arm

Water Supply Elbow:

1/2" Female Wall Connection 1/2" Male Hose Connection

Optional Pressure Balance Rough-In Valve:

Pressure Balance Valve with Integral Stops

One-Piece Cartridge Design for Ease of

Maintenance

Back-to-Back Capability

Ceramic Disc Valve Cartridge

Cast Bronze Valve Body

Adjustable Temperature Limit Stop

Quick Remove Plaster Guard

Easy Mounting Brackets

Optional Diverter Rough-In Valve:

Six Total Settings Allow for Shared Water

Flow Between Outlets, Giving You the Ability to Use Two Functions at

Once

Ceramic Cartridge

Available Single-Function Diverter Valve

Cartridge Restricts Water Flow to One

Outlet at a Time

For Installations Only Requiring 2 Outlets, the

3rd Outlet may be Looped into One of


the Existing Pipes


Brass Valve Body

REVISED 05/24/2021

PRESSURE BALANCE VALVE TRIM

SKU: 953088-K





FEATURES

Material: Brass Length: 6-3/4" Height: 6-3/4" Depth: 3-7/8"

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 Massachusetts Accepted

LISTED ID:

SHLZ8010LH, SHLZPBKNOB

PRODUCT IMAGE






 $All\ dimensions\ and\ specifications\ are\ nominal\ and\ may\ vary.\ Use\ actual\ products\ for\ accuracy\ in\ critical\ situations.$

PAGE 2 Code: SHLZ8010LH, SHLZPBKNOB



OPTIONAL ROUGH-IN VALVE FOR PRESSURE BALANCE SHOWER VALVE TRIM

SKU: 953088-K



FEATURES

Material: Bronze NPT Connection: 1/2"

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 ASSE 1016 Type P Massachusetts Accepted

LISTED ID:

SH4001

PRODUCT IMAGE







 $All\ dimensions\ and\ specifications\ are\ nominal\ and\ may\ vary.\ Use\ actual\ products\ for\ accuracy\ in\ critical\ situations.$

PAGE 3 Code: SH4001

DIVERTER VALVE TRIM

SKU: 953088-K





FEATURES

Material: Brass Length: 4-3/8" Height: 4-3/8" Depth: 3-3/8"

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 Massachusetts Accepted

LISTED ID:

SHLZ9005LH, SHLZTVKNOB



PRODUCT IMAGE




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 4 Code: SHLZ9005LH, SHLZTVKNOB



OPTIONAL ROUGH-IN VALVE FOR DIVERTER VALVE TRIM

SKU: 953088-K



FEATURES

Material: Brass NPT Connection: 3/4"

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 Massachusetts Accepted

LISTED ID:

SH6103



PRODUCT IMAGE




 $All\ dimensions\ and\ specifications\ are\ nominal\ and\ may\ vary.\ Use\ actual\ products\ for\ accuracy\ in\ critical\ situations.$


PAGE 5 Code: SH6103



WALL-MOUNT RAINFALL SHOWER HEAD

SKU: 953088-K





FEATURES

Material: ABS Diameter: 8" Height: 2-3/8"

Connection Type: 1/2"-14 NPSM-2A Rainfall Shower Head Flow Rate: 1.8 gpm (6.8L/min) Max @ 80 psi

CODES/STANDARDS

cUPC ASME A112.18.1/CSA 125.1 CEC Listed WaterSense Massachusetts Accepted

LISTED ID:

SHRSB820RG



PRODUCT IMAGE




 $All \ dimensions \ and \ specifications \ are \ nominal \ and \ may \ vary. \ Use \ actual \ products \ for \ accuracy \ in \ critical \ situations.$

PAGE 6 Code: SHRSB820RG



WALL-MOUNT SHOWER ARM

SKU: 953088-K



FEATURES

Material: Brass Length: 12" Height: 1-9/16" Base Plate Diameter: 2-3/8" Escutcheon Included IPS: 1/2"

CODES/STANDARDS

cCSAus ASME A112.18.1/CSA B125.1 Massachusetts Accepted

LISTED ID:

SHRSA120



PRODUCT IMAGE



 $All \ dimensions \ and \ specifications \ are \ nominal \ and \ may \ vary. \ Use \ actual \ products \ for \ accuracy \ in \ critical \ situations.$


PAGE 7 Code: SHRSA120



HAND SHOWER

SKU: 953088-K





FEATURES

Material: ABS Length: 1-1/16" Width: 1-1/16" Height: 8-7/8"

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 WaterSense CEC Listed Massachusetts Accepted

LISTED ID:

SHHS4030G



PRODUCT IMAGE




 $All\ dimensions\ and\ specifications\ are\ nominal\ and\ may\ vary.\ Use\ actual\ products\ for\ accuracy\ in\ critical\ situations.$

PAGE 8 Code: SHHS4030G



SLIDE BAR

SKU: 953088-K



FEATURES

Material: Brass Length: 4-5/8" Width: 2-3/4" Height: 28"

Base Plate Height: 1-3/4" Base Plate Width: 1-3/4"

PRODUCT IMAGE




 $All\ dimensions\ and\ specifications\ are\ nominal\ and\ may\ vary.\ Use\ actual\ products\ for\ accuracy\ in\ critical\ situations.$


PAGE 9 Code: SHSB3040



HAND SHOWER HOSE

SKU: 953088-K





FEATURES

Length: 60"
Connection Type: 1/2"-14 NPSM-2A
Double Spiral Construction
Metal Conical Nut

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 Massachusetts Accepted

LISTED ID:

SHH1010



PRODUCT IMAGE




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.


PAGE 10 Code: SHH1010



WATER SUPPLY ELBOW

SKU: 953088-K





FEATURES

Material: Brass Length: 2-3/8" Width: 2" Height: 1-3/8"

Wall Connection: 1/2-14 NPT-2B Hose Connection: G1/2-A

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 Massachusetts Accepted

LISTED ID:

SHWE2040



PRODUCT IMAGE



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 11 Code: SHWE2040

