

Nest Cam with floodlight Technical Specifications Copy Guide March 2022

Change log

Date	What is being updated?
12 Aug 2021	 Requirements section - Works with copy updated. Copy removed - "Google Chromecast, or Chromecast built-in device" Wireless copy updated in blue. Warranty copy updated in blue. Regions JP/IN/MX/CH has been removed as it is no longer shipping there. Replaced code name with product name in blue.
13 Aug 2021	 Dimension and Weight copy for [US/CA] Floodlight: width updated in blue. width updated in blue.
19 Aug 2021	1. Video history copy updated in blue.
3 Sep 2021	1. What's in the box copy updated in blue.
10 Sep 2021	1. Sustainability copy updated in blue.
March 9, 2022	1. Voice Assistant: Added voice assistant compatibility copy in blue

Nest Cam + Floodlight Hard Bundle Tech Specs

Spec Category	Nest Cam + Floodlight	
Voice Assistant	Works with compatible Google Assistant- and Amazon Alexa- enabled devices	
Camera	 1/2.8-inch, 2-megapixel sensor 130° diagonal field of view 6x digital zoom 16:9 aspect ratio 	
Video	 Up to 1080p at 30 FPS, HDR 24/7 live view Night vision with HDR H.264 encoding 	
Video history	 Includes up to 3 hours of event video history Captures and stores video clips of activity within the past 3 hours. With a Nest Aware subscription (sold separately), Nest Cam can capture and store up to 60 days of event video history. Continuous video recording (up to 10 days of 24/7 video history) requires a Nest Aware Plus subscription (sold separately) 	
Audio	 High-quality speaker and microphone Full-duplex 2-way audio with noise cancellation 	
Motion detection	Camera: • Single motion sensor • 110° horizontal field of view • Up to 25 ft (7.5 m) Floodlight: • Two motion sensors • 180° horizontal field of view • Up to 25 ft (7.5 m)	
Night vision	 Up to 20 ft (6.10 m) illumination 6 high-power 850 nm infrared LEDs 	
Lighting	 Two lights with adjustable brightness 2400 lumens maximum brightness 4000K color temperature 	
Wireless	 [US] 802.11a/b/g/n (2.4GHz/5GHz) Wi-Fi WEP, WPA, WPA2, WPA3 encryption supported Bluetooth Low Energy (BLE) [ROW: CA, UK, EU, AU/NZ] 802.11b/g/n (2.4GHz) Wi-Fi WEP, WPA, WPA2, WPA3 encryption supported Bluetooth Low Energy (BLE) 	

Security	 On-device machine learning Secure boot Automatic security updates 128-bit AES encryption with TLS/SSL Built-in magnetometer sensor 		
Ports & connectors	 Nest Cam is connected to the floodlight via its proprietary magnetic connector 		
Power	Floodlight: • Hard wired: 100-240V AC, 50/60Hz • Continuously powers the camera Camera: • Built-in rechargeable 6 Ah, 3.65V lithium-ion battery		
Mounting options	 Replaces an existing wired floodlight, mounts onto an electrical box 		
Operating temperature	 -4°F to 104°F (-20°C to 40°C) 		
Weather resistance	• Weather-resistant (IP54)		
Lights	• RGB status LED		
Color	• Snow		
Dimensions and weight	Camera: • Length: 3.27 in (8.3 cm) • Width: 3.27 in (8.3 cm) • Weight: 14.04 oz (398 g) [US/CA] Floodlight: • Length: 6.5 in (16.5 cm) • Width: 12.4 in (31.5 cm) • Height: 3.66 in (9.3 cm) • Weight: 41.09 oz (1165 g) [EU/UK] Floodlight: • Length: 17.6 cm • Width: 31.5 cm • Height: 9.3 cm • Weight: 1165 g Floodlight mounting plate diameter: [US/CA] 3.66 in (9.3 cm) [EU/UK] 7.9 cm		
Sustainability	 Nest Cam with floodlight is sustainably designed with 41% recycled content across its plastic parts.* *This does not include plastics in printed circuit boards, labels, cables, connectors, electronic components and modules, optical components, electrostatic discharge (ESD) components, electromagnetic interference (EMI) components, films, coatings, and adhesives. 		

Languages	• English, Danish, Dutch, Finnish, French, German, Norwegian, Spanish, Swedish
Warranty	 [US/CA/AU/NZ] 1-year limited warranty (details in box). For help, visit g.co/nest/support. [EU/UK] 2-year limited warranty (details in box). For help, visit g.co/nest/support. [US Pro SKU] 3-year limited warranty (details in box)

What's included in the box Generic US

[US/CA] Nest Cam with Floodlight (single)	[UK/IE/FR/BE/NL/DE/AT/NO/DK/FI/SE/AU/N/ Floodlight (single)
• Nest Cam camera	Nest Cam camera
Nest Cam floodlight	Nest Cam floodlight
 Mounting plate with grounding screw 	Mounting plate
Mounting plate cover	• 4 wall anchors
 3 sets of 2 junction box screws 	• 4 wall screws
 4 mounting plate screws 	• Wire connectors
• Wire connectors	• Anti-theft screws
Grounding wire	• S hook
Anti-theft screws	• Hex key
• S hook	• Quick start guide
• Hex key	 Safety & warranty document
Quick start guide	
 Safety & warranty document 	

Requirements Generic US

- Compatible mobile device (minimum OS requirements are available at <u>g.co/nest/requirements</u>)
- Nest Cam requires a Wi-Fi network, a working broadband internet connection with at least 2 Mbps upload speed per camera for optimal performance (DSL may not qualify), a compatible mobile device, the free Home app, and a Google Account.
- Works with Hey Google features require additional hardware (sold separately), which could include a Google Nest device.
- Minimum requirements are available at g.co/nest/requirements.
- Video streaming, phone alerts, and history may be subject to interruptions or failures for reasons beyond Google's control, like intermittent Wi-Fi or service provider outages.
- Nest Cam does not provide third-party monitored emergency notification or response.
- Availability and performance of certain features and services are service-, device-, and network-dependent and may not be available in all areas.
- Subscription(s) may be required, and terms, conditions, and/or charges may apply.