



# SCALA1



<http://qr.grundfos.com/i/99735528>

be  
think  
innovate

**GRUNDFOS** 




PN8:  
Max. 8 bar / 0.8 MPa








- Voltage and frequency
- Ambient temperature








Min./Max.  
0 °C - + 45 °C /  
32 °F - + 113 °F




















8







9














SCALA1

Stop

Reset

Off (default)

On

Bluetooth

Water tap icon → Gauge icon

The image shows the SCALA1 control panel with a smartphone interface. The panel has a red progress indicator, a 'Stop' button, a power button, a Wi-Fi icon, and a 'Reset' button. The smartphone interface shows a Bluetooth connection, a green progress indicator for 'Off (default)' and a red progress indicator for 'On'. Below the panel, a water tap icon is connected by an arrow to a gauge icon showing a red segment.

GRUNDFOS



GRUNDFOS

Control panel icons: +, ↓, ⌚

QR code

<http://qr.grundfos.com/i/99735528>

The image shows a black Grundfos pump unit with a control panel. The control panel has three red icons: a plus sign, a downward arrow, and a clock. Below the pump is a QR code and a URL: <http://qr.grundfos.com/i/99735528>.



PN: 99725165 Rp  
PN: 99725168 NPT



be think innovate

---

99735558 0919

ECM: 1269737

**GRUNDFOS Holding A/S**  
Poul Due Jensens Vej 7  
DK-8850 Bjerringbro  
Tel: +45 87 50 14 00  
[www.grundfos.com](http://www.grundfos.com)

**GRUNDFOS** 

Trademarks displayed in this material, including but not limited to Grundfos, the Grundfos logo and "be think innovate" are registered trademarks owned by The Grundfos Group. All rights reserved.  
© 2019 Grundfos Holding A/S, all rights reserved.