



ECLIPSE™

Considered the best-in-class by small and large businesses, the Eclipse™ shelter is ready for everyday demands with innovative design, heavy-duty framework, and professional-grade materials.



AVAILABLE IN
8' x 8', 10' x 10',
10' x 15' & 10' x 20'

TECHNOLOGY



Auto-Peak® Tensioner
Ensures Proper Top Fit and Form



Reinforced Fabric Top Corners
Greater Durability and Longer Lasting Performance



Truss Muscle
Increased Frame Joint Strength and Longevity



High-Strength End Caps
Heavy-Duty for Greater Durability




Bolt-On Top
Secures Top to Frame Adding Support




E-Z Glide Truss Washers
Provide Low Friction for Smooth Set Up



Auto-Slider® Pull Pin
Pull Pin Grooved for Quick Lock and Release



Toggle Leg Adjusters
Comfortable Toggle Grip with 5 Height Adjustment Options at 3" Intervals



10' x 10'

All Eclipse™ Products Include the Following Features:

TOP FABRIC

Professional Grade Fabric

PRODUCT INCLUDES

Fabric Top, Folding Frame, and Cover Bag

FIRE CERTIFICATION

Meets CPAI-84, NFPA-701 and CAN/ULC-S109 Fire-Resistant Requirements

CUSTOM PRINTING OPTIONS

Custom Graphics Available

WARRANTY

7 Years

ECLIPSE™

E-Z AS...



3





MIX AND MATCH

Customize your Eclipse™ shelter to suit your style with a custom color top or custom-printed graphics! Whichever direction you go, your Eclipse™ shelter is UP for Everything™.

FRAME COLORS



STANDARD TOP COLORS



PREMIUM CUSTOM TOP COLORS



RECOMMENDED USES

- Trade Shows
- Corporate Events
- Exhibit Booth
- Event Marketing
- Rental Industry
- Sponsorship Advertising
- Business and Civic Events
- Product Demonstrations
- Indoor and Outdoor Display
- Automotive and Racing Events

OPTIONAL ACCESSORIES

- Custom Printing
- Event Lights
- Deluxe Weight Bags
- Heavy-Duty Stake Kit
- Sidewalls and Railskirts
- Deluxe Wide-Trax™ Roller Bag
- ProFLAG™ Products and Banners
- Tables and Table Covers
- Directors Chairs

SIZES



White Steel Frame Only

ECLIPSE™ 8' X 8' (2.5 M X 2.5 M)

SIZE (AT BASE)

SHADED AREA	64 sq ft (5.9 sq m)
STEEL FRAME SHIPPING WEIGHT	51 lbs. (23.1 kg)
ALUMINIUM FRAME SHIPPING WEIGHT	Not Available

TOP SHIPPING WEIGHT	8 lbs. (3.6 kg)
TOP BOX DIMENSIONS	27" L x 15" W x 4" H (69 cm x 38 cm x 10 cm)
STEEL FRAME BOX DIMENSIONS	55" L x 10" W x 10" H (1.4 m x 25 cm x 25 cm)
MAXIMUM PEAK HEIGHT	10' (3 m)
MAXIMUM HEADROOM	6' 7" (2 m)
MAXIMUM VALANCE CLEARANCE HEIGHT	6' (1.8 m)



Available in **4** Different Sizes
All with **7** Year Warranty.



SIZES



ECLIPSE™ 10' X 10' (3 M X 3 M)

SIZE (AT BASE)

SHADED AREA	100 sq ft (9.3 sq m)
STEEL FRAME SHIPPING WEIGHT	61 lbs. (27.7 kg)
ALUMINIUM FRAME SHIPPING WEIGHT	52 lbs. (23.6 kg)

TOP SHIPPING WEIGHT	12 lbs. (5.4 kg)
TOP BOX DIMENSIONS	27" L x 15" W x 4" H (69 cm x 38 cm x 10 cm)
STEEL/ALUMINIUM FRAME BOX DIMENSIONS	66" L x 10" W x 10" H (1.7 m x 25 cm x 25 cm)
MAXIMUM PEAK HEIGHT	11' 2" (3.4 m)
MAXIMUM HEADROOM	7' 1" (2.2 m)
MAXIMUM VALANCE CLEARANCE HEIGHT	6' 9" (2.1 m)



White Steel Frame Only

ECLIPSE™ 10' X 15' (3 M X 4.5 M)

SIZE (AT BASE)

SHADED AREA	150 sq ft (13.9 sq m)
STEEL FRAME SHIPPING WEIGHT	77 lbs. (35 kg)
ALUMINIUM FRAME SHIPPING WEIGHT	Not Available

TOP SHIPPING WEIGHT	18 lbs. (8.2 kg)
TOP BOX DIMENSIONS	27" L x 15" W x 5" H (69 cm x 38 cm x 13 cm)
STEEL FRAME BOX DIMENSIONS	66" L x 12" W x 10" H (1.7 m x 30 cm x 25 cm)
MAXIMUM PEAK HEIGHT	11' (3.4 m)
MAXIMUM HEADROOM	6' 10" (2.1 m)
MAXIMUM VALANCE CLEARANCE HEIGHT	6' 7" (2 m)



ECLIPSE™ 10' X 20' (3 M X 6 M)

SIZE (AT BASE)

SHADED AREA	200 sq ft (18.6 sq. m)
STEEL FRAME SHIPPING WEIGHT	116 lbs. (52.6 kg)
ALUMINIUM FRAME SHIPPING WEIGHT	92 lbs. (41.7 kg)

TOP SHIPPING WEIGHT	22 lbs. (10 kg)
TOP BOX DIMENSIONS	27" L x 15" W x 5" H (69 cm x 38 cm x 13 cm)
STEEL/ALUMINIUM FRAME BOX DIMENSIONS	66" L x 12" W x 10" H (1.7 m x 30 cm x 25 cm)
MAXIMUM PEAK HEIGHT	11' 5" (3.5 m)
MAXIMUM HEADROOM	7' 3" (2.2 m)
MAXIMUM VALANCE CLEARANCE HEIGHT	6' 9" (2.1 m)

ECLIPSE™

International E-Z UP, Inc.
1900 Second Street
Norco, California 92860
(951) 279-0999 • FAX (800) 810-8775

TO ORDER:
(800) 45-SHADE
(800) 457-4233