QUICK REFERENCE GUIDE > RDV3-486GD-N

# Dual Fuel Range, 48", 6 Burners with Griddle

Series 9 | Professional

Stainless Steel | Natural gas



With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Gas cooktop with griddle and a top burner heat up to 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Use the food probe to monitor your cooking real time

## **DIMENSIONS**

Height 35 3/4 - 36 3/4"

Width 47 7/8"

Depth 29 1/8"

## **FEATURES & BENEFITS**

### COOK WITH CONFIDENCE

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

#### **GENEROUS CAPACITY**

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

#### COOKING FLEXIBILITY

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

### **DESIGN QUALITY**

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

## COOKTOP POWER

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

#### **EASY TO CLEAN**

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

## **SPECIFICATIONS**

Accessories	
Adjustable feet covers	
Branded coin end cap	
Square handle option	AH-R48
Burner ratings	
Maximum burner power	23500 BTU
Power back centre	18500BTU
Power back left	18500BTU
Power back right	18500BTU
Power front centre	18500BTU
Power front left	23500BTU
Power front right	18500BTU
Power griddle	18000BTU
Total cooktop power	134000 BTU
Capacity	
Shelf positions	!
Shelf positions	!

#### Cleaning

QUICK REFERENCE GUIDE > RDV3-486GD-N

Easy clean porcelain basepan	•	Classic bake	•	Combustible situation	BGRV3-3048H
		Clean	•	Non combustible situation	BGRV2-3048 / BGRV2-1248
Controls		Convection Broil	•	Recommended hood	HCB48-12_N (48" Professional
Dial with illuminated halo	•	Convection bake	•		
Dual control oven dials	•	Dehydrate	•	Safety	
High resolution display	•	Maxi Broil	•	ADA compliant	•
Multi-language interface	•	Number of functions	15		
Precise cooking with food	•	Pastry bake	•	Secondary oven features	
Recipe and food based	•	Pizza bake	•	3/4 Extension racks	2
Sabbath mode	•	Rapid proof	•	Concealed element	•
Tilting touch screen interface	•	Roast	•	Electronic oven control	•
Wi-Fi connectivity	•	Slow cook	•	Food probe	•
		True convection	•	Internal light	•
Gas Requirements		Warm	•		
Fitting and pipe ½ NPT, mi	n. %″ 🏿 flex line			Secondary oven functions	
Supply Pressure (natural gas)	6" to 9" W.C	Power requirements		Air fry	•
		Amperage	50A	Bake	•
Oven features		Supply frequency	60Hz	Classic bake	•
Concealed element	•	Supply voltage	120-240V	Convection bake	•
Electronic oven control	•			Convection broil	•
Food probe	•	Product dimensions		Maxi broil	•
Full extension telescopic	•	Depth	29 1/8"	Number of secondary oven	11
Internal light	•	Height	35 3/4 - 36 3/4"	Pastry bake	•
Large broil pan	•	Width	47 7/8"	Pizza bake	•
Self-clean proof side racks	•			Rapid proof	•
True convection	•	Rangetop features		Roast	•
		Sealed range top	•	Warm	•
Oven functions		Vent trim included	•		
Air fry	•			Warranty	
Bake	•	Recommended Back Guards Vent	tilation	Parts and labor	Limited 2 years

QUICK REFERENCE GUIDE > RDV3-486GD-N

SKU 82385

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide



Installation Guide



Data Sheet Professional Range



# A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 1.888.936.7872 **W**www.fisherpaykel.com