



Think ahead.

Tork Industrial Cleaning Cloth

520681



Description

- Its strong texture and high absorbency makes it ideal for removing oil, grease, lubricants and dirt
- Meets your cleaning needs due to suitability with most solvents, disinfectants, and detergents
- Multipurpose
- Efficient
- Tough on dirt
- Reusable

Product Certifications



Product Details

Print	No
Folded length	1.69 in
Unfolded Width	5.51 in
Folded width	5.51 in
Unfolded length	6.42 in
Ply	1
Embossing	Yes
System	W4
Color	Grey

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	73286662323	10073286662320	7322541415253
Packaging Material	Poly	Carton	-
Pieces	120	480 (4 CON)	40320 (84 TRP)
Height	4.33 in	13.39 in	80.32 in
Length	6.3 in	14.37 in	45.63 in
Width	14.02 in	9.37 in	41.5 in
Gross Weight	2.64 lb	10.48 lb	880.57 lb
Net Weight	2.53 lb	10.13 lb	851.23 lb
Volume	0.22 ft	1.04 ft	88.02 ft
Layers Per Pallet	-	-	6
TRP Per Layer	-	-	14



Tork Industrial Cleaning Cloth

520681



Compatible Products



DISP W4 PERFOR TOPHOLD WHT/BLU 1/CS
654021



DISP W4 PERFOR TOPHOLD RED/BLK 1/CS
6540281

Environmental Information

Raw materials	Cellulose pulp Polyester Polypropylene Functional agents or additives
Cellulose Pulp	Cellulose pulp is produced either from softwood or hardwood coming from responsibly managed forests. The wood chips are boiled together with chemicals to remove the lignin between the fibers. The pulp is TCF (Totally Chlorine Free) or ECF (Elementary Chlorine Free) bleached in order to achieve a clean, bright and strong product, but also to increase the hygienic and absorbent qualities.
Polyester	Polyester fiber is produced from terephthalic acid and ethylene glycol, which react through condensation to polyester resin. The molten resin is spun to fibers through spinnerets and cooled with air. The fibers are then cut to intended fiber length.
Polypropylene	Polypropylene or polypropene is a thermoplastic polymer made from oil. The moten resin is spun to endless fibers through spinnerets and cooled by air. The fibers form a web.
Functional agents and additives	Functional additives could be wet strength agent, antistatic agent and wetting additives /tensides.
Environmental certification	This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 20-07-2021 Revision date: 03-07-2025
Production	This product is produced at Suameer - NL mill.



Tork Industrial Cleaning Cloth

520681

Disposal/destruction of used product

This product is mainly used for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled/disposed of/destroyed. The product itself is suitable for incineration. If used in industrial processes contact local authorities before destruction.

Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA