



N4A3

Performance Series Product Specifications

EFFICIENT 13 SEER AIR CONDITIONER ENVIRONMENTALLY SOUND R-410A REFRIGERANT 1-1/2 THRU 5 TONS SPLIT SYSTEM

208/230 Volt, 1-phase, 60 Hz
208/230, 460 & 575 Volt, 3-phase, 60 Hz
REFRIGERATION CIRCUIT

- Scroll compressors on all models
- Filter-Drier supplied with every unit for field installation
- Copper tube / aluminum fin coil

EASY TO INSTALL AND SERVICE

- Easy Access service valves on all models
- External high and low refrigerant service ports
- Only two screws to access control panel
- Factory charged with R-410A refrigerant

BUILT TO LAST

- Baked-on powder coat finish over galvanized steel
- Post-painted (black) coil fins
- Coated, weather-resistant cabinet screws
- Coated inlet grille with 2" (51mm) spacing standard, alternate models available with 3/8" (10mm) grille spacing for extra protection (hail guard)

WARRANTY*

- 5 year compressor limited warranty
- 5 year parts limited warranty (including compressor and coil)
 - With timely registration, an additional 5 year parts limited warranty (including compressor and coil)

* For owner occupied, residential applications only. See warranty certificate for complete details and restrictions, including warranty coverage for other applications.



Use of the AHRI Certified TM Mark indicates a manufacturer's participation in the program. For verification of certification for individual products, go to www.ahridirectory.org.




Model Number	Size (tons)	Nominal BTU/hr	Min. Circuit Ampacity	Max. Fuse or Breaker	Operating Dimensions height x width x depth in. (mm)	Ship / Operating Weight lbs. (kg)
N4A318*KB	1-1/2	18,000	11.8	20	25-5/16 x 23-1/8 x 23-1/8 (643 x 587 x 587)	130 / 107(59 / 49)
N4A324*KB	2	24,000	17.6	25		134 / 110(61 / 50)
N4A330*KC	2-1/2	30,000	16.8	25	28-11/16 x 23-1/8 x 23-1/8 (729 x 587 x 587)	136 / 111(62 / 50)
N4A330GHC	2-1/2	30,000	11.2	20		136 / 111(62 / 50)
N4A336*KB	3	36,000	19.2	30	31-13/16 x 25-3/4 x 25-3/4 (808 x 654 x 654)	170 / 141(77 / 64)
N4A336GHB	3		14.5	20		170 / 141(77 / 64)
N4A336GLB			7.7	15		170 / 141(77 / 64)
N4A336GSB			5.3	15		170 / 141(77 / 64)
N4A342*KA	3-1/2	42,000	23.5	40	32-5/16 x 31-3/16 x 31-3/16 (821 x 792 x 792)	208 / 180(94 / 82)
N4A342GHA	3-1/2	42,000	18.0	30		208 / 180(94 / 82)
N4A342GLA			8.1	15		208 / 180(94 / 82)
N4A348*KB	4	48,000	24.3	40	35-3/4 x 31-3/16 x 31-3/16 (908 x 792 x 792)	215 / 178(98 / 81)
N4A348GHB	4		17.8	30		215 / 178(98 / 81)
N4A348GLB			8.3	15		215 / 178(98 / 81)
N4A348GSB			6.0	15		215 / 178(98 / 81)
N4A360*KC	5	60,000	29.0	50	28-15/16 x 31-3/16 x 31-3/16 (735 x 792 x 792)	218 / 184(99 / 84)
N4A360GSC	5	60,000	7.6	15		232 / 199(106 / 91)

* A = 2" (51mm) spacing inlet grille or
. G = 3/8" (10mm) spacing inlet grille

OUTDOOR UNIT MODEL NUMBER IDENTIFICATION GUIDE											
Digit Position:	1	2	3	4	5, 6	7	8	9	10	11	12
Example Part Number:	N	4	A	3	18	A	K	B	1	0	0
C = Day & Night Mainline											
N = Day & Night Entry BRANDING											
4 = R-410A REFRIGERANT											
A = Air Conditioner											
H = Heat Pump TYPE											
3 = 13 SEER											
4 = 14 SEER NOMINAL EFFICIENCY											
18 = 18,000 BTUH = 1-1/2 tons											
24 = 24,000 BTUH = 2 tons											
30 = 30,000 BTUH = 2-1/2 tons											
36 = 36,000 BTUH = 3 tons											
42 = 42,000 BTUH = 3-1/2 tons											
48 = 48,000 BTUH = 4 tons											
60 = 60,000 BTUH = 5 tons NOMINAL CAPACITY											
A = Standard Grille											
G = Coil Guard Grille											
C = Coastal FEATURES											
K = 208/230-1-60											
H = 208/230-3-60											
L = 460-3-60											
S = 575-3-60 VOLTAGE											
Sales Code											
Engineering Revision											
Extra Digit											
Extra Digit											

ACCESSORIES PART NUMBER IDENTIFICATION GUIDE									
Digit Position:	1	2	3	4	5	6, 7	8, 9	10, 11	
Example Part Number:	N	A	S	A	0	01	01	CH	
N = Non-Branded BRANDING									
A = Accessory PRODUCT GROUP									
S = Split System (AC & HP) KIT USAGE									
A = Original									
B = 2nd Generation MAJOR SERIES									
0 = Generic or Not Applicable									
2 = R-22									
4 = R-410A REFRIGERANT									
Product Identifier Number									
Package Quantity									
Type of Kit (Example: CH = Crankcase Heater)									




Dimensions Inches (English)

Model	A	B	C	D	E	F	G	K	L	M	N	P	Minimum Mounting Pad Size	Shipping Dimensions L x W x H
N4A318*KB	23-1/8	25-5/16	3-3/4	3/4	4-7/16	18-1/16	7-13/16	2-13/16	1/2	16-1/2	15	12	23-1/2 x 23-1/2	25-1/4 x 25-1/4 x 29-7/8
N4A324*KB	23-1/8	25-5/16	3-3/4	3/4	4-7/16	18-1/16	7-13/16	2-13/16	1/2	16-1/2	15	12	23-1/2 x 23-1/2	25-1/4 x 25-1/4 x 29-7/8
N4A330*†C	23-1/8	28-11/16	3-3/4	3/4	4-7/16	18-1/16	7-13/16	2-13/16	1/2	16-1/2	15	14	23-1/2 x 23-1/2	25-1/4 x 25-1/4 x 33-1/4
N4A336*†B	25-3/4	31-13/16	3-7/8	7/8	6-9/16	21-1/4	9-1/8	2-15/16	5/8	14-1/4	10-1/2	16	26 x 26	27-7/8 x 27-7/8 x 36-5/8
N4A342*†A	31-3/16	32-5/16	3-7/8	7/8	6-9/16	24-11/16	9-1/8	2-15/16	5/8	15-3/4	16-1/4	13-3/4	31-1/2 x 31-1/2	33-3/8 x 33-3/8 x 36-5/8
N4A348*†B	31-3/16	35-3/4	3-7/8	7/8	6-9/16	24-11/16	9-1/8	2-15/16	5/8	14-3/4	15-3/8	15	31-1/2 x 31-1/2	33-3/8 x 33-3/8 x 40
N4A360*†C	31-3/16	28-15/16	3-7/8	7/8	6-9/16	24-11/16	9-1/8	2-15/16	5/8	16	15-1/2	12-3/4	31-1/2 x 31-1/2	33-3/8 x 33-3/8 x 33-1/4

* **A** = 2" (51mm) spacing inlet grille, **G** = 3/8" (10mm) spacing inlet grille

† **K** = 208/230, 1-phase, **H** = 208/230, 3-phase, **L** = 460 Volt, 3-phase, **S** = 575 Volt, 3-phase



Dimensions mm (SI Metric)

Model	A	B	C	D	E	F	G	K	L	M	N	P	Minimum Mounting Pad Size	Spanish Dimensions L x W x H
N4A318*KB	587	643	95	19	113	459	198	71	13	419	381	305	597 x 597	642 x 642 x 757
N4A324*KB	587	643	95	19	113	459	198	71	13	419	381	305	597 x 597	642 x 642 x 757
N4A330*†C	587	729	95	19	113	459	198	71	13	419	381	356	597 x 597	642 x 642 x 844
N4A336*†B	654	808	98	22	167	540	232	75	16	362	267	406	660 x 660	708 x 708 x 931
N4A342*†A	792	821	98	22	167	627	232	75	16	400	413	349	800 x 800	847 x 847 x 931
N4A348*†B	792	908	98	22	167	627	232	75	16	375	391	381	800 x 800	847 x 847 x 1017
N4A360*†C	792	735	98	22	167	627	232	75	16	359	391	298	800 x 800	847 x 847 x 844

* A = 2" (51mm) spacing inlet grille, G = 3/8" (10mm) spacing inlet grille

† K = 208/230, 1-phase, H = 208/230, 3-phase, L = 460 Volt, 3-phase, S = 575 Volt, 3-phase

PHYSICAL DATA (1-phase)							
Model Size	18	24	30	36	42	48	60
Nominal Cooling Capacity (BTU/hr)	18,000	24,000	30,000	36,000	42,000	48,000	60,000
Nominal SEER	13.0	13.0	13.0	13.0	13.0	13.0	13.0
PSC Fan Motor HP	1/12	1/10	1/10	1/4	1/5	1/4	1/4
Fan RPM (single speed)	1100	1100	1100	1100	1100	1100	800
Fan CFM	1792	2218	2218	2954	3167	3365	3365
Coil Face Area ft ² (m ²)	8.40(.78)	8.40(.78)	9.80(.91)	13.13(1.22)	17.25(1.6)	19.40(1.8)	12.93(1.2)
Coil Rows – fins per inch	1 – 20	1 – 25	1 – 25	1 – 25	1 – 25	1 – 25	2 – 20
Liquid Line Connection Size in. (mm)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)
Vapor Line Connection Size in. (mm)	3/4 (19)	3/4 (19)	3/4 (19)	7/8 (22)	7/8 (22)	7/8 (22)	7/8 (22)
Recommended Line Set Liquid Tube Diameter in. (mm)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)
Recommended Line Set Vapor Tube Diameter in. (mm)	3/4 (19)*	3/4 (19)*	3/4 (19)*	7/8 (22)*	7/8 (22)*	7/8 (22)*	18 (29)*
* Recommended Vapor Tube Line size is for standard installations. These recommendations may not apply to “Long Line” installations. When the total equivalent line length exceeds 80 feet (24.4m) or there is more than 20 feet (6.1m) vertical separation between indoor and outdoor units, consult the Long Line Application Guideline document before purchasing/installing line sets.							
Factory Charge R-410A lbs. (kg)	3.50 (1.59)	3.80 (1.72)	4.10 (1.86)	5.34 (2.42)	5.84 (2.65)	7.00 (3.18)	8.19 (3.71)
Required Subcooling ° F (° C)	10 (6)	10 (6)	10 (6)	14 (8)	10 (6)	15 (8)	13 (7)
Weight, shipping lbs. (kg)	130 (59)	134 (61)	136 (62)	170 (77)	208 (94)	216 (98)	218 (99)
Weight, operating lbs. (kg)	107 (49)	110 (50)	111 (50)	141 (64)	180 (82)	179 (81)	184 (84)

PHYSICAL DATA (3-phase)					
Model Size	30	36	42	48	60
Nominal Cooling Capacity (BTU/hr)	30,000	36,000	42,000	48,000	60,000
Nominal SEER	13.0	13.0	13.0	13.0	13.0
Sound Rating (dBA) **	74	75	78	80	79
PSC Fan Motor HP	1/10	1/4	1/5	1/4	1/4
Fan RPM (single speed)	1100	1100	1100	1100	1100
Fan CFM	2218	2954	3167	3365	3365
Coil Face Area ft ² (m ²)	9.80 (0.91)	13.13 (1.22)	17.25 (1.60)	19.40 (1.80)	15.09 (1.40)
Coil Rows – fins per inch	1 – 25	1 – 25	1 – 25	1 – 25	2 – 20
Liquid Line Connection Size in. (mm)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)
Vapor Line Connection Size in. (mm)	3/4 (19)	7/8 (22)	7/8 (22)	7/8 (22)	7/8 (22)
Recommended Line Set Liquid Tube Diameter in. (mm)	3/8 (10) *	3/8 (10) *	3/8 (10) *	3/8 (10) *	3/8 (10) *
Recommended Line Set Vapor Tube Diameter in. (mm)	3/4 (19) *	7/8 (22) *	7/8 (22) *	7/8 (22) *	18 (29)*
*Recommended Vapor Tube Line size is for standard installations. These recommendations may not apply to “Long Line” installations. When the total equivalent line length exceeds 80 feet (24.4m) or there is more than 20 feet (6.1m) vertical separation between indoor and outdoor units, consult the Long Line Application Guideline document before purchasing/installing line sets.					
Factory Charge, R-410A lbs. (kg)	4.10 (1.86)	5.34 (2.42)	5.84 (2.65)	7.00(3.18)	8.00 (3.63)
Required Subcooling ° F (° C)	10 (6)	14 (8)	10 (6)	15 (8)	10 (6)
Weight, shipping lbs. (kg)	136 (62)	170 (77)	208 (94)	216 (98)	224 (102)
Weight, operating lbs. (kg)	111 (50)	141 (64)	180 (82)	179 (81)	192 (87)

ELECTRICAL DATA (208/230-1-60, voltage range 197V - 253V)							
Model Size	18	24	30	36	42	48	60
Minimum Circuit Ampacity - MCA (amps)	11.8	17.6	16.8	19.2	23.5	24.3	29.0
Maximum OverCurrent Protective device - MOCP (amps)	20	25	25	30	40	40	50
Compressor RLA (Rated Load Amps) LRA (Locked Rotor Amps)	9.0 48.0	13.5 58.3	12.8 64.0	14.2 70.0	17.9 112.0	18.3 93.0	22.1 125.0
Fan Motor FLA (Full Load Amps)	.5	.77	.77	1.4	1.1	1.4	1.4

ELECTRICAL DATA (208/230, 460, 575-3-60)												
Model Size	30GH	36GH	36GL	36GS	42GH	42GL	48GH	48GL	48GS	60GH	60GL	60GS
Supply Voltage, 3-phase 60 Hz.	208/230	208/230	460	575	208/230	460	208/230	460	575	208/230	460	575
Acceptable Voltage Range, min-max	197-253	197-253	414-506	518-632	197-253	414-506	197-253	414-506	518-632	197-253	414-506	518-632
Minimum Circuit Ampacity MCA (amps)	11.2	14.5	7.7	5.3	18.0	8.1	17.8	8.3	6.0	21.4	10.5	7.6
Maximum OverCurrent Protective device MOCP (amps)	20	20	15	15	30	15	30	15	15	30	15	15
Compressor RLA (Rated Load Amps) LRA (Locked Rotor Amps)	8.3 58.0	10.5 71.0	5.6 38.0	3.8 36.5	13.5 88.0	6.0 44.0	13.1 83.1	6.1 41.0	4.4 33.0	16.0 110.0	7.8 52.0	5.7 38.9
Fan Motor FLA (Full Load Amps)	.77	1.4	0.7	0.5	1.1	0.6	1.4	0.7	0.5	1.4	0.7	0.5

**Sound Rating tested in accordance with ARI Standard 270-95 (not listed with ARI).

A-Weighted Sound Power Level - Without Sound Shield									
Model	Standard Rating (dBA)	TYPICAL OCTAVE BAND SPECTRUM (without tone adjustment)							
		125	250	500	1000	2000	4000	8000	
318A(G)KB	72	53.5	59.5	63.5	67.0	63.5	59.0	52.5	
324A(G)KB	76	55.0	61.5	67.0	71.5	69.0	61.0	55.0	
330A(G)KC/GHC	74	55.0	63.5	68.5	68.5	65.5	61.0	54.0	
336A(G)KB	73	53.0	61.0	67.0	69.0	65.5	63.0	55.5	
336GHB/GLB/GSB	75	59.5	63.0	68.5	70.0	65.5	61.5	53.5	
342A(G)KA/GHA/GLA	78	57.5	65.0	71.0	73.0	70.5	67.5	62.5	
348A(G)KB	77	54.0	67.5	71.5	71.5	69.5	67.0	61.5	
348GHB/GLB/GSB	80	58.5	67.5	73.5	75.0	70.5	67.5	64.5	
360A(G)KC	79	57.5	67.0	72.0	75.0	72.5	68.0	61.0	
360GHC/GLC/GSC	79	59.5	69.5	72.5	73.5	71.0	68.0	63.5	

Note: Tested in accordance with AHRI Standard 270-2008 (not listed in AHRI).

A-Weighted Sound Power Level - With Sound Shield									
Model	Standard Rating (dBA)	TYPICAL OCTAVE BAND SPECTRUM (without tone adjustment)							
		125	250	500	1000	2000	4000	8000	
318A(G)KB	71	55.5	60.5	64.0	66.0	63.0	58.5	52.0	
324A(G)KB	74	55.5	60.5	66.5	70.0	67.0	61.0	53.5	
330A(G)KC/GHC	73	55.5	64.0	68.0	67.0	64.0	60.0	52.5	
336A(G)KB	73	54.5	61.5	66.5	68.5	65.0	61.5	52.5	
336GHB/GLB/GSB	74	59.5	63.0	68.0	69.5	65.0	60.5	50.5	
342A(G)KA/GHA/GLA	77	57.5	65.0	70.5	72.0	70.0	67.0	62.0	
348A(G)KB	77	54.0	68.0	71.5	71.5	69.0	66.5	61.0	
348GHB/GLB/GSB	79	60.5	67.5	73.5	74.5	71.0	68.0	63.5	
360A(G)KC	79	57.5	68.0	72.5	74.5	72.5	68.0	60.5	
360GHC/GLC/GSC	78	60.5	69.5	72.5	73.0	71.0	67.5	61.5	

Note: Tested in accordance with AHRI Standard 270-2008 (not listed in AHRI).

R-410A COOLING CAPACITY LOSS FOR VARIOUS LINE LENGTHS & TUBE DIAMETERS

Model Size	Liquid Line in.(mm)	Acceptable Vapor Line Sizes in. (mm)	Cooling Capacity Loss (%) at Total Equivalent Line Length, feet (m) Refer to Long Line Application Guideline to calculate equivalent length										
			Standard Application			Long Line Application (Requires Accessories)							
			25' (7.6)	50' (15.2)	80' (24.4)	81' (24.7)	100' (30.5)	125' (38.1)	150' (45.7)	175' (53.3)	200' (61)	225' (68.6)	250' (76.2)
18	3/8 (10)	1/2 (13)	1	2	3	3	4	6	7	8	9	10	12
		5/8 (16)	0	0	1	1	1	1	2	2	3	3	3
		3/4 (19)	0	0	0	0	0	1	1	1	1	1	1
24		5/8 (16)	0	1	1	1	2	3	3	4	4	5	6
		3/4 (19)	0	0	0	0	0	1	1	1	1	1	2
		7/8 (22)	0	0	0	0	0	0	0	0	0	0	1
30		5/8 (16)	1	2	3	3	3	4	5	6	7	8	9
		3/4 (19)	0	0	1	1	1	1	2	2	2	3	3
		7/8 (22)	0	0	0	0	0	1	1	1	1	1	1
36		5/8 (16)	1	2	4	4	5	6	7	9	10	11	13
		3/4 (19)	0	0	1	1	1	2	2	3	3	4	4
		7/8 (22)	0	0	0	0	0	1	1	1	1	2	2
42	3/4 (19)	0	1	2	2	2	3	4	4	5	6	6	
	7/8 (22)	0	0	1	1	1	1	2	2	2	3	3	
	1-1/8 (29)	0	0	0	0	0	0	0	0	0	0	1	
48	3/4 (19)	0	1	2	2	3	4	5	5	6	7	8	
	7/8 (22)	0	0	1	1	1	2	2	2	3	3	4	
	1-1/8 (29)	0	0	0	0	0	0	0	0	1	1	1	
60	3/4 (19)	1	2	4	4	5	6	7	9	10	11	12	
	7/8 (22)	0	1	2	2	2	3	4	4	5	5	6	
	1-1/8(29)	0	0	0	0	1	1	1	1	1	1	2	

* Applications are considered "Long Line" if the total equivalent tubing length exceeds 80 feet (24.4m) or there is more than 20 foot (6.1m) vertical separation between indoor and outdoor units. These applications require additional accessories and system modifications for reliable system operation.

Applications in shaded area may have height restrictions that limit allowable total equivalent length when outdoor unit is below indoor unit.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models								
For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org . New ratings may be listed online before Specification Sheets are updated.								
Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A318AKB N4A318GKB (continued)	*ED*4X18B**		17200	TXV		13	10.9	
	FEA4X18**A*		18000	TDR&TXV	14		12	
	FEA4X24**A*		18000	TDR&TXV	14.5		12.2	
	FEM4P18**A*		17800	TDR	14.5		12	
	FEM4P18**A*		17800	TDR			14.5	12
	FEM4P24**A*		17800	TDR	14.5			12
	FEM4P24**A*		17800	TDR			14.5	12
	FEM4X18****		17200	TDR&TXV	14			12
	FEM4X24****		17200	TDR&TXV	14.5			12.2
	FS(M,U)4P18**A*		17800	TDR	13.5			11
	FS(M,U)4P18**A*		17800	TDR			13.5	11
	FS(M,U)4P24**A*		17800	TDR	13.5			11
	FS(M,U)4P24**A*		17800	TDR			13.5	11
	FS(M,U)4X18****		17200	TDR&TXV	13			10.9
	FS(M,U)4X24****		18000	TDR&TXV	13			10.9
	FSA4X18**A*		17200	TDR&TXV	13			10.9
	FSA4X24**A*		17200	TDR&TXV	13			10.9
	FVM4X24****		17200	TDR&TXV	14.5			12.2
	FXM4X18**A*		18000	TDR&TXV	14.5			12
	FXM4X24**A*		18200	TDR&TXV	14.5			12
	FXM4X30**A*		18200	TDR&TXV	14.5			12
	EA*4X18*14A*	*8MX*0451408**	17700	TDR&TXV	14.5			12
	EA*4X18*14A*	*8MV*0701412**	17500	TDR&TXV	14.5			12
	EA*4X18*14A*	*9MX*0401410A**	17400	TDR&TXV	14.2			11.8
	EA*4X18*14A*	*9MV*0401410A**	17500	TDR&TXV	14			11.5
	EA*4X18*14A*		17600	TXV			13	10.9
	EA*4X24*14A*	*8MX*0451408**	18200	TDR&TXV	14.5			12
	EA*4X24*14A*	*8MV*0701412**	17800	TDR&TXV	14.5			12
	EA*4X24*14A*	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	EA*4X24*14A*	*9MV*0401410A**	17900	TDR&TXV	14.2			11.8
	EA*4X24*14A*		17900	TXV			13.2	11
	EA*4X24*17A*	*8MX*0451408**	18200	TDR&TXV	14.5			12
	EA*4X24*17A*	*8MV*0701412**	17800	TDR&TXV	14.5			12
	EA*4X24*17A*	*8MV*0901716**	17900	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MV*0401410A**	18000	TDR&TXV	14.2			11.8
	EA*4X24*17A*	*9MV*0601714A**	18200	TDR&TXV	15			12.4
	EA*4X24*17A*	*9MV*0801716A**	18300	TDR&TXV	15			12.5
	EA*4X24*17A*	*9MA*0601714A**	17800	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MA*0801714A**	17800	TDR&TXV	14.5			12
EA*4X24*17A*		17900	TXV			13.2	11	
ED*4X18B**	*8MX*0451408**	17800	TDR&TXV	14.5			12	
ED*4X18B**	*8MV*0701412**	17500	TDR&TXV	14.5			12	
ED*4X18B**	*9MX*0401410A**	17400	TDR&TXV	14.2			11.8	
ED*4X18B**	*9MV*0401410A**	17500	TDR&TXV	14			11.5	
ED*4X18B**	*8MPV050	18000	TDR&TXV	14			12	
ED*4X18B**	MV08B15**B*	17200	TDR&TXV	14.5			12.2	
ED*4X24B**	*8MX*0451408**	18000	TDR&TXV	14.5			12.2	

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A318AKB N4A318GKB (continued)	ED*4X24B**	*8MV*0701412**	17800	TDR&TXV	14.5			12.2
	ED*4X24B**	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	ED*4X24B**	*9MV*0401410A**	17900	TDR&TXV	14.2			11.8
	ED*4X24B**		17200	TXV		13		10.9
	ED*4X24B**	*8MPV050	18400	TDR&TXV	14.5			12.2
	ED*4X24B**	MV08B15**B*	17200	TDR&TXV	14.5			12.2
	ED*4X24F**	*8MV*0901716**	17800	TDR&TXV	14.5			12.2
	ED*4X24F**	*9MV*0601714A**	18200	TDR&TXV	15			12.4
	ED*4X24F**	*9MV*0801716A**	18300	TDR&TXV	15			12.5
	ED*4X24F**	*9MV*0802120A**	18600	TDR&TXV	15			12.5
	ED*4X24F**	*9MV*1002120A**	18700	TDR&TXV	15			12.5
	ED*4X24F**	*9MA*0601714A**	17900	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0801714A**	17800	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0602120A**	17900	TDR&TXV	14.5			12
	ED*4X24F**	*9MVX040	18600	TDR&TXV	14.5			12.2
	ED*4X24F**	*9MVX060	18600	TDR&TXV	14.5			12.2
	ED*4X24F**	*9MV*1002116A**	18400	TDR&TXV	15			12.5
	ED*4X24F**	OLV098A12A	18000	TDR&TXV	14.5			12.2
	ED*4X24F**	OMV098J12A	18000	TDR&TXV	14.5			12.2
	ED*4X24F**		17200	TXV		13		10.9
	ED*4X24F**	*9MPV050	18400	TDR&TXV	14.5			12.2
	ED*4X24F**	*9MPV075	18500	TDR&TXV	14.5			12.2
	EHD4X24A**	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*0401410A**	18000	TDR&TXV	14.2			11.8
	EHD4X24A**	*9MV*0601714A**	18000	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*0801716A**	18100	TDR&TXV	15			12.4
	EHD4X24A**	*9MV*0802120A**	18300	TDR&TXV	15			12.5
	EHD4X24A**	*9MV*1002120A**	18400	TDR&TXV	15			12.5
	EHD4X24A**	*9MV*1202422A**	18400	TDR&TXV	15			12.5
	EHD4X24A**	*9MA*0601714A**	18000	TDR&TXV	14.5			12
	EHD4X24A**	*9MA*0801714A**	17900	TDR&TXV	14.5			12
	EHD4X24A**	*9MA*0602120A**	18100	TDR&TXV	14.5			12
	EHD4X24A**	*9MVX040	18600	TDR&TXV	14			12
	EHD4X24A**	*9MVX060	18600	TDR&TXV	14.5			12.2
	EHD4X24A**	*9MV*1002116A**	18300	TDR&TXV	15			12.4
	EHD4X24A**	OLV098A12A	18000	TDR&TXV	14.5			12.2
	EHD4X24A**	OMV098J12A	18000	TDR&TXV	14.5			12.2
	EHD4X24A**		17200	TXV		13		10.9
	EHD4X24A**	*8MPV050	17200	TDR&TXV	14.5			12.2
	EHD4X24A**	*9MPV050	17200	TDR&TXV	14.5			12.2
EHD4X24A**	*9MPV075	17200	TDR&TXV	14			12	
EHD4X24A**	MV08B15**B*	17200	TDR&TXV	14.5			12.2	
EMA4X24D**		17200	TXV		13		10.9	
EN(A,D)4X18*14**	*8MX*0451408**	17800	TDR&TXV	14.5			12	
EN(A,D)4X18*14**	*8MV*0701412**	17500	TDR&TXV	14.5			12	
EN(A,D)4X18*14**	*9MX*0401410A**	17500	TDR&TXV	14.2			11.8	
EN(A,D)4X18*14**	*9MV*0401410A**	17600	TDR&TXV	14.2			11.8	
EN(A,D)4X18*14**		17600	TXV		13		11	
EN(A,D)4X19*17**	*8MX*0451408**	18000	TDR&TXV	14.5			12	
EN(A,D)4X19*17**	*8MV*0701412**	18000	TDR&TXV	14.5			12	
EN(A,D)4X19*17**	*8MV*0901716**	18000	TDR&TXV	14.5			12	
EN(A,D)4X19*17**	*9MX*0401410A**	17900	TDR&TXV	14.5			12	
EN(A,D)4X19*17**	*9MV*0401410A**	18100	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A318AKB N4A318GKB	EN(A,D)4X19*17**	*9MV*0601714A**	18400	TDR&TXV	15			12.5
	EN(A,D)4X19*17**	*9MV*0801716A**	18500	TDR&TXV	15.2			12.5
	EN(A,D)4X19*17**	*9MA*0601714A**	18000	TDR&TXV	14.5			12
	EN(A,D)4X19*17**	*9MA*0801714A**	17900	TDR&TXV	15			12.4
	EN(A,D)4X19*17**	*9MVX040	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X19*17**	OLV098A12A	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X19*17**	OMV098J12A	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X19*17**	*9MPV050	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X19*17**		18000	TXV		13		11
	EN(A,D)4X19*17**	*8MPV050	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*14**	*8MX*0451408**	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X24*14**	*8MV*0701412**	17800	TDR&TXV	14.5			12.2
	EN(A,D)4X24*14**	*9MX*0401410A**	17700	TDR&TXV	14.2			11.8
	EN(A,D)4X24*14**	*9MV*0401410A**	17900	TDR&TXV	14.2			11.8
	EN(A,D)4X24*14**		17900	TXV		13.2		11
	EN(A,D)4X24*17**	*8MV*0901716**	17800	TDR&TXV	14.5			12.2
	EN(A,D)4X24*17**	*9MX*0401410A**	17700	TDR&TXV	14.2			11.8
	EN(A,D)4X24*17**	*9MV*0401410A**	17900	TDR&TXV	14.2			11.8
	EN(A,D)4X24*17**	*9MV*0601714A**	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MV*0801716A**	18100	TDR&TXV	15			12.4
	EN(A,D)4X24*17**	*9MA*0601714A**	17900	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MA*0801714A**	17800	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MVX040	18000	TDR&TXV	14			12
	EN(A,D)4X24*17**	OLV098A12A	17800	TDR&TXV	14.5			12.2
	EN(A,D)4X24*17**	OMV098J12A	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X24*17**		17900	TXV		13.2		11
	EN(A,D)4X24*17**	*9MPV050	18000	TDR&TXV	14.5			12
	ENH4X24*17**	*8MX*0451408**	17800	TDR&TXV	14.5			12.2
	ENH4X24*17**	*8MV*0701412**	17800	TDR&TXV	14.5			12.2
	ENH4X24*17**	*8MV*0901716**	17800	TDR&TXV	14.5			12.2
	ENH4X24*17**	*9MX*0401410A**	17700	TDR&TXV	14.2			11.8
	ENH4X24*17**	*9MV*0401410A**	17900	TDR&TXV	14.2			11.8
	ENH4X24*17**	*9MV*0601714A**	18000	TDR&TXV	14.5			12
	ENH4X24*17**	*9MV*0801716A**	18100	TDR&TXV	15			12.4
	ENH4X24*17**	*9MV*1202422A**	18300	TDR&TXV	15			12.5
	ENH4X24*17**	*9MA*0601714A**	17900	TDR&TXV	14.5			12
	ENH4X24*17**	*9MA*0801714A**	17800	TDR&TXV	14.5			12
	ENH4X24*17**	*9MVX040	18000	TDR&TXV	14			12
	ENH4X24*17**	*9MVX060	18000	TDR&TXV	14.5			12
	ENH4X24*17**	*9MV*1002116A**	18300	TDR&TXV	15			12.4
	ENH4X24*17**	OLV098A12A	17800	TDR&TXV	14.5			12.2
	ENH4X24*17**	OMV098J12A	18000	TDR&TXV	14.5			12.2
	ENH4X24*17**		17900	TXV		13.2		11
	ENH4X24*17**	*9MPV050	18000	TDR&TXV	14.5			12
	ENH4X24*17**	*9MPV075	18000	TDR&TXV	14.5			12

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
 New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A324AKB	*ED*4X24B**		23000	TXV		13		11
N4A324GKB	FEA4X24**A*		23200	TDR&TXV	14			11.7
(continued)	FEA4X30**A*		23400	TDR&TXV	13.5			11.7
	FEM4P24**A*		22800	TDR	13.5			11
	FEM4P24**A*		22800	TDR			14	11.5
	FEM4P30**A*		23600	TDR	14			12
	FEM4P30**A*		23400	TDR			14.5	12
	FEM4X24****		23000	TDR&TXV	14			11.7
	FEM4X30****		23000	TDR&TXV	14.5			12
	FS(M,U)4P24**A*		23400	TDR	13.5			11.5
	FS(M,U)4P24**A*		23400	TDR			13.5	11.5
	FS(M,U)4P30**A*		23600	TDR	13.5			11
	FS(M,U)4P30**A*		23400	TDR			13.5	11
	FS(M,U)4X24****		22800	TDR&TXV	13			11
	FS(M,U)4X30****		23000	TDR&TXV	13			11
	FSA4X24**A*		22600	TDR&TXV	13			10.9
	FSA4X30**A*		23000	TDR&TXV	13			10.9
	FVM4X24****		22600	TDR&TXV	14			12
	FVM4X36****		23000	TDR&TXV	14.5			12.2
	FXM4X24**A*		23200	TDR&TXV	14.5			12
	FXM4X30**A*		23400	TDR&TXV	14			11.5
	FXM4X36**A*		23600	TDR&TXV	14.5			12
	EA*4X24*14A*	*8MX*0451408**	23000	TDR&TXV	14.5			12
	EA*4X24*14A*	*8MV*0701412**	22800	TDR&TXV	14.5			12
	EA*4X24*14A*	*9MX*0401410A**	23000	TDR&TXV	13.3			11
	EA*4X24*14A*	*9MV*0401410A**	22800	TDR&TXV	13.7			11.4
	EA*4X24*14A*		23000	TXV		13		11
	EA*4X24*17A*	*8MX*0451408**	23200	TDR&TXV	14.5			12
	EA*4X24*17A*	*8MV*0701412**	22800	TDR&TXV	14.5			12
	EA*4X24*17A*	*8MV*0901716**	23000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MX*0401410A**	23000	TDR&TXV	13.3			11
	EA*4X24*17A*	*9MX*0601714A**	23000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MV*0401410A**	22800	TDR&TXV	13.7			11.4
	EA*4X24*17A*	*9MV*0601714A**	23000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MV*0801716A**	23000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MA*0601714A**	23000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MA*0801714A**	22800	TDR&TXV	14.5			12
	EA*4X24*17A*		23000	TXV		13		11
	EA*4X30*14A*	*8MX*0451408**	23400	TDR&TXV	14.5			12
	EA*4X30*14A*	*8MV*0701412**	23000	TDR&TXV	14.5			12
	EA*4X30*14A*	*9MX*0401410A**	23200	TDR&TXV	13.5			11.2
	EA*4X30*14A*	*9MV*0401410A**	23000	TDR&TXV	13.7			11.4
	EA*4X30*14A*		23200	TXV		13		11
	EA*4X30*17A*	*8MX*0451408**	23400	TDR&TXV	14.5			12
	EA*4X30*17A*	*8MV*0701412**	23000	TDR&TXV	14.5			12
	EA*4X30*17A*	*8MV*0901716**	23200	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MX*0401410A**	23400	TDR&TXV	13.5			11.2
	EA*4X30*17A*	*9MX*0601714A**	23200	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MV*0401410A**	23000	TDR&TXV	13.7			11.4
	* Tested Combo							

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A324AKB N4A324GKB (continued)	EA*4X30*17A*	*9MV*0601714A**	23200	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MV*0801716A**	23400	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MA*0601714A**	23200	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MA*0801714A**	23000	TDR&TXV	14.5			12
	EA*4X30*17A*		23200	TXV			13	11
	EA*4X36*17A*		23200	TXV			13	11
	EA*4X36*21A*	*9MV*0802120A**	23800	TDR&TXV	14.5			12.2
	EA*4X36*21A*	*9MV*1002120A**	24000	TDR&TXV	15			12.2
	EA*4X36*21A*	*9MA*0601714A**	23200	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*0801714A**	23200	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*0802120A**	23600	TDR&TXV	14.5			12.2
	EA*4X36*21A*	*9MA*1002122A**	23600	TDR&TXV	15			12.2
	EA*4X36*21A*	*9MA*0602120A**	23400	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*1002120A**	23400	TDR&TXV	14.5			12
	EA*4X36*21A*		23400	TXV			13	11
	ED*4X24B**	*8MX*0451408**	23000	TDR&TXV	14			11.7
	ED*4X24B**	*8MV*0701412**	22800	TDR&TXV	14			12
	ED*4X24B**	*9MX*0401410A**	23000	TDR&TXV	13.3			11
	ED*4X24B**	*9MV*0401410A**	22800	TDR&TXV	13.7			11.4
	ED*4X24B**	*8MPV050	23000	TDR&TXV	13.5			11.5
	ED*4X24B**	MV08B15**B*	23000	TDR&TXV	14.5			12.2
	ED*4X24F**	*8MV*0901716**	23000	TDR&TXV	14.5			12.2
	ED*4X24F**	*9MX*0601714A**	23000	TDR&TXV	14.5			12
	ED*4X24F**	*9MV*0601714A**	23000	TDR&TXV	14.5			12
	ED*4X24F**	*9MV*0801716A**	23000	TDR&TXV	14.5			12
	ED*4X24F**	*9MV*0802120A**	23200	TDR&TXV	14.5			12
	ED*4X24F**	*9MV*1002120A**	23200	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0601714A**	23000	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0801714A**	22800	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0802120A**	23200	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*1002122A**	23200	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0602120A**	23000	TDR&TXV	14.5			12
	ED*4X24F**	*9MVX040	23200	TDR&TXV	14			11.7
	ED*4X24F**	*9MVX060	23400	TDR&TXV	14			11.7
	ED*4X24F**	*9MV*1002116A**	22800	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*1002120A**	23200	TDR&TXV	14.5			12
	ED*4X24F**	OLV098A12A	23200	TDR&TXV	14			12
	ED*4X24F**	OMV098J12A	23200	TDR&TXV	14			11.7
	ED*4X24F**	OMV112K14A	23000	TDR&TXV	14.5			12
	ED*4X24F**		23000	TXV			13	11
ED*4X24F**	*8MPV075	23000	TDR&TXV	14			12	
ED*4X24F**	*9MPV050	23000	TDR&TXV	14			11.7	
ED*4X24F**	*9MPV075	23000	TDR&TXV	14			11.7	
ED*4X24F**	MV12F19**B*	23000	TDR&TXV	14.5			12.2	
ED*4X30B**	*8MX*0451408**	23400	TDR&TXV	14			12	
ED*4X30B**	*8MV*0701412**	23000	TDR&TXV	14.5			12	
ED*4X30B**	*9MX*0401410A**	23200	TDR&TXV	13.5			11.2	
ED*4X30B**	*9MV*0401410A**	23000	TDR&TXV	13.7			11.4	
ED*4X30B**		23000	TXV			13	11	
ED*4X30B**	*8MPV050	23000	TDR&TXV	13.5			11.7	
ED*4X30B**	MV08B15**B*	23000	TDR&TXV	14.5			12.2	
ED*4X30F**	*8MV*0901716**	23200	TDR&TXV	14.5			12.2	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A324AKB N4A324GKB (continued)	ED*4X30F**	*9MX*0601714A**	23200	TDR&TXV	14.5			12
	ED*4X30F**	*9MV*0601714A**	23200	TDR&TXV	14.5			12
	ED*4X30F**	*9MV*0801716A**	23400	TDR&TXV	14.5			12
	ED*4X30F**	*9MV*0802120A**	23400	TDR&TXV	14.5			12
	ED*4X30F**	*9MV*1002120A**	23600	TDR&TXV	14.5			12.2
	ED*4X30F**	*9MA*0601714A**	23200	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*0801714A**	23000	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*0802120A**	23400	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*1002122A**	23400	TDR&TXV	14.5			12.2
	ED*4X30F**	*9MA*0602120A**	23200	TDR&TXV	14.5			12
	ED*4X30F**	*9MVX040	23400	TDR&TXV	14			12
	ED*4X30F**	*9MVX060	23600	TDR&TXV	14			12
	ED*4X30F**	*9MV*1002116A**	23200	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*1002120A**	23400	TDR&TXV	14.5			12
	ED*4X30F**	OLV098A12A	23400	TDR&TXV	14.5			12
	ED*4X30F**	OMV098J12A	23400	TDR&TXV	14			12
	ED*4X30F**	OMV112K14A	23200	TDR&TXV	14.5			12.2
	ED*4X30F**		23000	TXV			13	11
	ED*4X30F**	*8MPV075	23000	TDR&TXV	14			12
	ED*4X30F**	*9MPV050	23000	TDR&TXV	14			12
	ED*4X30F**	*9MPV075	23000	TDR&TXV	14			11.7
	ED*4X30F**	MV12F19**B*	23000	TDR&TXV	14.5			12.2
	ED*4X36F**	*8MX*0451408**	23400	TDR&TXV	14.5			12.2
	ED*4X36F**	*9MV*0802120A**	23600	TDR&TXV	14.5			12.2
	ED*4X36F**	*9MV*1002120A**	23800	TDR&TXV	14.5			12.2
	ED*4X36F**	*9MA*0802120A**	23400	TDR&TXV	14.5			12.2
	ED*4X36F**	*9MA*1002122A**	23600	TDR&TXV	14.5			12.2
	ED*4X36F**	*9MA*0602120A**	23400	TDR&TXV	14.5			12
	ED*4X36F**	*8MPV075	23800	TDR&TXV	14.5			12.2
	EHD4X24A**	*9MX*0401410A**	23200	TDR&TXV	13.5			11.2
	EHD4X24A**	*9MX*0601714A**	23000	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*0401410A**	23000	TDR&TXV	13.7			11.4
	EHD4X24A**	*9MV*0601714A**	23000	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*0801716A**	23000	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*0802120A**	22800	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*1002120A**	23000	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*1202422A**	23000	TDR&TXV	14.5			12
	EHD4X24A**	*9MA*0601714A**	23200	TDR&TXV	14.2			11.8
	EHD4X24A**	*9MA*0801714A**	23000	TDR&TXV	14.5			12
	EHD4X24A**	*9MA*0802120A**	23400	TDR&TXV	14.5			12
EHD4X24A**	*9MA*1002122A**	23400	TDR&TXV	14.5			12	
EHD4X24A**	*9MA*1202422A**	23400	TDR&TXV	14.5			12	
EHD4X24A**	*9MA*0602120A**	23200	TDR&TXV	14.5			12	
EHD4X24A**	*9MVX040	23200	TDR&TXV	14			11.7	
EHD4X24A**	*9MVX060	23400	TDR&TXV	14			11.7	
EHD4X24A**	*9MVX080	23600	TDR&TXV	14			12	
EHD4X24A**	*9MVX100	23600	TDR&TXV	14			12	
EHD4X24A**	*9MV*1002116A**	22800	TDR&TXV	14.5			12	
EHD4X24A**	*9MA*1002120A**	23400	TDR&TXV	14.5			12	
EHD4X24A**	OLV098A12A	23400	TDR&TXV	14			11.7	
EHD4X24A**	OMV098J12A	23400	TDR&TXV	14			11.7	
EHD4X24A**	OMV112K14A	23200	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A324AKB	EHD4X24A**		23000	TXV		13		11
N4A324GKB	EHD4X24A**	*8MPV050	23000	TDR&TXV	13.5			11.5
(continued)	EHD4X24A**	*8MPV075	23000	TDR&TXV	14			11.7
	EHD4X24A**	*8MPV100	23000	TDR&TXV	14			12
	EHD4X24A**	*8MPV125	23000	TDR&TXV	14			12
	EHD4X24A**	*9MPV050	23000	TDR&TXV	13.5			11.7
	EHD4X24A**	*9MPV075	23000	TDR&TXV	13.5			11.7
	EHD4X24A**	*9MPV100	23000	TDR&TXV	13.5			11.5
	EHD4X24A**	*9MPV125	23000	TDR&TXV	14			12
	EHD4X24A**	MV08B15**B*	23000	TDR&TXV	14.5			12.2
	EHD4X24A**	MV12F19**B*	23000	TDR&TXV	14.5			12.2
	EHD4X30A**	*9MX*0401410A**	23400	TDR&TXV	13.5			11.2
	EHD4X30A**	*9MX*0601714A**	23200	TDR&TXV	14.5			12
	EHD4X30A**	*9MV*0401410A**	23200	TDR&TXV	13.7			11.4
	EHD4X30A**	*9MV*0601714A**	23200	TDR&TXV	14.5			12
	EHD4X30A**	*9MV*0801716A**	23400	TDR&TXV	14.5			12
	EHD4X30A**	*9MV*0802120A**	23400	TDR&TXV	14.5			12
	EHD4X30A**	*9MV*1002120A**	23400	TDR&TXV	14.5			12.2
	EHD4X30A**	*9MV*1202422A**	23400	TDR&TXV	14.5			12
	EHD4X30A**	*9MA*0601714A**	23200	TDR&TXV	14.5			12
	EHD4X30A**	*9MA*0801714A**	23200	TDR&TXV	14.5			12
	EHD4X30A**	*9MA*0802120A**	23600	TDR&TXV	14.5			12.2
	EHD4X30A**	*9MA*1002122A**	23600	TDR&TXV	14.5			12.2
	EHD4X30A**	*9MA*1202422A**	23400	TDR&TXV	14.5			12
	EHD4X30A**	*9MA*0602120A**	23400	TDR&TXV	14.5			12
	EHD4X30A**	*9MVX040	23400	TDR&TXV	14			11.7
	EHD4X30A**	*9MVX060	23600	TDR&TXV	14			12
	EHD4X30A**	*9MVX080	24000	TDR&TXV	14			12
	EHD4X30A**	*9MVX100	23800	TDR&TXV	14.5			12.2
	EHD4X30A**	*9MV*1002116A**	23200	TDR&TXV	14.5			12
	EHD4X30A**	*9MA*1002120A**	23400	TDR&TXV	14.5			12
	EHD4X30A**	OLV098A12A	23400	TDR&TXV	14.5			12
	EHD4X30A**	OMV098J12A	23400	TDR&TXV	14			12
	EHD4X30A**	OMV112K14A	23400	TDR&TXV	14.5			12.2
	EHD4X30A**		23000	TXV		13		11
	EHD4X30A**	*8MPV050	23000	TDR&TXV	13.5			11.7
	EHD4X30A**	*8MPV075	23000	TDR&TXV	14			12
	EHD4X30A**	*8MPV100	23000	TDR&TXV	14.5			12.2
	EHD4X30A**	*8MPV125	23000	TDR&TXV	14.5			12.2
	EHD4X30A**	*9MPV050	23000	TDR&TXV	14			11.7
	EHD4X30A**	*9MPV075	23000	TDR&TXV	14			11.7
	EHD4X30A**	*9MPV100	23000	TDR&TXV	14			12
	EHD4X30A**	*9MPV125	23000	TDR&TXV	14			12
	EHD4X30A**	MV08B15**B*	23000	TDR&TXV	14.5			12.2
	EHD4X30A**	MV12F19**B*	23000	TDR&TXV	14.5			12.2
	EHD4X36A**	*9MVX080	24400	TDR&TXV	14.5			12.2
	EHD4X36A**	*8MPV075	23800	TDR&TXV	14.5			12.2
	EMA4X24D**		23000	TXV		13		11
	EN(A,D)4X24*14**	*8MX*0451408**	23000	TDR&TXV	14			11.7
	EN(A,D)4X24*14**	*8MV*0701412**	22800	TDR&TXV	14			11.7
	EN(A,D)4X24*14**	*9MX*0401410A**	23000	TDR&TXV	13.3			11
	EN(A,D)4X24*14**	*9MV*0401410A**	22800	TDR&TXV	13.7			11.4

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A324AKB	EN(A,D)4X24*14**		23000	TXV		13		11
N4A324GKB	EN(A,D)4X24*17**	*8MV*0901716**	22800	TDR&TXV	14			12
(continued)	EN(A,D)4X24*17**	*9MX*0401410A**	23000	TDR&TXV	13.3			11
	EN(A,D)4X24*17**	*9MX*0601714A**	22800	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MV*0401410A**	22800	TDR&TXV	13.7			11.4
	EN(A,D)4X24*17**	*9MV*0601714A**	22800	TDR&TXV	14.2			11.8
	EN(A,D)4X24*17**	*9MV*0801716A**	22800	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MA*0601714A**	22800	TDR&TXV	14.2			11.8
	EN(A,D)4X24*17**	*9MA*0801714A**	22800	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MVX040	23000	TDR&TXV	13.5			11.5
	EN(A,D)4X24*17**	OLV098A12A	23000	TDR&TXV	14			11.7
	EN(A,D)4X24*17**	OMV098J12A	23000	TDR&TXV	14			11.7
	EN(A,D)4X24*17**	OMV112K14A	23000	TDR&TXV	14			11.7
	EN(A,D)4X24*17**		23000	TXV		13		11
	EN(A,D)4X24*17**	*9MPV050	23000	TDR&TXV	13.5			11.5
	EN(A,D)4X30*14**	*8MX*0451408**	23200	TDR&TXV	14			12
	EN(A,D)4X30*14**	*8MV*0701412**	23000	TDR&TXV	14.5			12
	EN(A,D)4X30*14**	*9MX*0401410A**	23200	TDR&TXV	13.5			11.2
	EN(A,D)4X30*14**	*9MV*0401410A**	23000	TDR&TXV	13.7			11.4
	EN(A,D)4X30*14**		23200	TXV		13		11
	EN(A,D)4X30*17**	*8MV*0901716**	23200	TDR&TXV	14.5			12.2
	EN(A,D)4X30*17**	*9MX*0401410A**	23400	TDR&TXV	13.5			11.2
	EN(A,D)4X30*17**	*9MX*0601714A**	23200	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	*9MV*0401410A**	23000	TDR&TXV	13.7			11.4
	EN(A,D)4X30*17**	*9MV*0601714A**	23200	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	*9MV*0801716A**	23400	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	*9MA*0601714A**	23200	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	*9MA*0801714A**	23000	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	*9MVX040	23400	TDR&TXV	14			11.7
	EN(A,D)4X30*17**	*9MVX060	23600	TDR&TXV	14			11.7
	EN(A,D)4X30*17**	OLV098A12A	23400	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	OMV098J12A	23400	TDR&TXV	14			12
	EN(A,D)4X30*17**	OMV112K14A	23200	TDR&TXV	14.5			12.2
	EN(A,D)4X30*17**		23200	TXV		13		11
	EN(A,D)4X30*17**	*9MPV050	23400	TDR&TXV	14			11.7
	EN(A,D)4X30*17**	*9MPV075	23600	TDR&TXV	14			11.7
	EN(A,D)4X31*17**	*8MX*0451408**	23400	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*8MV*0701412**	23400	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*8MV*0901716**	23400	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MX*0401410A**	23800	TDR&TXV	13.7			11.4
	EN(A,D)4X31*17**	*9MX*0601714A**	23800	TDR&TXV	15			12.5
	EN(A,D)4X31*17**	*9MV*0401410A**	23600	TDR&TXV	14			11.5
	EN(A,D)4X31*17**	*9MV*0601714A**	23600	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MV*0801716A**	23800	TDR&TXV	15			12.5
	EN(A,D)4X31*17**	*9MA*0601714A**	23600	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MA*0801714A**	23400	TDR&TXV	15			12.4
	EN(A,D)4X31*17**	*9MVX040	23800	TDR&TXV	14			12
	EN(A,D)4X31*17**	*9MVX060	24000	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	OLV098A12A	23600	TDR&TXV	14.5			12.2
	EN(A,D)4X31*17**	OMV098J12A	23800	TDR&TXV	14.5			12.2
	EN(A,D)4X31*17**	OMV112K14A	23600	TDR&TXV	14.5			12.2
	EN(A,D)4X31*17**	*9MPV050	23800	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A324AKB N4A324GKB (continued)	EN(A,D)4X31*17**	*9MPV075	24000	TDR&TXV	14		12	
	EN(A,D)4X31*17**		23400	TXV		13	11	
	EN(A,D)4X31*17**	*8MPV050	23400	TDR&TXV	14		12	
	EN(A,D)4X31*17**	*8MPV075	23400	TDR&TXV	14.5		12	
	EN(A,D)4X36*21**	*9MV*0802120A**	23400	TDR&TXV	14.5		12	
	EN(A,D)4X36*21**	*9MV*1002120A**	23600	TDR&TXV	14.5		12.2	
	EN(A,D)4X36*21**	*9MA*0601714A**	23200	TDR&TXV	14.5		12	
	EN(A,D)4X36*21**	*9MA*0801714A**	23000	TDR&TXV	14.5		12	
	EN(A,D)4X36*21**	*9MA*0802120A**	23400	TDR&TXV	14.5		12	
	EN(A,D)4X36*21**	*9MA*1002122A**	23400	TDR&TXV	14.5		12.2	
	EN(A,D)4X36*21**	*9MA*0602120A**	23200	TDR&TXV	14.5		12	
	EN(A,D)4X36*21**	*9MA*1002120A**	23400	TDR&TXV	14.5		12	
	EN(A,D,W)4X36*17**	*8MX*0451408**	23400	TDR&TXV	14.5		12.2	
	EN(A,D,W)4X36*17**		23200	TXV		13	11	
	ENH4X24*17**	*8MX*0451408**	23000	TDR&TXV	14		11.7	
	ENH4X24*17**	*8MV*0701412**	22800	TDR&TXV	14		11.7	
	ENH4X24*17**	*8MV*0901716**	22800	TDR&TXV	14		12	
	ENH4X24*17**	*8MV*1102120**	22800	TDR&TXV	14		11.7	
	ENH4X24*17**	*8MV*1352422**	22800	TDR&TXV	14		12	
	ENH4X24*17**	*9MX*0401410A**	23000	TDR&TXV	13.3		11	
	ENH4X24*17**	*9MX*0601714A**	22800	TDR&TXV	14.5		12	
	ENH4X24*17**	*9MV*0401410A**	22800	TDR&TXV	13.7		11.4	
	ENH4X24*17**	*9MV*0601714A**	22800	TDR&TXV	14.2		11.8	
	ENH4X24*17**	*9MV*0801716A**	22800	TDR&TXV	14.5		12	
	ENH4X24*17**	*9MV*1202422A**	22800	TDR&TXV	14.5		12	
	ENH4X24*17**	*9MA*0601714A**	22800	TDR&TXV	14.2		11.8	
	ENH4X24*17**	*9MA*0801714A**	22800	TDR&TXV	14.5		12	
	ENH4X24*17**	*9MA*1202422A**	23000	TDR&TXV	14.5		12	
	ENH4X24*17**	*9MVX040	23000	TDR&TXV	13.5		11.5	
	ENH4X24*17**	*9MVX060	23200	TDR&TXV	13.5		11.5	
	ENH4X24*17**	*9MVX080	23400	TDR&TXV	14		11.7	
	ENH4X24*17**	*9MVX100	23400	TDR&TXV	14		11.7	
	ENH4X24*17**	*9MV*1002116A**	22600	TDR&TXV	14.5		12	
	ENH4X24*17**	*9MA*1002120A**	23200	TDR&TXV	14.5		12	
	ENH4X24*17**	OLV098A12A	23000	TDR&TXV	14		11.7	
	ENH4X24*17**	OMV098J12A	23000	TDR&TXV	14		11.7	
	ENH4X24*17**	OMV112K14A	23000	TDR&TXV	14		12	
	ENH4X24*17**		23000	TXV		13	11	
	ENH4X24*17**	*9MPV050	23000	TDR&TXV	13.5		11.7	
	ENH4X24*17**	*9MPV075	23000	TDR&TXV	13.5		11.5	
	ENH4X24*17**	*9MPV100	23200	TDR&TXV	14		11.7	
	ENH4X24*17**	*9MPV125	23400	TDR&TXV	14		11.7	
	ENH4X30*17**	*8MX*0451408**	23400	TDR&TXV	14		12	
	ENH4X30*17**	*8MV*0701412**	23000	TDR&TXV	14.5		12	
	ENH4X30*17**	*8MV*0901716**	23200	TDR&TXV	14.5		12.2	
ENH4X30*17**	*8MV*1102120**	23200	TDR&TXV	14.5		12.2		
ENH4X30*17**	*8MV*1352422**	23200	TDR&TXV	14.5		12.2		
ENH4X30*17**	*9MX*0401410A**	23400	TDR&TXV	13.5		11.2		
ENH4X30*17**	*9MX*0601714A**	23200	TDR&TXV	14.5		12		
ENH4X30*17**	*9MV*0401410A**	23000	TDR&TXV	13.7		11.4		
ENH4X30*17**	*9MV*0601714A**	23200	TDR&TXV	14.5		12		
ENH4X30*17**	*9MV*0801716A**	23400	TDR&TXV	14.5		12		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A324AKB N4A324GKB	ENH4X30*17**	*9MV*1202422A**	23400	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*0601714A**	23200	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*0801714A**	23000	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*1202422A**	23400	TDR&TXV	14.5			12
	ENH4X30*17**	*9MVX040	23600	TDR&TXV	14			11.7
	ENH4X30*17**	*9MVX060	23600	TDR&TXV	14			11.7
	ENH4X30*17**	*9MVX080	24000	TDR&TXV	14.5			12
	ENH4X30*17**	*9MVX100	23800	TDR&TXV	14.5			12
	ENH4X30*17**	*9MV*1002116A**	23200	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*1002120A**	23400	TDR&TXV	14.5			12
	ENH4X30*17**	OLV098A12A	23400	TDR&TXV	14.5			12
	ENH4X30*17**	OMV098J12A	23400	TDR&TXV	14			12
	ENH4X30*17**	OMV112K14A	23200	TDR&TXV	14.5			12.2
	ENH4X30*17**		23200	TXV			13	11
	ENH4X30*17**	*9MPV050	23400	TDR&TXV	14			11.7
	ENH4X30*17**	*9MPV075	23600	TDR&TXV	14			11.7
	ENH4X30*17**	*9MPV100	23800	TDR&TXV	14			12
	ENH4X30*17**	*9MPV125	23800	TDR&TXV	14.5			12
	ENH4X31*17**	*8MX*0451408**	23400	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*0701412**	23400	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*0901716**	23400	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1102120**	23400	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1352422**	23400	TDR&TXV	14.5			12
	ENH4X31*17**	*9MX*0401410A**	23800	TDR&TXV	13.7			11.4
	ENH4X31*17**	*9MX*0601714A**	23800	TDR&TXV	15			12.5
	ENH4X31*17**	*9MV*0401410A**	23600	TDR&TXV	14			11.5
	ENH4X31*17**	*9MV*0601714A**	23600	TDR&TXV	14.5			12
	ENH4X31*17**	*9MV*0801716A**	23800	TDR&TXV	15			12.5
	ENH4X31*17**	*9MV*1202422A**	24000	TDR&TXV	15.2			12.5
	ENH4X31*17**	*9MA*0601714A**	23600	TDR&TXV	14.5			12
	ENH4X31*17**	*9MA*0801714A**	23400	TDR&TXV	15			12.5
	ENH4X31*17**	*9MA*1202422A**	23800	TDR&TXV	15			12.5
	ENH4X31*17**	*9MVX040	23800	TDR&TXV	14			12
	ENH4X31*17**	*9MVX060	23800	TDR&TXV	14.5			12
	ENH4X31*17**	*9MVX080	24000	TDR&TXV	14.5			12.2
	ENH4X31*17**	*9MVX100	24000	TDR&TXV	14.5			12.2
	ENH4X31*17**	*9MV*1002116A**	23600	TDR&TXV	15			12.5
	ENH4X31*17**	*9MA*1002120A**	23800	TDR&TXV	15			12.5
	ENH4X31*17**	OLV098A12A	23600	TDR&TXV	14.5			12.2
	ENH4X31*17**	OMV098J12A	23600	TDR&TXV	14.5			12.2
ENH4X31*17**	OMV112K14A	23600	TDR&TXV	14.5			12.2	
ENH4X31*17**	*9MPV050	23800	TDR&TXV	14.5			12	
ENH4X31*17**	*9MPV075	23800	TDR&TXV	14.5			12	
ENH4X31*17**	*9MPV100	23800	TDR&TXV	14.5			12.2	
ENH4X31*17**	*9MPV125	24000	TDR&TXV	14.5			12.2	
ENH4X31*17**		23400	TXV			13	11	
ENH4X31*17**	*8MPV050	23400	TDR&TXV	14			12	

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models								
For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org . New ratings may be listed online before Specification Sheets are updated.								
Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A330AKC	*ED*4X30B**		27200	TXV		13		10.8
N4A330GKC	FEA4X30**A*		27600	TDR&TXV	13.5			11.7
N4A330GHC	FEA4X36**A*		27800	TDR&TXV	13.5			11.5
(continued)	FEM4P30**A*		27400	TDR	13.5			11
	FEM4P30**A*		27400	TDR			14	11.5
	FEM4P36**A*		27400	TDR	13.5			11
	FEM4P36**A*		27400	TDR			14	11.5
	FEM4X30****		27200	TDR&TXV	14			11.5
	FEM4X36****		27200	TDR&TXV	14			11.5
	FS(M,U)4P30**A*		27600	TDR	13			11
	FS(M,U)4P30**A*		27600	TDR			13.5	11
	FS(M,U)4P36**A*		27600	TDR	13			11
	FS(M,U)4P36**A*		27600	TDR			13.5	11
	FS(M,U)4X30****		27000	TDR&TXV	13			10.8
	FSA4X36**A*		27200	TDR&TXV	13			10.8
	FSM4X36****		27200	TDR&TXV	13			10.8
	FVM4X24****		26800	TDR&TXV	13.5			11.7
	FVM4X36****		27200	TDR&TXV	14.5			12.2
	FVM4X48****		27200	TDR&TXV	14.5			12.2
	FXM4X30**A*		27800	TDR&TXV	14			11.5
	FXM4X36**A*		28000	TDR&TXV	14.5			12
	FXM4X42**A*		28200	TDR&TXV	13.5			11
	EA*4X30*14A*	*8MV*0701412**	27200	TDR&TXV	14			11.5
	EA*4X30*14A*		27400	TXV		13		10.9
	EA*4X30*17A*	*8MX*0701716**	27400	TDR&TXV	14			11.5
	EA*4X30*17A*	*8MV*0701412**	27400	TDR&TXV	14			11.5
	EA*4X30*17A*	*8MV*0901716**	27400	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MX*0601714A**	27400	TDR&TXV	14			11.5
	EA*4X30*17A*	*9MX*0801716A**	27600	TDR&TXV	14			11.5
	EA*4X30*17A*	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	EA*4X30*17A*	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	EA*4X30*17A*	*9MA*0601714A**	27200	TDR&TXV	14			11.5
	EA*4X30*17A*	*9MA*0801714A**	27400	TDR&TXV	14.2			11.8
	EA*4X30*17A*		27400	TXV		13		10.8
	EA*4X36*14A*	*8MV*0701412**	27400	TDR&TXV	14			11.5
	EA*4X36*14A*		27400	TXV		13		10.8
	EA*4X36*17A*	*8MX*0701716**	27600	TDR&TXV	14			11.5
	EA*4X36*17A*	*8MV*0701412**	27400	TDR&TXV	14			11.5
	EA*4X36*17A*	*8MV*0901716**	27400	TDR&TXV	14.5			12
	EA*4X36*17A*	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	EA*4X36*17A*	*9MX*0801716A**	27800	TDR&TXV	14.2			11.8
	EA*4X36*17A*	*9MV*0601714A**	27400	TDR&TXV	14.2			11.8
	EA*4X36*17A*	*9MV*0801716A**	27600	TDR&TXV	14.2			11.8
	EA*4X36*17A*	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	EA*4X36*17A*	*9MA*0801714A**	27600	TDR&TXV	14.2			11.8
	EA*4X36*17A*		27600	TXV		13		10.8
	EA*4X36*21A*	*8MX*0701716**	27800	TDR&TXV	14			11.5
	EA*4X36*21A*	*8MX*0902116**	27800	TDR&TXV	14.5			12
	EA*4X36*21A*	*8MV*0901716**	27400	TDR&TXV	14.5			12
	* Tested Combo							

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330AKC	EA*4X36*21A*	*8MV*1102120**	27600	TDR&TXV	14.5			12
N4A330GKC	EA*4X36*21A*	*9MX*0601714A**	27600	TDR&TXV	14.2			11.8
N4A330GHC	EA*4X36*21A*	*9MX*0801716A**	27800	TDR&TXV	14.2			11.8
(continued)	EA*4X36*21A*	*9MV*0601714A**	27600	TDR&TXV	14.2			11.8
	EA*4X36*21A*	*9MV*0801716A**	27600	TDR&TXV	14.2			11.8
	EA*4X36*21A*	*9MV*0802120A**	27800	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MV*1002120A**	27600	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*0601714A**	27400	TDR&TXV	14.2			11.8
	EA*4X36*21A*	*9MA*0801714A**	27600	TDR&TXV	14.2			11.8
	EA*4X36*21A*	*9MA*0802120A**	27600	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*1002122A**	27800	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*0602120A**	27600	TDR&TXV	14.2			11.8
	EA*4X36*21A*	*9MV*1002116A**	27600	TDR&TXV	14.2			11.8
	EA*4X36*21A*	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
	EA*4X36*21A*		27600	TXV		13		10.8
	EA*4X42*21A*	*9MV*0802120A**	27800	TDR&TXV	14.5			11.7
	EA*4X42*21A*	*9MV*1002120A**	27800	TDR&TXV	14.5			11.7
	EA*4X42*21A*	*9MA*0802120A**	27800	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MA*1002122A**	28000	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MA*0602120A**	27800	TDR&TXV	14			11.7
	EA*4X42*21A*		27600	TXV		13		11
	EA*4X42*24A*		27600	TXV		13		11
	ED*4X30B**	*8MV*0701412**	27200	TDR&TXV	14			11.7
	ED*4X30B**	*8MPV050	27200	TDR&TXV	13			11
	ED*4X30B**	MV08B15**B*	27200	TDR&TXV	14			12
	ED*4X30F**	*8MX*0701716**	27400	TDR&TXV	14			11.7
	ED*4X30F**	*8MV*0901716**	27400	TDR&TXV	14			12
	ED*4X30F**	*9MX*0601714A**	27400	TDR&TXV	14			11.5
	ED*4X30F**	*9MX*0801716A**	27600	TDR&TXV	14			11.5
	ED*4X30F**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	ED*4X30F**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	ED*4X30F**	*9MV*0802120A**	27400	TDR&TXV	14.5			12
	ED*4X30F**	*9MV*1002120A**	27200	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*0601714A**	27200	TDR&TXV	14			11.5
	ED*4X30F**	*9MA*0801714A**	27400	TDR&TXV	14.2			11.8
	ED*4X30F**	*9MA*0802120A**	27400	TDR&TXV	14			11.5
	ED*4X30F**	*9MA*1002122A**	27600	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*0602120A**	27400	TDR&TXV	14			11.5
	ED*4X30F**	*9MVX040	27400	TDR&TXV	13.5			11.2
	ED*4X30F**	*9MVX060	27600	TDR&TXV	13.5			11.2
	ED*4X30F**	*9MV*1002116A**	27400	TDR&TXV	14.2			11.8
	ED*4X30F**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
	ED*4X30F**	OLV098A12A	27400	TDR&TXV	14			11.5
	ED*4X30F**	OLV112A16A	27600	TDR&TXV	14			11.5
	ED*4X30F**	OMV098J12A	27400	TDR&TXV	13.5			11
	ED*4X30F**	OMV112K14A	27600	TDR&TXV	14			11.7
	ED*4X30F**		27200	TXV		13		10.8
	ED*4X30F**	*8MPV075	27200	TDR&TXV	14			11.7
	ED*4X30F**	*9MPV050	27200	TDR&TXV	13.5			11.2
	ED*4X30F**	*9MPV075	27200	TDR&TXV	13.5			11.2
	ED*4X30F**	MV12F19**B*	27200	TDR&TXV	14.5			12.2
	ED*4X36B**	*8MV*0701412**	27400	TDR&TXV	14			11.7
	ED*4X36B**		27200	TXV		13		10.8

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330AKC N4A330GKC N4A330GHC (continued)	ED*4X36B**	*8MPV050	27200	TDR&TXV	13		11	
	ED*4X36B**	MV08B15**B*	27200	TDR&TXV	14		12	
	ED*4X36F**	*8MX*0701716**	27600	TDR&TXV	14		11.7	
	ED*4X36F**	*8MV*0901716**	27400	TDR&TXV	14.5		12	
	ED*4X36F**	*9MX*0601714A**	27600	TDR&TXV	14		11.5	
	ED*4X36F**	*9MX*0601714A**	27600	TDR&TXV	14		11.5	
	ED*4X36F**	*9MX*0801716A**	27800	TDR&TXV	14.2		11.8	
	ED*4X36F**	*9MX*0801716A**	27800	TDR&TXV	14.2		11.8	
	ED*4X36F**	*9MV*0601714A**	27400	TDR&TXV	14.2		11.8	
	ED*4X36F**	*9MV*0801716A**	27600	TDR&TXV	14.2		11.8	
	ED*4X36F**	*9MV*0802120A**	27600	TDR&TXV	14.5		12	
	ED*4X36F**	*9MV*1002120A**	27400	TDR&TXV	14.5		12	
	ED*4X36F**	*9MA*0601714A**	27400	TDR&TXV	14		11.5	
	ED*4X36F**	*9MA*0601714A**	27400	TDR&TXV	14		11.5	
	ED*4X36F**	*9MA*0801714A**	27600	TDR&TXV	14.2		11.8	
	ED*4X36F**	*9MA*0801714A**	27600	TDR&TXV	14.2		11.8	
	ED*4X36F**	*9MA*0802120A**	27600	TDR&TXV	14		11.7	
	ED*4X36F**	*9MA*1002122A**	27800	TDR&TXV	14.5		12	
	ED*4X36F**	*9MA*0602120A**	27600	TDR&TXV	14		11.5	
	ED*4X36F**	*9MVX040	27400	TDR&TXV	13.5		11.2	
	ED*4X36F**	*9MVX060	27600	TDR&TXV	13.5		11.5	
	ED*4X36F**	*9MV*1002116A**	27600	TDR&TXV	14.2		11.8	
	ED*4X36F**	*9MA*1002120A**	27600	TDR&TXV	14.2		11.8	
	ED*4X36F**	*9MA*1002120A**	27600	TDR&TXV	14.2		11.8	
	ED*4X36F**	OLV098A12A	27400	TDR&TXV	14		11.5	
	ED*4X36F**	OLV112A16A	27600	TDR&TXV	14		11.5	
	ED*4X36F**	OMV098J12A	27400	TDR&TXV	13.5		11.5	
	ED*4X36F**	OMV112K14A	27600	TDR&TXV	14		11.7	
	ED*4X36F**		27200	TXV		13	10.8	
	ED*4X36F**	*8MPV075	27200	TDR&TXV	14		11.7	
	ED*4X36F**	*9MPV050	27200	TDR&TXV	13.5		11.2	
	ED*4X36F**	*9MPV075	27200	TDR&TXV	13.5		11.5	
	ED*4X36F**	MV12F19**B*	27200	TDR&TXV	14.5		12.2	
	ED*4X36J**	*8MX*0902116**	27800	TDR&TXV	14		12	
	ED*4X36J**	*8MV*1102120**	27600	TDR&TXV	14.5		12	
	ED*4X36J**	*9MV*1002120A**	27600	TDR&TXV	14.5		12	
	ED*4X36J**	*9MV*1202422A**	27800	TDR&TXV	14.5		12	
	ED*4X36J**	*9MV*1202422A**	27800	TDR&TXV	14		11.7	
	ED*4X36J**	*9MA*0802120A**	27600	TDR&TXV	14.5		12	
	ED*4X36J**	*9MA*1002122A**	27800	TDR&TXV	14.5		12	
	ED*4X36J**	*9MA*1202422A**	27600	TDR&TXV	14.5		12	
	ED*4X36J**	*9MA*0602120A**	27600	TDR&TXV	14		11.7	
	ED*4X36J**	*9MVX080	28000	TDR&TXV	14		11.7	
	ED*4X36J**	*9MV*1002116A**	27600	TDR&TXV	14.2		11.8	
	ED*4X36J**	*9MA*1002120A**	27600	TDR&TXV	14.2		11.8	
	ED*4X36J**	OLV112A16A	27800	TDR&TXV	14		11.7	
	ED*4X36J**		27200	TXV		13	10.8	
	ED*4X36J**	*8MPV100	27200	TDR&TXV	14		12	
ED*4X36J**	*8MPV125	27200	TDR&TXV	14		12		
ED*4X36J**	*9MPV100	27200	TDR&TXV	14		11.7		
ED*4X42F**	*9MV*0802120A**	27800	TDR&TXV	14.5		12		
ED*4X42F**	*9MV*1002120A**	27600	TDR&TXV	14.5		12		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A330AKC	ED*4X42F**	*9MA*0802120A**	27800	TDR&TXV	14.5			12
N4A330GKC	ED*4X42F**	*9MA*1002122A**	27800	TDR&TXV	14.5			11.7
N4A330GHC	ED*4X42F**	*9MA*0602120A**	27600	TDR&TXV	14			11.7
(continued)	ED*4X42J**	*9MVX080	27800	TDR&TXV	14.5			12
	EHD4X30A**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	EHD4X30A**	*9MX*0801716A**	27800	TDR&TXV	14			11.5
	EHD4X30A**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	EHD4X30A**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MV*0802120A**	27400	TDR&TXV	14			11.7
	EHD4X30A**	*9MV*1002120A**	27200	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MV*1202422A**	27600	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	EHD4X30A**	*9MA*0801714A**	27600	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MA*0802120A**	27600	TDR&TXV	14			11.7
	EHD4X30A**	*9MA*1002122A**	27800	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MA*1202422A**	27600	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MA*0602120A**	27600	TDR&TXV	14			11.5
	EHD4X30A**	*9MVX040	27400	TDR&TXV	13.5			11.2
	EHD4X30A**	*9MVX060	27600	TDR&TXV	13.5			11.2
	EHD4X30A**	*9MVX080	27800	TDR&TXV	14			11.7
	EHD4X30A**	*9MVX100	27600	TDR&TXV	14			11.7
	EHD4X30A**	*9MV*1002116A**	27400	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
	EHD4X30A**	OLV098A12A	27400	TDR&TXV	13.5			11
	EHD4X30A**	OLV112A16A	27800	TDR&TXV	13.5			11.5
	EHD4X30A**	OMV098J12A	27600	TDR&TXV	13.5			11
	EHD4X30A**	OMV112K14A	27600	TDR&TXV	14			11.5
	EHD4X30A**		27200	TXV		13		10.8
	EHD4X30A**	*8MPV050	27200	TDR&TXV	13			11
	EHD4X30A**	*8MPV075	27200	TDR&TXV	14			11.5
	EHD4X30A**	*8MPV100	27200	TDR&TXV	14			11.7
	EHD4X30A**	*8MPV125	27200	TDR&TXV	14			11.7
	EHD4X30A**	*9MPV050	27200	TDR&TXV	13.5			11.2
	EHD4X30A**	*9MPV075	27200	TDR&TXV	13.5			11.2
	EHD4X30A**	*9MPV100	27200	TDR&TXV	14			11.7
	EHD4X30A**	*9MPV125	27200	TDR&TXV	14			11.7
	EHD4X30A**	MV08B15**B*	27200	TDR&TXV	14			12
	EHD4X30A**	MV12F19**B*	27200	TDR&TXV	14.5			12
	EHD4X36A**	*9MX*0601714A**	28000	TDR&TXV	14.2			11.8
	EHD4X36A**	*9MX*0801716A**	28200	TDR&TXV	14.2			11.8
	EHD4X36A**	*9MV*0601714A**	27800	TDR&TXV	14.2			11.8
	EHD4X36A**	*9MV*0801716A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MV*0802120A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MV*1002120A**	27800	TDR&TXV	14.5			12
	EHD4X36A**	*9MV*1202422A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*0601714A**	27800	TDR&TXV	14.2			11.8
	EHD4X36A**	*9MA*0801714A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*0802120A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*1002122A**	28200	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*1202422A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*0602120A**	28000	TDR&TXV	14.2			11.8
	EHD4X36A**	*9MVX040	27400	TDR&TXV	13.5			11.2

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330AKC N4A330GKC N4A330GHC (continued)	EHD4X36A**	*9MVX060	27600	TDR&TXV	13.5		11.5	
	EHD4X36A**	*9MVX080	28000	TDR&TXV	14		11.7	
	EHD4X36A**	*9MVX100	28200	TDR&TXV	14		12	
	EHD4X36A**	*9MV*1002116A**	28000	TDR&TXV	14.5		12	
	EHD4X36A**	*9MA*1002120A**	28200	TDR&TXV	14.5		12	
	EHD4X36A**	OLV098A12A	28000	TDR&TXV	14		11.7	
	EHD4X36A**	OLV112A16A	28200	TDR&TXV	14		11.7	
	EHD4X36A**	OMV098J12A	28000	TDR&TXV	14		11.5	
	EHD4X36A**	OMV112K14A	28000	TDR&TXV	14.5		12	
	EHD4X36A**		27200	TXV		13	10.8	
	EHD4X36A**	*8MPV050	27200	TDR&TXV	13		11	
	EHD4X36A**	*8MPV075	27200	TDR&TXV	14		11.7	
	EHD4X36A**	*8MPV100	27200	TDR&TXV	14		12	
	EHD4X36A**	*8MPV125	27200	TDR&TXV	14		12	
	EHD4X36A**	*9MPV050	27200	TDR&TXV	13.5		11.5	
	EHD4X36A**	*9MPV075	27200	TDR&TXV	13.5		11.5	
	EHD4X36A**	*9MPV100	27200	TDR&TXV	14		11.7	
	EHD4X36A**	*9MPV125	27200	TDR&TXV	14		12	
	EHD4X36A**	MV08B15**B*	27200	TDR&TXV	14		12	
	EHD4X36A**	MV12F19**B*	27200	TDR&TXV	14.5		12.2	
	EHD4X42A**	*9MVX080	27800	TDR&TXV	14.5		12	
	EMA4X36D**		27200	TXV		13	10.8	
	EN(A,D)4X30*14**	*8MV*0701412**	27200	TDR&TXV	14		11.7	
	EN(A,D)4X30*14**		27400	TXV		13	10.8	
	EN(A,D)4X30*17**	*8MX*0701716**	27400	TDR&TXV	14		11.5	
	EN(A,D)4X30*17**	*8MV*0901716**	27400	TDR&TXV	14		11.7	
	EN(A,D)4X30*17**	*9MX*0601714A**	27600	TDR&TXV	14		11.5	
	EN(A,D)4X30*17**	*9MX*0801716A**	27600	TDR&TXV	14		11.5	
	EN(A,D)4X30*17**	*9MV*0601714A**	27400	TDR&TXV	14		11.5	
	EN(A,D)4X30*17**	*9MV*0801716A**	27400	TDR&TXV	14.2		11.8	
	EN(A,D)4X30*17**	*9MA*0601714A**	27400	TDR&TXV	14		11.5	
	EN(A,D)4X30*17**	*9MA*0801714A**	27400	TDR&TXV	14.2		11.8	
	EN(A,D)4X30*17**	*9MVX040	27400	TDR&TXV	13.5		11	
	EN(A,D)4X30*17**	*9MVX060	27600	TDR&TXV	13.5		11	
	EN(A,D)4X30*17**	OLV098A12A	27400	TDR&TXV	13.5		11.5	
	EN(A,D)4X30*17**	OMV098J12A	27400	TDR&TXV	13.5		11	
	EN(A,D)4X30*17**	OMV112K14A	27600	TDR&TXV	14		11.7	
	EN(A,D)4X30*17**		27400	TXV		13	10.9	
	EN(A,D)4X30*17**	*9MPV050	27400	TDR&TXV	13.5		11	
	EN(A,D)4X30*17**	*9MPV075	27400	TDR&TXV	13.5		11	
EN(A,D)4X31*17**	*8MX*0701716**	27800	TDR&TXV	14		11.5		
EN(A,D)4X31*17**	*8MV*0701412**	27800	TDR&TXV	14		12		
EN(A,D)4X31*17**	*8MV*0901716**	27800	TDR&TXV	14.5		12		
EN(A,D)4X31*17**	*9MX*0601714A**	28200	TDR&TXV	14.2		11.8		
EN(A,D)4X31*17**	*9MX*0801716A**	28400	TDR&TXV	14.2		11.8		
EN(A,D)4X31*17**	*9MV*0601714A**	28000	TDR&TXV	14.2		11.8		
EN(A,D)4X31*17**	*9MV*0801716A**	28000	TDR&TXV	14.5		12		
EN(A,D)4X31*17**	*9MA*0601714A**	27800	TDR&TXV	14.2		11.8		
EN(A,D)4X31*17**	*9MA*0801714A**	28000	TDR&TXV	14.5		12		
EN(A,D)4X31*17**	*9MVX040	28000	TDR&TXV	13.5		11.5		
EN(A,D)4X31*17**	*9MVX060	28200	TDR&TXV	14		11.5		
EN(A,D)4X31*17**	OLV098A12A	28000	TDR&TXV	14		11.7		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330AKC	EN(A,D)4X31*17**	OMV098J12A	28000	TDR&TXV	14			11.5
N4A330GKC	EN(A,D)4X31*17**	OMV112K14A	28200	TDR&TXV	14.5			12
N4A330GHC	EN(A,D)4X31*17**	*9MPV050	28000	TDR&TXV	13.5			11.5
(continued)	EN(A,D)4X31*17**	*9MPV075	28000	TDR&TXV	13.5			11.5
	EN(A,D)4X31*17**		27800	TXV		13		11
	EN(A,D)4X31*17**	*8MPV050	27800	TDR&TXV	13.5			11.2
	EN(A,D)4X31*17**	*8MPV075	28000	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*8MX*0902116**	27600	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*8MV*1102120**	27400	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MX*0801716A**	27800	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	EN(A,D)4X36*21**	*9MV*0802120A**	27400	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*9MV*1002120A**	27200	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MA*0801714A**	27400	TDR&TXV	14.2			11.8
	EN(A,D)4X36*21**	*9MA*0802120A**	27600	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*9MA*1002122A**	27600	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MA*0602120A**	27400	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*9MVX040	27400	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	*9MVX060	27600	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	*9MVX080	27800	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MV*1002116A**	27400	TDR&TXV	14.2			11.8
	EN(A,D)4X36*21**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
	EN(A,D)4X36*21**	OLV098A12A	27400	TDR&TXV	13.5			11.5
	EN(A,D)4X36*21**	OLV112A16A	27600	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	OMV098J12A	27400	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	OMV112K14A	27600	TDR&TXV	14			11.7
	EN(A,D)4X36*21**		27400	TXV		13		10.8
	EN(A,D)4X36*21**	*9MPV050	27400	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	*9MPV075	27400	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	*9MPV100	27600	TDR&TXV	14			11.5
	EN(A,D)4X37*17**	*8MX*0701716**	27800	TDR&TXV	14			12
	EN(A,D)4X37*17**	*8MV*0701412**	27800	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*8MV*0901716**	27800	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MX*0601714A**	28400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MX*0801716A**	28600	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MV*0601714A**	28200	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MV*0801716A**	28400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MA*0601714A**	28200	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MA*0801714A**	28400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MVX040	28400	TDR&TXV	14			11.5
	EN(A,D)4X37*17**	*9MVX060	28600	TDR&TXV	14			11.7
	EN(A,D)4X37*17**	OLV098A12A	28200	TDR&TXV	14			11.7
	EN(A,D)4X37*17**	OMV098J12A	28200	TDR&TXV	14			11.7
	EN(A,D)4X37*17**	OMV112K14A	28400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MPV050	28400	TDR&TXV	14			11.5
	EN(A,D)4X37*17**	*9MPV075	28400	TDR&TXV	14			11.7
	EN(A,D)4X37*17**		28000	TXV		13		11
	EN(A,D)4X37*17**	*8MPV050	27800	TDR&TXV	13.5			11.5
	EN(A,D)4X37*17**	*8MPV075	27800	TDR&TXV	14			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A330AKC N4A330GKC N4A330GHC (continued)	EN(A,D,W)4X36*17**	*8MX*0701716**	27400	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*8MV*0901716**	27400	TDR&TXV	14			11.7
	EN(A,D,W)4X36*17**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*9MX*0801716A**	27600	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	EN(A,D,W)4X36*17**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*9MA*0801714A**	27400	TDR&TXV	14.2			11.8
	EN(A,D,W)4X36*17**	*9MVX040	27400	TDR&TXV	13.5			11
	EN(A,D,W)4X36*17**	*9MVX060	27600	TDR&TXV	13.5			11
	EN(A,D,W)4X36*17**	OLV098A12A	27400	TDR&TXV	13.5			11.5
	EN(A,D,W)4X36*17**	OMV098J12A	27400	TDR&TXV	13.5			11
	EN(A,D,W)4X36*17**	OMV112K14A	27600	TDR&TXV	14			11.7
	EN(A,D,W)4X36*17**		27400	TXV		13		10.8
	EN(A,D,W)4X36*17**	*9MPV050	27400	TDR&TXV	13.5			11
	EN(A,D,W)4X36*17**	*9MPV075	27400	TDR&TXV	13.5			11
	EN(A,D,W)4X42*21**	*9MV*0802120A**	27800	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MV*1002120A**	27600	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MA*0802120A**	27800	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MA*1002122A**	28000	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MA*0602120A**	27800	TDR&TXV	14			11.5
	EN(A,D,W)4X42*21**		27600	TXV		13		11
	EN(A,D,W)4X48*21**	*8MX*0902116**	28400	TDR&TXV	14.5			12.2
	END4X42*17**	*8MV*0901716**	27800	TDR&TXV	14.5			12.2
	END4X42*17**		27600	TXV		13		11
	ENH4X30*17**	*8MX*0701716**	27400	TDR&TXV	14			11.5
	ENH4X30*17**	*8MX*0902116**	27600	TDR&TXV	14			11.7
	ENH4X30*17**	*8MV*0701412**	27200	TDR&TXV	14			11.7
	ENH4X30*17**	*8MV*0901716**	27400	TDR&TXV	14			11.7
	ENH4X30*17**	*8MV*1102120**	27400	TDR&TXV	14			11.7
	ENH4X30*17**	*8MV*1352422**	27400	TDR&TXV	14			12
	ENH4X30*17**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	ENH4X30*17**	*9MX*0801716A**	27600	TDR&TXV	14			11.5
	ENH4X30*17**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	ENH4X30*17**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	ENH4X30*17**	*9MV*1202422A**	27600	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	ENH4X30*17**	*9MA*0801714A**	27400	TDR&TXV	14.2			11.8
	ENH4X30*17**	*9MA*1202422A**	27600	TDR&TXV	14.2			11.8
	ENH4X30*17**	*9MVX040	27400	TDR&TXV	13.5			11
	ENH4X30*17**	*9MVX060	27600	TDR&TXV	13.5			11
	ENH4X30*17**	*9MVX080	27800	TDR&TXV	14			11.5
	ENH4X30*17**	*9MVX100	27600	TDR&TXV	14			11.7
	ENH4X30*17**	*9MV*1002116A**	27400	TDR&TXV	14.2			11.8
	ENH4X30*17**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
ENH4X30*17**	OLV098A12A	27400	TDR&TXV	13.5			11.5	
ENH4X30*17**	OLV112A16A	27600	TDR&TXV	13.5			11.5	
ENH4X30*17**	OMV098J12A	27400	TDR&TXV	13.5			11	
ENH4X30*17**	OMV112K14A	27600	TDR&TXV	14			11.7	
ENH4X30*17**		27400	TXV		13		10.9	
ENH4X30*17**	*9MPV050	27400	TDR&TXV	13.5			11	
ENH4X30*17**	*9MPV075	27400	TDR&TXV	13.5			11	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A330AKC	ENH4X30*17**	*9MPV100	27600	TDR&TXV	14			11.5
N4A330GKC	ENH4X30*17**	*9MPV125	27600	TDR&TXV	14			11.7
N4A330GHC	ENH4X31*17**	*8MX*0701716**	27800	TDR&TXV	14			11.5
(continued)	ENH4X31*17**	*8MX*0902116**	27800	TDR&TXV	14			12
	ENH4X31*17**	*8MV*0701412**	27800	TDR&TXV	14			12
	ENH4X31*17**	*8MV*0901716**	27800	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1102120**	27800	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1352422**	27800	TDR&TXV	14.5			12
	ENH4X31*17**	*9MX*0601714A**	28200	TDR&TXV	14.2			11.8
	ENH4X31*17**	*9MX*0801716A**	28400	TDR&TXV	14.2			11.8
	ENH4X31*17**	*9MV*0601714A**	28000	TDR&TXV	14.2			11.8
	ENH4X31*17**	*9MV*0801716A**	28000	TDR&TXV	14.5			12
	ENH4X31*17**	*9MV*1202422A**	28200	TDR&TXV	14.5			12
	ENH4X31*17**	*9MA*0601714A**	27800	TDR&TXV	14.2			11.8
	ENH4X31*17**	*9MA*0801714A**	28000	TDR&TXV	14.5			12
	ENH4X31*17**	*9MA*1202422A**	28200	TDR&TXV	14.5			12
	ENH4X31*17**	*9MVX040	28000	TDR&TXV	13.5			11.5
	ENH4X31*17**	*9MVX060	28200	TDR&TXV	14			11.5
	ENH4X31*17**	*9MVX080	28400	TDR&TXV	14			12
	ENH4X31*17**	*9MVX100	28200	TDR&TXV	14.5			12
	ENH4X31*17**	*9MV*1002116A**	28000	TDR&TXV	14.5			12
	ENH4X31*17**	*9MA*1002120A**	28200	TDR&TXV	14.5			12
	ENH4X31*17**	OLV098A12A	28000	TDR&TXV	14			11.7
	ENH4X31*17**	OLV112A16A	28200	TDR&TXV	14			12
	ENH4X31*17**	OMV098J12A	28000	TDR&TXV	14			11.5
	ENH4X31*17**	OMV112K14A	28200	TDR&TXV	14.5			12
	ENH4X31*17**	*9MPV050	28000	TDR&TXV	13.5			11.5
	ENH4X31*17**	*9MPV075	28000	TDR&TXV	13.5			11.5
	ENH4X31*17**	*9MPV100	28400	TDR&TXV	14			12
	ENH4X31*17**	*9MPV125	28400	TDR&TXV	14.5			12
	ENH4X31*17**		27800	TXV		13		11
	ENH4X31*17**	*8MPV050	27800	TDR&TXV	13.5			11.2
	ENH4X31*17**	*8MPV075	27800	TDR&TXV	14			11.7
	ENH4X31*17**	*8MPV100	27800	TDR&TXV	14.5			12
	ENH4X31*17**	*8MPV125	27800	TDR&TXV	14.5			12
	ENH4X36*17**	*8MX*0701716**	27400	TDR&TXV	14			11.5
	ENH4X36*17**	*8MX*0902116**	27600	TDR&TXV	14			11.7
	ENH4X36*17**	*8MV*0701412**	27400	TDR&TXV	14			11.7
	ENH4X36*17**	*8MV*0901716**	27400	TDR&TXV	14			11.7
	ENH4X36*17**	*8MV*1102120**	27400	TDR&TXV	14			11.7
	ENH4X36*17**	*8MV*1352422**	27400	TDR&TXV	14			12
	ENH4X36*17**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	ENH4X36*17**	*9MX*0801716A**	27600	TDR&TXV	14			11.5
	ENH4X36*17**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	ENH4X36*17**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	ENH4X36*17**	*9MV*1202422A**	27600	TDR&TXV	14.5			12
	ENH4X36*17**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	ENH4X36*17**	*9MA*0801714A**	27400	TDR&TXV	14.2			12
	ENH4X36*17**	*9MA*1202422A**	27600	TDR&TXV	14.2			11.8
	ENH4X36*17**	*9MVX040	27400	TDR&TXV	13.5			11
	ENH4X36*17**	*9MVX060	27600	TDR&TXV	13.5			11
	ENH4X36*17**	*9MVX080	27800	TDR&TXV	14			11.5

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330AKC	ENH4X36*17**	*9MVX100	27600	TDR&TXV	14			11.7
N4A330GKC	ENH4X36*17**	*9MV*1002116A**	27400	TDR&TXV	14.2			11.8
N4A330GHC	ENH4X36*17**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
	ENH4X36*17**	OLV098A12A	27400	TDR&TXV	13.5			11.5
	ENH4X36*17**	OLV112A16A	27600	TDR&TXV	13.5			11.5
	ENH4X36*17**	OMV098J12A	27400	TDR&TXV	13.5			11
	ENH4X36*17**	OMV112K14A	27600	TDR&TXV	14			11.7
	ENH4X36*17**		27400	TXV		13		10.8
	ENH4X36*17**	*9MPV050	27400	TDR&TXV	13.5			11
	ENH4X36*17**	*9MPV075	27400	TDR&TXV	13.5			11
	ENH4X36*17**	*9MPV100	27600	TDR&TXV	14			11.5
	ENH4X36*17**	*9MPV125	27600	TDR&TXV	14			11.7

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35° C)						
			Capacity	Factory Installed	SEER			Piston	EER
					Standard	W/ Field TDR	W/ Field TXV		
N4A336AKB	*EA*4X36*17A*		34,000	TXV					11.00
N4A336GKB	FCM4X24****		34,200	TDR&TXV	13.70	13.00			11.70
N4A336GHB	FCM4X36****		34,400	TDR&TXV	14.00				12.00
N4A336GLB	FCM4X48****		35,400	TDR&TXV	15.00				12.50
N4A336GSB	FCM4X60****		35,800	TDR&TXV	15.20				12.70
(continued)	FEA4X36**A*		34,400	TDR&TXV	13.00				11.20
	FEM4P36**A*		34,200	TDR				13.00	11.00
	FEM4P42**A*		35,400	TDR				14.00	12.00
	FEM4X35**A*		34,800	TDR&TXV	13.70				11.70
	FEM4X36**A*		35,200	TDR&TXV	14.00				11.70
	FEM4X36**B*		34,200	TDR&TXV	13.20				11.30
	FEM4X42**A*		35,200	TDR&TXV	13.70				11.70
	FEM4X42**B*		35,400	TDR&TXV	14.00				12.00
	FS(M,U)4P36**A*		34,400	TDR				13.00	11.00
	FS(M,U)4P42**A*		35,000	TDR				13.00	11.50
	FVM4X24****		34,200	TDR&TXV	13.70				11.70
	FVM4X36****		34,400	TDR&TXV	14.00				12.00
	FVM4X48****		35,400	TDR&TXV	15.00				12.50
	FVM4X60****		35,800	TDR&TXV	15.20				12.70
	FXM4X36**A*		35,400	TDR&TXV	14.00				12.20
	FXM4X42**A*		35,400	TDR&TXV	14.00				12.20
	FXM4X48**A*		36,000	TDR&TXV	14.50				12.20
	EA*4X36*14A*	*8MV*0701412**	33,800	TDR&TXV	13.70				11.50
	EA*4X36*14A*	*8MX*0451408**	33,800	TDR&TXV	13.20				11.20
	EA*4X36*14A*	MV08**14C*	34,000	TDR&TXV	13.70				11.70
	EA*4X36*14A*		34,000	TXV		13.00			11.00
	EA*4X36*17A*	*8MV*0701412**	34,000	TDR&TXV	13.70				11.50
	EA*4X36*17A*	*8MV*0901716**	34,000	TDR&TXV	14.00				11.70
	EA*4X36*17A*	*8MX*0451408**	34,000	TDR&TXV	13.00				11.00
	EA*4X36*17A*	*8MX*0701716**	34,000	TDR&TXV	13.70				11.50
	EA*4X36*17A*	*9MA*0601714A**	33,600	TDR&TXV	13.70				11.50
	EA*4X36*17A*	*9MA*0801714A**	33,800	TDR&TXV	13.70				11.70
	EA*4X36*17A*	*9MV*0601714A**	34,000	TDR&TXV	13.50				11.30
	EA*4X36*17A*	*9MV*0801716A**	34,000	TDR&TXV	13.70				11.50
	EA*4X36*17A*	*9MX*0601714A**	34,000	TDR&TXV	13.50				11.50
	EA*4X36*17A*	*9MX*0801716A**	33,800	TDR&TXV	13.70				11.70
	EA*4X36*17A*	MV08**14C*	34,000	TDR&TXV	14.00				11.50
	EA*4X36*17A*	MV12**17C*	34,200	TDR&TXV	14.00				11.70
	EA*4X36*17A*	NOMV106D12*	33,800	TDR&TXV	13.70				11.70
	EA*4X36*17A*	OMV112K14A	34,000	TDR&TXV	13.70				11.50
	EA*4X36*17A*	OMV098J12A	33,800	TDR&TXV	13.50				11.30
	EA*4X36*17A*	OLV098A12A	33,800	TDR&TXV	13.50				11.30
	EA*4X36*21A*	*8MV*0901716**	34,000	TDR&TXV	14.00				11.50
	EA*4X36*21A*	*8MV*1102120**	34,200	TDR&TXV	14.00				11.70
	EA*4X36*21A*	*8MX*0701716**	34,200	TDR&TXV	13.70				11.50
	EA*4X36*21A*	*8MX*0902116**	34,400	TDR&TXV	14.00				12.00
	EA*4X36*21A*	*8MX*1102120**	34,600	TDR&TXV	14.00				12.00
	EA*4X36*21A*	*9MA*0601714A**	33,600	TDR&TXV	13.70				11.50
	EA*4X36*21A*	*9MA*0602120A**	33,800	TDR&TXV	13.70				11.70
	EA*4X36*21A*	*9MA*0801714A**	33,800	TDR&TXV	14.00				11.50
	EA*4X36*21A*	*9MA*0802120A**	34,000	TDR&TXV	14.00				12.00
	EA*4X36*21A*	*9MA*1002122A**	34,000	TDR&TXV	14.00				12.00
	EA*4X36*21A*	*9MV*0601714A**	34,000	TDR&TXV	13.50				11.50

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			Piston	EER
					Standard	W/ Field TDR	W/ Field TXV		
N4A336AKB	EA*4X36*21A*	*9MV*0801716A**	34,200	TDR&TXV	13.70				11.50
N4A336GKB	EA*4X36*21A*	*9MV*0802120A**	34,200	TDR&TXV	14.00				11.70
N4A336GHB	EA*4X36*21A*	*9MV*1002120A**	34,200	TDR&TXV	14.00				12.00
N4A336GLB	EA*4X36*21A*	*9MX*0601714A**	34,000	TDR&TXV	13.70				11.50
N4A336GSB	EA*4X36*21A*	*9MX*0801716A**	34,000	TDR&TXV	14.00				11.50
(continued)	EA*4X36*21A*	*9MX*1002120A**	34,600	TDR&TXV	14.00				11.70
	EA*4X36*21A*	MV12**17C*	34,400	TDR&TXV	14.00				12.00
	EA*4X36*21A*	MV16**21C*	34,400	TDR&TXV	14.00				12.00
	EA*4X36*21A*	NOMV156E19*	34,000	TDR&TXV	14.00				11.70
	EA*4X36*21A*	OLV112A16A	34,200	TDR&TXV	13.70				11.70
	EA*4X36*21A*		34,000	TXV		13.00			11.00
	EA*4X42*21A*	*8MV*0901716**	34,200	TDR&TXV	14.00				12.00
	EA*4X42*21A*	*8MV*1102120**	34,400	TDR&TXV	14.00				12.00
	EA*4X42*21A*	*8MX*0701716**	34,400	TDR&TXV	13.70				11.50
	EA*4X42*21A*	*8MX*0902116**	34,600	TDR&TXV	14.00				12.00
	EA*4X42*21A*	*8MX*1102120**	34,800	TDR&TXV	14.00				12.00
	EA*4X42*21A*	*9MA*0601714A**	33,800	TDR&TXV	13.70				11.50
	EA*4X42*21A*	*9MA*0602120A**	34,000	TDR&TXV	14.00				11.70
	EA*4X42*21A*	*9MA*0801714A**	34,000	TDR&TXV	14.00				11.50
	EA*4X42*21A*	*9MA*0802120A**	34,200	TDR&TXV	14.00				12.00
	EA*4X42*21A*	*9MA*1002122A**	34,200	TDR&TXV	14.00				12.00
	EA*4X42*21A*	*9MV*0601714A**	34,200	TDR&TXV	13.70				11.50
	EA*4X42*21A*	*9MV*0801716A**	34,400	TDR&TXV	13.70				11.50
	EA*4X42*21A*	*9MV*0802120A**	34,400	TDR&TXV	14.00				12.00
	EA*4X42*21A*	*9MV*1002120A**	34,400	TDR&TXV	14.00				12.00
	EA*4X42*21A*	*9MX*0601714A**	34,200	TDR&TXV	13.70				11.50
	EA*4X42*21A*	*9MX*0801716A**	34,200	TDR&TXV	14.00				11.50
	EA*4X42*21A*	*9MX*1002120A**	35,000	TDR&TXV	14.00				11.70
	EA*4X42*21A*	MV12**17C*	34,600	TDR&TXV	14.00				12.00
	EA*4X42*21A*	MV16**21C*	34,600	TDR&TXV	14.50				12.20
	EA*4X42*21A*	NOMV156E19*	34,200	TDR&TXV	14.00				11.70
	EA*4X42*21A*	OLV112A16A	34,400	TDR&TXV	13.70				11.70
	EA*4X42*21A*		34,400	TXV		13.00			11.00
	EA*4X42*24A*	*8MV*1102120**	34,400	TDR&TXV	14.00				12.00
	EA*4X42*24A*	*8MV*1352422**	34,400	TDR&TXV	14.00				12.00
	EA*4X42*24A*	*8MX*0902116**	34,600	TDR&TXV	14.00				12.00
	EA*4X42*24A*	*8MX*1102120**	34,800	TDR&TXV	14.50				12.00
	EA*4X42*24A*	*9MA*0602120A**	34,000	TDR&TXV	14.00				11.50
	EA*4X42*24A*	*9MA*0802120A**	34,200	TDR&TXV	14.00				12.00
	EA*4X42*24A*	*9MA*1002122A**	34,200	TDR&TXV	14.00				12.00
EA*4X42*24A*	*9MA*1202422A**	34,200	TDR&TXV	14.00				12.00	
EA*4X42*24A*	*9MV*0802120A**	34,400	TDR&TXV	14.00				12.00	
EA*4X42*24A*	*9MV*1002120A**	34,400	TDR&TXV	14.00				12.00	
EA*4X42*24A*	*9MV*1202422A**	34,400	TDR&TXV	14.00				12.00	
EA*4X42*24A*	*9MX*1002120A**	35,000	TDR&TXV	14.00				11.50	
EA*4X42*24A*	MV16**21C*	34,600	TDR&TXV	14.50				12.00	
EA*4X42*24A*	MV20**24C*	34,400	TDR&TXV	14.50				12.20	
EA*4X42*24A*	OLV154F20A	35,200	TDR&TXV	14.00				12.00	
EA*4X42*24A*	OMV154L20A	34,400	TDR&TXV	14.00				12.00	
EA*4X42*24A*		34,400	TXV		13.00			11.00	
EA*4X48*17A*	MV08**14C*	35,000	TDR&TXV	14.50				12.00	
EA*4X48*17A*	MV12**17C*	35,200	TDR&TXV	14.50				12.00	
EA*4X48*17A*		35,200	TXV		13.00			11.00	
EA*4X48*21A*	*9MA*0602120A**	34,400	TDR&TXV	14.00				11.50	
EA*4X48*21A*	*9MA*0802120A**	34,600	TDR&TXV	14.50				12.00	
EA*4X48*21A*	*9MA*1002122A**	34,600	TDR&TXV	14.50				12.00	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			Piston	EER
					Standard	W/ Field TDR	W/ Field TXV		
N4A336AKB	EA*4X48*21A*	*9MV*0802120A**	34,600	TDR&TXV	14.00				12.00
N4A336GKB	EA*4X48*21A*	*9MV*1002120A**	34,600	TDR&TXV	14.50				12.00
N4A336GHB	EA*4X48*21A*	MV12**17C*	35,000	TDR&TXV	14.50				12.00
N4A336GLB	EA*4X48*21A*	MV16**21C*	35,000	TDR&TXV	14.50				12.00
N4A336GSB	EA*4X48*21A*		35,000	TXV		13.00			11.00
(continued)	EA*4X48*24A*	MV16**21C*	35,000	TDR&TXV	14.50				12.00
	EA*4X48*24A*	MV20**24C*	34,800	TDR&TXV	14.50				12.00
	EA*4X48*24A*		35,000	TXV		13.00			11.00
	EHD4X36A**	*8MV*0701412**	34,600	TDR&TXV	14.00				11.70
	EHD4X36A**	*8MV*0901716**	34,800	TDR&TXV	14.00				12.00
	EHD4X36A**	*8MV*1102120**	34,800	TDR&TXV	14.00				12.00
	EHD4X36A**	*8MV*1352422**	34,800	TDR&TXV	14.00				12.00
	EHD4X36A**	*8MX*0451408**	34,600	TDR&TXV	13.50				11.30
	EHD4X36A**	*8MX*0701716**	34,800	TDR&TXV	13.70				11.70
	EHD4X36A**	*8MX*0902116**	35,000	TDR&TXV	14.00				12.00
	EHD4X36A**	*8MX*1102120**	35,200	TDR&TXV	14.50				12.20
	EHD4X36A**	*9MA*0601714A**	34,200	TDR&TXV	13.70				11.70
	EHD4X36A**	*9MA*0602120A**	34,400	TDR&TXV	14.00				11.70
	EHD4X36A**	*9MA*0801714A**	34,400	TDR&TXV	14.00				11.70
	EHD4X36A**	*9MA*0802120A**	34,600	TDR&TXV	14.00				12.00
	EHD4X36A**	*9MA*1002122A**	34,800	TDR&TXV	14.00				12.00
	EHD4X36A**	*9MA*1202422A**	34,600	TDR&TXV	14.00				12.00
	EHD4X36A**	*9MV*0601714A**	34,600	TDR&TXV	13.70				11.50
	EHD4X36A**	*9MV*0801716A**	34,800	TDR&TXV	14.00				11.70
	EHD4X36A**	*9MV*0802120A**	34,600	TDR&TXV	14.00				12.00
	EHD4X36A**	*9MV*1002120A**	34,600	TDR&TXV	14.00				12.00
	EHD4X36A**	*9MV*1202422A**	34,800	TDR&TXV	14.00				12.00
	EHD4X36A**	*9MX*0601714A**	34,800	TDR&TXV	13.70				11.70
	EHD4X36A**	*9MX*0801716A**	34,600	TDR&TXV	14.00				11.70
	EHD4X36A**	*9MX*1002120A**	35,400	TDR&TXV	14.00				12.00
	EHD4X36A**	MV08**14C*	34,800	TDR&TXV	14.00				12.00
	EHD4X36A**	MV12**17C*	35,000	TDR&TXV	14.50				12.20
	EHD4X36A**	MV16**21C*	35,000	TDR&TXV	14.50				12.20
	EHD4X36A**	MV20**24C*	34,800	TDR&TXV	14.50				12.20
	EHD4X36A**	NOMV106D12*	34,400	TDR&TXV	14.00				11.70
	EHD4X36A**	NOMV156E19*	34,600	TDR&TXV	14.00				12.00
	EHD4X36A**	OLV112A16A	35,000	TDR&TXV	13.70				11.70
	EHD4X36A**	OLV154F20A	35,600	TDR&TXV	14.00				12.00
	EHD4X36A**	OMV098J12*	34,600	TDR&TXV	13.70				11.50
	EHD4X36A**	OMV112K14A	34,800	TDR&TXV	14.00				11.70
	EHD4X36A**	OMV154L20A	34,800	TDR&TXV	14.00				12.00
	EHD4X36A**		35,000	TXV		13.20			11.20
	EHD4X36A**	OMV098J12A	34,600	TDR&TXV	13.70				11.50
	EHD4X36A**	OLV098A12A	34,600	TDR&TXV	13.70				11.50
	EHD4X42A**	*8MV*0701412**	34,800	TDR&TXV	14.00				11.70
	EHD4X42A**	*8MV*0901716**	34,800	TDR&TXV	14.50				12.20
	EHD4X42A**	*8MV*1102120**	35,000	TDR&TXV	14.50				12.20
	EHD4X42A**	*8MV*1352422**	35,000	TDR&TXV	14.50				12.20
	EHD4X42A**	*8MX*0451408**	34,800	TDR&TXV	13.50				11.50
	EHD4X42A**	*8MX*0701716**	35,000	TDR&TXV	14.00				11.70
	EHD4X42A**	*8MX*0902116**	35,200	TDR&TXV	14.50				12.20
	EHD4X42A**	*8MX*1102120**	35,400	TDR&TXV	14.50				12.20
	EHD4X42A**	*9MA*0601714A**	34,400	TDR&TXV	14.00				11.70
	EHD4X42A**	*9MA*0602120A**	34,600	TDR&TXV	14.00				12.00
	EHD4X42A**	*9MA*0801714A**	34,600	TDR&TXV	14.00				12.00
	EHD4X42A**	*9MA*0802120A**	34,800	TDR&TXV	14.50				12.20

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336AKB	EHD4X42A**	*9MA*1002122A**	35,000	TDR&TXV	14.50			12.20
N4A336GKB	EHD4X42A**	*9MA*1202422A**	34,800	TDR&TXV	14.00			12.20
N4A336GHB	EHD4X42A**	*9MV*0601714A**	34,800	TDR&TXV	13.70			11.70
N4A336GLB	EHD4X42A**	*9MV*0801716A**	35,000	TDR&TXV	14.00			11.70
N4A336GSB	EHD4X42A**	*9MV*0802120A**	35,000	TDR&TXV	14.00			12.20
(continued)	EHD4X42A**	*9MV*1002120A**	34,800	TDR&TXV	14.50			12.20
	EHD4X42A**	*9MV*1202422A**	35,000	TDR&TXV	14.00			12.20
	EHD4X42A**	*9MX*0601714A**	35,000	TDR&TXV	13.70			11.70
	EHD4X42A**	*9MX*0801716A**	34,800	TDR&TXV	14.00			12.00
	EHD4X42A**	*9MX*1002120A**	35,600	TDR&TXV	14.00			12.00
	EHD4X42A**	MV08**14C*	35,000	TDR&TXV	14.00			12.00
	EHD4X42A**	MV12**17C*	35,200	TDR&TXV	14.50			12.20
	EHD4X42A**	MV16**21C*	35,200	TDR&TXV	14.50			12.20
	EHD4X42A**	MV20**24C*	35,000	TDR&TXV	14.50			12.20
	EHD4X42A**	NOMV106D12*	34,600	TDR&TXV	14.00			12.00
	EHD4X42A**	NOMV156E19*	34,800	TDR&TXV	14.00			12.00
	EHD4X42A**	OLV112A16A	35,200	TDR&TXV	14.00			11.70
	EHD4X42A**	OLV154F20A	35,800	TDR&TXV	14.00			12.00
	EHD4X42A**	OMV098J12*	34,800	TDR&TXV	13.70			11.50
	EHD4X42A**	OMV112K14A	35,000	TDR&TXV	14.00			12.00
	EHD4X42A**	OMV154L20A	35,000	TDR&TXV	14.50			12.20
	EHD4X42A**		35,200	TXV		13.20		11.20
	EHD4X42A**	OMV098J12A	34,800	TDR&TXV	13.70			11.70
	EHD4X42A**	OLV098A12A	34,600	TDR&TXV	13.70			11.70
	EHD4X48A**	*9MA*0602120A**	34,800	TDR&TXV	14.00			12.00
	EHD4X48A**	*9MA*0802120A**	34,800	TDR&TXV	14.50			12.00
	EHD4X48A**	*9MA*1002122A**	35,000	TDR&TXV	14.50			12.00
	EHD4X48A**	MV08**14C*	35,000	TDR&TXV	14.50			12.00
	EHD4X48A**	MV12**17C*	35,400	TDR&TXV	14.50			12.00
	EHD4X48A**	MV16**21C*	35,200	TDR&TXV	14.50			12.00
	EHD4X48A**	MV20**24C*	35,200	TDR&TXV	14.50			12.00
	EMA4X36D**		34,000	TXV		13.00		11.00
	EN(A,D)4X36*21**	*8MV*1102120**	34,000	TDR&TXV	14.00			11.70
	EN(A,D)4X36*21**	*8MX*0902116**	34,200	TDR&TXV	14.00			11.70
	EN(A,D)4X36*21**	*8MX*1102120**	34,200	TDR&TXV	14.00			11.70
	EN(A,D)4X36*21**	*9MA*0601714A**	33,600	TDR&TXV	13.50			11.00
	EN(A,D)4X36*21**	*9MA*0602120A**	33,600	TDR&TXV	13.70			11.50
	EN(A,D)4X36*21**	*9MA*0801714A**	33,600	TDR&TXV	13.70			11.50
	EN(A,D)4X36*21**	*9MA*0802120A**	33,800	TDR&TXV	14.00			11.70
	EN(A,D)4X36*21**	*9MA*1002122A**	34,000	TDR&TXV	14.00			11.70
	EN(A,D)4X36*21**	*9MV*0601714A**	33,800	TDR&TXV	13.50			11.00
	EN(A,D)4X36*21**	*9MV*0801716A**	34,000	TDR&TXV	13.70			11.50
	EN(A,D)4X36*21**	*9MV*0802120A**	33,800	TDR&TXV	14.00			11.70
	EN(A,D)4X36*21**	*9MV*1002120A**	33,800	TDR&TXV	14.00			11.70
	EN(A,D)4X36*21**	*9MX*0601714A**	33,800	TDR&TXV	13.50			11.00
EN(A,D)4X36*21**	*9MX*0801716A**	33,800	TDR&TXV	13.70			11.50	
EN(A,D)4X36*21**	*9MX*1002120A**	34,400	TDR&TXV	13.70			11.70	
EN(A,D)4X36*21**	MV12**17C*	34,200	TDR&TXV	14.00			11.50	
EN(A,D)4X36*21**	MV16**21C*	34,200	TDR&TXV	14.00			11.70	
EN(A,D)4X36*21**	NOMV156E19*	33,800	TDR&TXV	13.70			11.70	
EN(A,D)4X36*21**	OLV098A12*	33,800	TDR&TXV	13.00			11.00	
EN(A,D)4X36*21**	OLV112A16A	34,000	TDR&TXV	13.50			11.50	
EN(A,D)4X36*21**	OMV098J12*	33,800	TDR&TXV	13.00			11.00	
EN(A,D)4X36*21**	OMV112K14A	34,000	TDR&TXV	13.70			11.50	
EN(A,D)4X36*21**		34,000	TXV		13.00		11.00	
EN(A,D)4X37*17**	*8MV*0701412**	35,000	TDR&TXV	14.00			12.00	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			Piston	EER
					Standard	W/ Field TDR	W/ Field TXV		
N4A336AKB	EN(A,D)4X37*17**	*8MV*0901716**	35,200	TDR&TXV	14.50				12.20
N4A336GKB	EN(A,D)4X37*17**	*8MX*0451408**	35,200	TDR&TXV	13.70				11.50
N4A336GHB	EN(A,D)4X37*17**	*8MX*0701716**	35,200	TDR&TXV	14.00				11.70
N4A336GLB	EN(A,D)4X37*17**	*9MA*0601714A**	34,600	TDR&TXV	14.00				11.70
N4A336GSB	EN(A,D)4X37*17**	*9MA*0801714A**	34,800	TDR&TXV	14.00				12.00
(continued)	EN(A,D)4X37*17**	*9MV*0601714A**	35,000	TDR&TXV	14.00				11.70
	EN(A,D)4X37*17**	*9MV*0801716A**	35,200	TDR&TXV	14.00				12.00
	EN(A,D)4X37*17**	*9MX*0601714A**	35,200	TDR&TXV	14.00				11.70
	EN(A,D)4X37*17**	*9MX*0801716A**	35,000	TDR&TXV	14.00				12.00
	EN(A,D)4X37*17**	MV08**14C*	35,200	TDR&TXV	14.50				12.00
	EN(A,D)4X37*17**	MV12**17C*	35,400	TDR&TXV	14.50				12.20
	EN(A,D)4X37*17**	NOMV106D12*	34,800	TDR&TXV	14.00				12.00
	EN(A,D)4X37*17**	OLV098A12*	35,000	TDR&TXV	14.00				11.50
	EN(A,D)4X37*17**	OMV098J12*	35,000	TDR&TXV	14.00				11.50
	EN(A,D)4X37*17**	OMV112K14A	35,200	TDR&TXV	14.00				12.00
	EN(A,D)4X37*17**		35,400	TXV		13.20			11.30
	EN(A,D)4X37*17**	OMV098J12A	35,000	TDR&TXV	13.70				11.70
	EN(A,D)4X37*17**	OLV098A12A	35,000	TDR&TXV	13.70				11.70
	EN(A,D)4X43*24**	*8MV*1102120**	35,200	TDR&TXV	14.50				12.00
	EN(A,D)4X43*24**	*8MV*1352422**	35,200	TDR&TXV	14.50				12.50
	EN(A,D)4X43*24**	*8MX*0902116**	35,600	TDR&TXV	14.50				12.00
	EN(A,D)4X43*24**	*8MX*1102120**	35,800	TDR&TXV	14.50				12.50
	EN(A,D)4X43*24**	*9MA*0602120A**	34,800	TDR&TXV	14.50				12.00
	EN(A,D)4X43*24**	*9MA*0802120A**	35,000	TDR&TXV	14.50				12.00
	EN(A,D)4X43*24**	*9MA*1002122A**	35,200	TDR&TXV	14.50				12.00
	EN(A,D)4X43*24**	*9MA*1202422A**	35,000	TDR&TXV	14.50				12.20
	EN(A,D)4X43*24**	*9MV*0802120A**	35,400	TDR&TXV	14.50				12.00
	EN(A,D)4X43*24**	*9MV*1002120A**	35,400	TDR&TXV	14.50				12.00
	EN(A,D)4X43*24**	*9MV*1202422A**	35,400	TDR&TXV	14.50				12.20
	EN(A,D)4X43*24**	*9MX*1002120A**	36,000	TDR&TXV	14.50				12.00
	EN(A,D)4X43*24**	MV16**21C*	35,400	TDR&TXV	15.00				12.50
	EN(A,D)4X43*24**	MV20**24C*	35,400	TDR&TXV	15.00				12.50
	EN(A,D)4X43*24**	OLV112A16A	35,400	TDR&TXV	14.00				12.00
	EN(A,D)4X43*24**	OLV154F20A	36,000	TDR&TXV	14.50				12.20
	EN(A,D)4X43*24**	OMV154L20A	35,400	TDR&TXV	14.50				12.20
	EN(A,D)4X43*24**		35,400	TXV		13.20			11.30
	EN(A,D)4X48*24**	MV16**21C*	35,000	TDR&TXV	14.50				12.00
	EN(A,D)4X48*24**	MV20**24C*	35,000	TDR&TXV	14.50				12.00
	EN(A,D,W)4X36*17**	*8MV*0901716**	34,000	TDR&TXV	14.00				11.70
	EN(A,D,W)4X36*17**	*8MX*0701716**	33,800	TDR&TXV	13.50				11.50
	EN(A,D,W)4X36*17**	*9MA*0601714A**	33,600	TDR&TXV	13.50				11.30
	EN(A,D,W)4X36*17**	*9MA*0801714A**	33,600	TDR&TXV	13.70				11.50
	EN(A,D,W)4X36*17**	*9MV*0601714A**	33,800	TDR&TXV	13.50				11.30
	EN(A,D,W)4X36*17**	*9MV*0801716A**	34,000	TDR&TXV	13.70				11.50
	EN(A,D,W)4X36*17**	*9MX*0601714A**	33,800	TDR&TXV	13.50				11.30
	EN(A,D,W)4X36*17**	*9MX*0801716A**	33,800	TDR&TXV	13.70				11.50
	EN(A,D,W)4X36*17**	MV08**14C*	34,000	TDR&TXV	14.00				11.50
	EN(A,D,W)4X36*17**	MV12**17C*	34,200	TDR&TXV	14.00				11.70
	EN(A,D,W)4X36*17**	NOMV106D12*	33,800	TDR&TXV	13.70				11.50
	EN(A,D,W)4X36*17**	OLV098A12*	33,800	TDR&TXV	13.00				11.00
	EN(A,D,W)4X36*17**	OMV098J12*	33,800	TDR&TXV	13.00				11.00
	EN(A,D,W)4X36*17**	OMV112K14A	34,000	TDR&TXV	13.70				11.50
	EN(A,D,W)4X36*17**		34,000	TXV		13.00			11.00
	EN(A,D,W)4X36*17**	OMV098J12A	33,800	TDR&TXV	13.20				11.30
	EN(A,D,W)4X36*17**	OLV098A12A	33,800	TDR&TXV	13.20				11.30
	EN(A,D,W)4X42*21**	*8MV*1102120**	34,400	TDR&TXV	14.00				11.70

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35° C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV			Piston			
N4A336AKB	EN(A,D,W)4X42*21**	*8MX*0902116**	34,600	TDR&TXV	14.00			12.00
N4A336GKB	EN(A,D,W)4X42*21**	*8MX*1102120**	34,600	TDR&TXV	14.00			12.00
N4A336GHB	EN(A,D,W)4X42*21**	*9MA*0601714A**	33,800	TDR&TXV	13.70			11.50
N4A336GLB	EN(A,D,W)4X42*21**	*9MA*0602120A**	34,000	TDR&TXV	13.70			11.70
N4A336GSB	EN(A,D,W)4X42*21**	*9MA*0801714A**	34,000	TDR&TXV	14.00			11.50
(continued)	EN(A,D,W)4X42*21**	*9MA*0802120A**	34,200	TDR&TXV	14.00			12.00
	EN(A,D,W)4X42*21**	*9MA*1002122A**	34,400	TDR&TXV	14.00			12.00
	EN(A,D,W)4X42*21**	*9MV*0601714A**	34,200	TDR&TXV	13.70			11.50
	EN(A,D,W)4X42*21**	*9MV*0801716A**	34,400	TDR&TXV	13.70			11.50
	EN(A,D,W)4X42*21**	*9MV*0802120A**	34,200	TDR&TXV	14.00			11.70
	EN(A,D,W)4X42*21**	*9MV*1002120A**	34,200	TDR&TXV	14.00			12.00
	EN(A,D,W)4X42*21**	*9MX*0601714A**	34,200	TDR&TXV	13.70			11.50
	EN(A,D,W)4X42*21**	*9MX*0801716A**	34,200	TDR&TXV	14.00			11.50
	EN(A,D,W)4X42*21**	*9MX*1002120A**	34,800	TDR&TXV	14.00			11.70
	EN(A,D,W)4X42*21**	MV12**17C*	34,600	TDR&TXV	14.00			12.00
	EN(A,D,W)4X42*21**	MV16**21C*	34,600	TDR&TXV	14.00			12.00
	EN(A,D,W)4X42*21**	NOMV156E19*	34,200	TDR&TXV	14.00			11.70
	EN(A,D,W)4X42*21**	OLV098A12*	34,000	TDR&TXV	13.50			11.50
	EN(A,D,W)4X42*21**	OLV112A16A	34,400	TDR&TXV	13.70			11.50
	EN(A,D,W)4X42*21**	OMV098J12*	34,200	TDR&TXV	13.50			11.50
	EN(A,D,W)4X42*21**	OMV112K14A	34,400	TDR&TXV	13.70			11.50
	EN(A,D,W)4X42*21**		34,600	TXV		13.00		11.00
	EN(A,D,W)4X48*21**	*8MX*0902116**	35,200	TDR&TXV	14.50			12.00
	EN(A,D,W)4X48*21**	*8MX*1102120**	35,400	TDR&TXV	14.50			12.00
	EN(A,D,W)4X48*21**	*9MA*0601714A**	34,400	TDR&TXV	14.00			11.50
	EN(A,D,W)4X48*21**	*9MA*0602120A**	34,600	TDR&TXV	14.00			12.00
	EN(A,D,W)4X48*21**	*9MA*0801714A**	34,400	TDR&TXV	14.00			12.00
	EN(A,D,W)4X48*21**	*9MA*0802120A**	34,600	TDR&TXV	14.50			12.00
	EN(A,D,W)4X48*21**	*9MA*1002122A**	34,800	TDR&TXV	14.50			12.00
	EN(A,D,W)4X48*21**	*9MV*0802120A**	35,000	TDR&TXV	14.50			12.00
	EN(A,D,W)4X48*21**	*9MV*1002120A**	35,000	TDR&TXV	14.50			12.00
	EN(A,D,W)4X48*21**	*9MX*0601714A**	34,800	TDR&TXV	14.00			11.50
	EN(A,D,W)4X48*21**	*9MX*0801716A**	34,800	TDR&TXV	14.00			12.00
	EN(A,D,W)4X48*21**	MV12**17C*	35,200	TDR&TXV	14.50			12.00
	EN(A,D,W)4X48*21**	MV16**21C*	35,000	TDR&TXV	14.50			12.00
	EN(A,D,W)4X48*21**		35,000	TXV		13.00		11.00
	END4X42*17**	*8MV*0901716**	34,600	TDR&TXV	14.00			12.00
	END4X42*17**	*8MX*0701716**	34,600	TDR&TXV	13.70			11.70
	END4X42*17**	*9MA*0601714A**	34,000	TDR&TXV	13.70			11.70
	END4X42*17**	*9MA*0801714A**	34,200	TDR&TXV	14.00			11.70
	END4X42*17**	*9MV*0601714A**	34,400	TDR&TXV	13.70			11.50
	END4X42*17**	*9MV*0801716A**	34,600	TDR&TXV	14.00			11.70
	END4X42*17**	*9MX*0601714A**	34,600	TDR&TXV	13.70			11.50
	END4X42*17**	*9MX*0801716A**	34,400	TDR&TXV	14.00			11.70
	END4X42*17**	MV08**14C*	34,600	TDR&TXV	14.00			12.00
	END4X42*17**	MV12**17C*	34,800	TDR&TXV	14.00			12.00
	END4X42*17**	NOMV106D12*	34,400	TDR&TXV	14.00			11.70
	END4X42*17**	OLV098A12*	34,400	TDR&TXV	13.70			11.50
	END4X42*17**	OMV098J12*	34,400	TDR&TXV	13.70			11.50
	END4X42*17**	OMV112K14A	34,600	TDR&TXV	14.00			11.70
	END4X42*17**		34,800	TXV		13.00		11.20
	END4X42*17**	OMV098J12A	34,400	TDR&TXV	13.70			11.50
	END4X42*17**	OLV098A12A	34,400	TDR&TXV	13.70			11.50
	ENH4X36*17**	*8MV*0701412**	33,800	TDR&TXV	13.70			11.50
	ENH4X36*17**	*8MV*0901716**	34,000	TDR&TXV	14.00			11.70
	ENH4X36*17**	*8MX*0701716**	33,800	TDR&TXV	13.50			11.50

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			Piston	EER
					Standard	W/ Field TDR	W/ Field TXV		
N4A336AKB	ENH4X36*17**	*9MA*0601714A**	33,600	TDR&TXV	13.50				11.30
N4A336GKB	ENH4X36*17**	*9MA*0801714A**	33,600	TDR&TXV	13.70				11.50
N4A336GHB	ENH4X36*17**	*9MV*0601714A**	33,800	TDR&TXV	13.50				11.30
N4A336GLB	ENH4X36*17**	*9MV*0801716A**	34,000	TDR&TXV	13.70				11.50
N4A336GSB	ENH4X36*17**	*9MX*0601714A**	33,800	TDR&TXV	13.50				11.30
(continued)	ENH4X36*17**	*9MX*0801716A**	33,800	TDR&TXV	13.70				11.50
	ENH4X36*17**	MV08**14C*	34,000	TDR&TXV	14.00				11.50
	ENH4X36*17**	MV12**17C*	34,200	TDR&TXV	14.00				11.70
	ENH4X36*17**	NOMV106D12*	33,800	TDR&TXV	13.70				11.50
	ENH4X36*17**	OMV098J12*	33,800	TDR&TXV	13.00				11.00
	ENH4X36*17**	OMV112K14A	34,000	TDR&TXV	13.70				11.50
	ENH4X36*17**	OMV098J12A	33,800	TDR&TXV	13.20				11.30
	ENH4X36*17**	OLV098A12A	33,800	TDR&TXV	13.20				11.30
	ENH4X42*21**	*8MV*0901716**	34,200	TDR&TXV	14.00				11.50
	ENH4X42*21**	*8MV*1102120**	34,400	TDR&TXV	14.00				11.70
	ENH4X42*21**	*8MX*0701716**	34,200	TDR&TXV	13.70				11.50
	ENH4X42*21**	*8MX*0902116**	34,600	TDR&TXV	14.00				12.00
	ENH4X42*21**	*8MX*1102120**	34,600	TDR&TXV	14.00				12.00
	ENH4X42*21**	*9MA*0601714A**	33,800	TDR&TXV	13.70				11.50
	ENH4X42*21**	*9MA*0602120A**	34,000	TDR&TXV	13.70				11.70
	ENH4X42*21**	*9MA*0801714A**	34,000	TDR&TXV	14.00				11.50
	ENH4X42*21**	*9MA*0802120A**	34,200	TDR&TXV	14.00				12.00
	ENH4X42*21**	*9MA*1002122A**	34,400	TDR&TXV	14.00				12.00
	ENH4X42*21**	*9MV*0601714A**	34,200	TDR&TXV	13.70				11.50
	ENH4X42*21**	*9MV*0801716A**	34,400	TDR&TXV	13.70				11.50
	ENH4X42*21**	*9MV*0802120A**	34,200	TDR&TXV	14.00				11.70
	ENH4X42*21**	*9MV*1002120A**	34,200	TDR&TXV	14.00				12.00
	ENH4X42*21**	*9MX*0601714A**	34,200	TDR&TXV	13.70				11.50
	ENH4X42*21**	*9MX*0801716A**	34,200	TDR&TXV	14.00				11.50
	ENH4X42*21**	*9MX*1002120A**	34,800	TDR&TXV	14.00				11.70
	ENH4X42*21**	MV12**17C*	34,600	TDR&TXV	14.00				12.00
	ENH4X42*21**	MV16**21C*	34,600	TDR&TXV	14.00				12.00
	ENH4X42*21**	NOMV156E19*	34,200	TDR&TXV	14.00				11.70
	ENH4X42*21**	OLV112A16A	34,400	TDR&TXV	13.70				11.50
	ENH4X42*21**	OMV098J12*	34,200	TDR&TXV	13.50				11.50
	ENH4X42*21**	OMV112K14A	34,400	TDR&TXV	13.70				11.50
	ENH4X42*21**		34,600	TXV		13.00			11.00
	ENH4X43*21**	*8MV*0901716**	35,200	TDR&TXV	14.50				12.00
	ENH4X43*21**	*8MV*1102120**	35,200	TDR&TXV	14.50				12.20
	ENH4X43*21**	*8MX*0701716**	35,200	TDR&TXV	14.00				11.50
	ENH4X43*21**	*8MX*0902116**	35,600	TDR&TXV	14.50				12.20
	ENH4X43*21**	*8MX*1102120**	35,800	TDR&TXV	14.50				12.20
	ENH4X43*21**	*9MA*0601714A**	34,600	TDR&TXV	14.00				11.50
	ENH4X43*21**	*9MA*0602120A**	34,800	TDR&TXV	14.00				12.00
	ENH4X43*21**	*9MA*0801714A**	34,800	TDR&TXV	14.00				12.00
	ENH4X43*21**	*9MA*0802120A**	35,000	TDR&TXV	14.50				12.20
	ENH4X43*21**	*9MA*1002122A**	35,200	TDR&TXV	14.50				12.20
	ENH4X43*21**	*9MV*0601714A**	35,200	TDR&TXV	14.00				11.50
	ENH4X43*21**	*9MV*0801716A**	35,200	TDR&TXV	14.00				12.00
	ENH4X43*21**	*9MV*0802120A**	35,200	TDR&TXV	14.50				12.20
	ENH4X43*21**	*9MV*1002120A**	35,200	TDR&TXV	14.50				12.20
	ENH4X43*21**	*9MX*0601714A**	35,200	TDR&TXV	14.00				11.50
	ENH4X43*21**	*9MX*0801716A**	35,200	TDR&TXV	14.00				12.00
	ENH4X43*21**	*9MX*1002120A**	36,000	TDR&TXV	14.50				12.20
	ENH4X43*21**	MV12**17C*	35,400	TDR&TXV	14.50				12.00
	ENH4X43*21**	MV16**21C*	35,400	TDR&TXV	14.50				12.50

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35° C)						
			Capacity	Factory Installed	SEER			EER	
					Standard	W/ Field TDR	W/ Field TXV		Piston
N4A336AKB	ENH4X43*21**	NOMV156E19*	35,000	TDR&TXV	14.50				12.20
N4A336GKB	ENH4X43*21**	OLV112A16A	35,400	TDR&TXV	14.00				12.00
N4A336GHB	ENH4X43*21**	OMV098J12*	35,000	TDR&TXV	14.00				11.50
N4A336GLB	ENH4X43*21**	OMV112K14A	35,200	TDR&TXV	14.00				12.00
N4A336GSB	ENH4X43*21**		35,400	TXV		13.20			11.30
	ENH4X48*21**	*8MV*0901716**	34,800	TDR&TXV	14.50				12.00
	ENH4X48*21**	*9MA*0601714A**	34,400	TDR&TXV	14.00				11.50
	ENH4X48*21**	*9MA*0602120A**	34,600	TDR&TXV	14.00				12.00
	ENH4X48*21**	*9MA*0801714A**	34,400	TDR&TXV	14.00				12.00
	ENH4X48*21**	*9MA*0802120A**	34,600	TDR&TXV	14.50				12.00
	ENH4X48*21**	*9MA*1002122A**	34,800	TDR&TXV	14.50				12.00
	ENH4X48*21**	*9MX*0601714A**	34,800	TDR&TXV	14.00				11.50
	ENH4X48*21**	*9MX*0801716A**	34,800	TDR&TXV	14.00				12.00
	ENH4X48*21**	MV12**17C*	35,200	TDR&TXV	14.50				12.00
	ENH4X48*21**	MV16**21C*	35,000	TDR&TXV	14.50				12.00

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			EER	
					Standard	W/ Field TDR	W/ Field TXV		
N4A342AKA	*ED*4X42J**		41000	TXV			13		11
N4A342GKA	FEM4P42**A*		41000	TDR	13.5				11.5
N4A342GHA	FEM4P42**A*		41500	TDR				14	11.5
N4A342GLA	FEM4P48**A*		41000	TDR	13.5				11.5
(continued)	FEM4P48**A*		41500	TDR				14	11.5
	FEM4X42****		41500	TDR&TXV	14				11.5
	FEM4X48****		42500	TDR&TXV	14				11.7
	FS(M,U)4P42**A*		41000	TDR	13				11
	FS(M,U)4P42**A*		41000	TDR				13	11
	FS(M,U)4P48**A*		42000	TDR	13				11
	FS(M,U)4P48**A*		42000	TDR				13.5	11
	FS(M,U)4X42****		41000	TDR&TXV	13				10.8
	FS(M,U)4X48****		42000	TDR&TXV	13.2				11
	FSM4X36****		41500	TDR&TXV	13				10.9
	FVM4X48****		41500	TDR&TXV	14				12
	FVM4X60****		42500	TDR&TXV	14				12
	FXM4X42**A*		41500	TDR&TXV	14				11.5
	FXM4X48**A*		42000	TDR&TXV	14.5				12
	FXM4X60**A*		42500	TDR&TXV	14.5				12
	EA*4X42*21A*	*8MX*0701716**	40000	TDR&TXV	13.2				11.2
	EA*4X42*21A*	*8MX*0902116**	40500	TDR&TXV	14				11.7
	EA*4X42*21A*	*8MX*1102120**	40500	TDR&TXV	14				11.7
	EA*4X42*21A*	*8MV*0901716**	40000	TDR&TXV	14				11.7
	EA*4X42*21A*	*8MV*1102120**	40000	TDR&TXV	14				11.7
	EA*4X42*21A*	*9MX*0601714A**	40000	TDR&TXV	13.5				11.2
	EA*4X42*21A*	*9MX*0801716A**	40000	TDR&TXV	13.7				11.4
	EA*4X42*21A*	*9MX*0802120A**	40500	TDR&TXV	13.7				11.5
	EA*4X42*21A*	*9MX*1002120A**	40500	TDR&TXV	14				11.7
	EA*4X42*21A*	*9MV*0601714A**	40000	TDR&TXV	13.5				11.2
	EA*4X42*21A*	*9MV*0801716A**	40000	TDR&TXV	13.7				11.4
	EA*4X42*21A*	*9MV*0802120A**	40000	TDR&TXV	14				11.7
	EA*4X42*21A*	*9MV*1002120A**	40000	TDR&TXV	14				11.7
	EA*4X42*21A*	*9MA*0601714A**	39500	TDR&TXV	13.7				11.4
	EA*4X42*21A*	*9MA*0801714A**	40000	TDR&TXV	13.7				11.4
	EA*4X42*21A*	*9MA*0802120A**	40000	TDR&TXV	14				11.7
	EA*4X42*21A*	*9MA*1002122A**	40500	TDR&TXV	14				11.7
	EA*4X42*21A*	*9MA*0602120A**	39500	TDR&TXV	13.7				11.5
	EA*4X42*21A*	*9MX*1002116A**	40000	TDR&TXV	13.7				11.4
	EA*4X42*21A*	*9MV*1002116A**	40500	TDR&TXV	13.7				11.4
	EA*4X42*21A*	*9MA*1002120A**	40000	TDR&TXV	14				11.5
	EA*4X42*21A*		41000	TXV			13		11
	EA*4X42*24A*	*8MX*0902116**	40500	TDR&TXV	14				11.7
	EA*4X42*24A*	*8MX*1102120**	40500	TDR&TXV	14				11.7
	EA*4X42*24A*	*8MX*1352420**	40500	TDR&TXV	14				11.7
	EA*4X42*24A*	*8MV*1102120**	40000	TDR&TXV	14				11.7
	EA*4X42*24A*	*8MV*1352422**	40500	TDR&TXV	14.5				12
	EA*4X42*24A*	*9MX*0802120A**	40500	TDR&TXV	14				11.5
	EA*4X42*24A*	*9MX*1002120A**	40500	TDR&TXV	14				11.7
	EA*4X42*24A*	*9MX*1202422A**	40500	TDR&TXV	14.2				11.8
	* Tested Combo	--							

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342AKA N4A342GKA N4A342GHA N4A342GLA (continued)	EA*4X42*24A*	*9MV*0802120A**	40500	TDR&TXV	14		11.7	
	EA*4X42*24A*	*9MV*1002120A**	40500	TDR&TXV	14		11.7	
	EA*4X42*24A*	*9MV*1202422A**	40500	TDR&TXV	14.2		11.8	
	EA*4X42*24A*	*9MA*0802120A**	40000	TDR&TXV	14		11.7	
	EA*4X42*24A*	*9MA*1002122A**	40500	TDR&TXV	14		11.7	
	EA*4X42*24A*	*9MA*1202422A**	40000	TDR&TXV	14.2		11.8	
	EA*4X42*24A*	*9MA*0602120A**	40000	TDR&TXV	13.7		11.5	
	EA*4X42*24A*	*9MX*1002116A**	40000	TDR&TXV	14		11.5	
	EA*4X42*24A*	*9MV*1002116A**	40500	TDR&TXV	13.7		11.4	
	EA*4X42*24A*	*9MA*1002120A**	40000	TDR&TXV	14		11.5	
	EA*4X42*24A*			41000	TXV		13	11
	EA*4X48*17A*	*8MX*0701716**		41000	TDR&TXV	13.5		11.3
	EA*4X48*17A*	*8MV*0701412**		41000	TDR&TXV	14		11.5
	EA*4X48*17A*	*8MV*0901716**		41000	TDR&TXV	14		11.7
	EA*4X48*17A*	*9MX*0601714A**		41000	TDR&TXV	13.7		11.4
	EA*4X48*17A*	*9MX*0801716A**		41000	TDR&TXV	13.7		11.4
	EA*4X48*17A*	*9MV*0601714A**		41000	TDR&TXV	13.7		11.4
	EA*4X48*17A*	*9MV*0801716A**		41000	TDR&TXV	14		11.5
	EA*4X48*17A*	*9MA*0601714A**		40500	TDR&TXV	13.7		11.4
	EA*4X48*17A*	*9MA*0801714A**		40500	TDR&TXV	14		11.5
	EA*4X48*17A*			40500	TXV		13.2	11
	EA*4X48*21A*	*9MX*0601714A**		40500	TDR&TXV	13.7		11.4
	EA*4X48*21A*	*9MX*0801716A**		41000	TDR&TXV	13.7		11.4
	EA*4X48*21A*	*9MX*0802120A**		41000	TDR&TXV	14		11.7
	EA*4X48*21A*	*9MX*1002120A**		41000	TDR&TXV	14		11.7
	EA*4X48*21A*	*9MV*0601714A**		40500	TDR&TXV	13.7		11.4
	EA*4X48*21A*	*9MV*0801716A**		40500	TDR&TXV	13.7		11.4
	EA*4X48*21A*	*9MV*0802120A**		41000	TDR&TXV	14		11.7
	EA*4X48*21A*	*9MV*1002120A**		41000	TDR&TXV	14		11.7
	EA*4X48*21A*	*9MA*0601714A**		40500	TDR&TXV	13.7		11.4
	EA*4X48*21A*	*9MA*0801714A**		40500	TDR&TXV	14		11.5
	EA*4X48*21A*	*9MA*0802120A**		40500	TDR&TXV	14		11.7
	EA*4X48*21A*	*9MA*1002122A**		41000	TDR&TXV	14		11.8
	EA*4X48*21A*	*9MA*0602120A**		40500	TDR&TXV	13.7		11.5
	EA*4X48*21A*	*9MX*1002116A**		40500	TDR&TXV	14		11.5
	EA*4X48*21A*	*9MV*1002116A**		41000	TDR&TXV	14		11.5
	EA*4X48*21A*	*9MA*1002120A**		40500	TDR&TXV	14.2		11.8
	EA*4X48*21A*			41500	TXV		13.2	11
	EA*4X48*24A*	*8MX*0902116**		41000	TDR&TXV	14.5		11.7
	EA*4X48*24A*	*8MX*1102120**		41000	TDR&TXV	14.5		12
EA*4X48*24A*	*8MX*1352420**		41000	TDR&TXV	14.5		12	
EA*4X48*24A*	*8MV*1102120**		41000	TDR&TXV	14.5		12	
EA*4X48*24A*	*8MV*1352422**		41000	TDR&TXV	14.5		12	
EA*4X48*24A*	*9MX*0802120A**		41000	TDR&TXV	14		11.7	
EA*4X48*24A*	*9MX*1002120A**		41000	TDR&TXV	14.5		12	
EA*4X48*24A*	*9MX*1202422A**		41500	TDR&TXV	14.2		11.8	
EA*4X48*24A*	*9MV*0802120A**		41000	TDR&TXV	14		11.7	
EA*4X48*24A*	*9MV*1002120A**		41000	TDR&TXV	14.5		12	
EA*4X48*24A*	*9MV*1202422A**		41000	TDR&TXV	14.2		11.8	
EA*4X48*24A*	*9MA*0802120A**		40500	TDR&TXV	14		11.7	
EA*4X48*24A*	*9MA*1002122A**		41000	TDR&TXV	14.5		12	
EA*4X48*24A*	*9MA*1202422A**		40500	TDR&TXV	14.5		12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342AKA	EA*4X48*24A*	*9MA*0602120A**	40500	TDR&TXV	14			11.5
N4A342GKA	EA*4X48*24A*	*9MX*1002116A**	41000	TDR&TXV	14			11.5
N4A342GHA	EA*4X48*24A*	*9MV*1002116A**	41000	TDR&TXV	14			11.5
N4A342GLA	EA*4X48*24A*	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
(continued)	EA*4X48*24A*		41500	TXV		13.2		11
	ED*4X42F**	*9MX*0601714A**	40000	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MX*0801716A**	40000	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MX*0802120A**	40500	TDR&TXV	13.7			11.5
	ED*4X42F**	*9MX*1002120A**	40000	TDR&TXV	14			11.7
	ED*4X42F**	*9MV*0601714A**	40000	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MV*0801716A**	40000	TDR&TXV	13.7			11.4
	ED*4X42F**	*9MV*0802120A**	40000	TDR&TXV	13.7			11.5
	ED*4X42F**	*9MV*1002120A**	40000	TDR&TXV	14			11.7
	ED*4X42F**	*9MA*0601714A**	39500	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MA*0801714A**	39500	TDR&TXV	13.7			11.4
	ED*4X42F**	*9MA*0802120A**	40000	TDR&TXV	13.7			11.5
	ED*4X42F**	*9MA*1002122A**	40000	TDR&TXV	14			11.7
	ED*4X42F**	*9MA*0602120A**	39500	TDR&TXV	13.7			11.3
	ED*4X42F**	*9MVX060	40000	TDR&TXV	13.2			11.2
	ED*4X42F**	*9MX*1002116A**	40000	TDR&TXV	13.7			11.4
	ED*4X42F**	*9MV*1002116A**	40000	TDR&TXV	13.7			11.4
	ED*4X42F**	*9MA*1002120A**	40000	TDR&TXV	14			11.5
	ED*4X42F**	OLV112A16A	40500	TDR&TXV	13.2			11
	ED*4X42F**	OMV112K14A	40000	TDR&TXV	13.5			11.2
	ED*4X42F**		40500	TXV		13		10.8
	ED*4X42F**	*8MPV075	40000	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MPV075	40000	TDR&TXV	13			10.9
	ED*4X42F**	MV12F19**B*	40500	TDR&TXV	14			12
	ED*4X42J**	*8MX*0902116**	40500	TDR&TXV	14			11.7
	ED*4X42J**	*8MX*1102120**	40500	TDR&TXV	14			12
	ED*4X42J**	*8MV*1102120**	40500	TDR&TXV	13.5			11.2
	ED*4X42J**	*9MX*0802120A**	40500	TDR&TXV	13.7			11.5
	ED*4X42J**	*9MX*1002120A**	40500	TDR&TXV	14			11.7
	ED*4X42J**	*9MX*1202422A**	40500	TDR&TXV	14			11.5
	ED*4X42J**	*9MV*0802120A**	40000	TDR&TXV	14			11.7
	ED*4X42J**	*9MV*1002120A**	40000	TDR&TXV	14			11.7
	ED*4X42J**	*9MV*1202422A**	40000	TDR&TXV	14.2			11.8
	ED*4X42J**	*9MA*0802120A**	40000	TDR&TXV	14			11.7
	ED*4X42J**	*9MA*1002122A**	40500	TDR&TXV	14			11.7
	ED*4X42J**	*9MA*1202422A**	40000	TDR&TXV	14.2			11.8
	ED*4X42J**	*9MA*0602120A**	39500	TDR&TXV	13.7			11.5
	ED*4X42J**	*9MVX080	40500	TDR&TXV	13.5			11.5
	ED*4X42J**	*9MX*1002116A**	40000	TDR&TXV	13.7			11.4
	ED*4X42J**	*9MV*1002116A**	40500	TDR&TXV	13.7			11.4
	ED*4X42J**	*9MA*1002120A**	40000	TDR&TXV	14			11.5
	ED*4X42J**	OLV112A16A	40500	TDR&TXV	13.5			11.2
	ED*4X42J**	*8MPV100	41500	TDR&TXV	13.5			11.2
	ED*4X42J**	*8MPV125	41000	TDR&TXV	14			11.5
	ED*4X42J**	MV16J22**B*	40500	TDR&TXV	14			12
	ED*4X42L**	*8MX*1352420**	40500	TDR&TXV	14			12
	ED*4X42L**	*8MV*1352422**	40500	TDR&TXV	14			11.5
	ED*4X42L**	*9MX*0802120A**	40500	TDR&TXV	14			11.5

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342AKA N4A342GKA N4A342GHA N4A342GLA (continued)	ED*4X42L**	*9MX*1002120A**	40500	TDR&TXV	14			11.7
	ED*4X42L**	*9MX*1202422A**	40500	TDR&TXV	14.2			11.8
	ED*4X42L**	*9MV*0802120A**	40500	TDR&TXV	14			11.7
	ED*4X42L**	*9MV*1002120A**	40500	TDR&TXV	14			11.7
	ED*4X42L**	*9MV*1202422A**	40500	TDR&TXV	14.2			11.8
	ED*4X42L**	*9MA*0802120A**	40000	TDR&TXV	14			11.7
	ED*4X42L**	*9MA*1002122A**	40500	TDR&TXV	14			11.7
	ED*4X42L**	*9MA*1202422A**	40000	TDR&TXV	14.2			11.8
	ED*4X42L**	*9MA*0602120A**	40000	TDR&TXV	13.7			11.5
	ED*4X42L**	*9MVX100	40500	TDR&TXV	14			11.7
	ED*4X42L**	*9MX*1002116A**	40000	TDR&TXV	14			11.5
	ED*4X42L**	*9MV*1002116A**	40500	TDR&TXV	13.7			11.4
	ED*4X42L**	*9MA*1002120A**	40000	TDR&TXV	14			11.5
	ED*4X42L**	OLV112A16A	40500	TDR&TXV	13.5			11.2
	ED*4X42L**	OLV154F20A	41000	TDR&TXV	13.5			11.5
	ED*4X42L**		41000	TXV			13	11
	ED*4X42L**	*9MPV125	41500	TDR&TXV	13			11
	ED*4X42L**	MV20L24**B*	40500	TDR&TXV	14			12
	ED*4X48F**	*8MX*0701716**	39500	TDR&TXV	13.5			11.2
	ED*4X48F**	*8MV*0901716**	40000	TDR&TXV	14			11.5
	ED*4X48F**	*9MX*0601714A**	41000	TDR&TXV	13.7			11.4
	ED*4X48F**	*9MX*0801716A**	41000	TDR&TXV	13.7			11.4
	ED*4X48F**	*9MX*0802120A**	41500	TDR&TXV	14			11.7
	ED*4X48F**	*9MX*1002120A**	41000	TDR&TXV	14.5			12
	ED*4X48F**	*9MV*0601714A**	41000	TDR&TXV	13.7			11.4
	ED*4X48F**	*9MV*0801716A**	41000	TDR&TXV	14			11.5
	ED*4X48F**	*9MV*0802120A**	41000	TDR&TXV	14			11.7
	ED*4X48F**	*9MV*1002120A**	41000	TDR&TXV	14.5			12
	ED*4X48F**	*9MA*0601714A**	40500	TDR&TXV	13.7			11.4
	ED*4X48F**	*9MA*0801714A**	40500	TDR&TXV	14			11.5
	ED*4X48F**	*9MA*0802120A**	41000	TDR&TXV	14			11.7
	ED*4X48F**	*9MA*1002122A**	41500	TDR&TXV	14.5			12
	ED*4X48F**	*9MA*0602120A**	40500	TDR&TXV	14			11.5
	ED*4X48F**	*9MVX060	41000	TDR&TXV	13.5			11.2
	ED*4X48F**	*9MX*1002116A**	41000	TDR&TXV	14			11.5
	ED*4X48F**	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	ED*4X48F**	*9MA*1002120A**	41000	TDR&TXV	14.2			11.8
	ED*4X48F**	OLV112A16A	41500	TDR&TXV	13.5			11.2
	ED*4X48F**	OMV112K14A	41000	TDR&TXV	13.5			11.5
	ED*4X48F**		41500	TXV			13	11
	ED*4X48F**	*8MPV075	41500	TDR&TXV	13.5			11.2
	ED*4X48F**	*9MPV075	41000	TDR&TXV	13.2			11
	ED*4X48F**	MV12F19**B*	41500	TDR&TXV	14			12
	ED*4X48J**	*8MX*0902116**	41000	TDR&TXV	14			12
	ED*4X48J**	*8MX*1102120**	41000	TDR&TXV	14			12
	ED*4X48J**	*8MV*1102120**	41000	TDR&TXV	14			11.5
	ED*4X48J**	*9MX*0802120A**	41000	TDR&TXV	14			11.7
	ED*4X48J**	*9MX*1002120A**	41000	TDR&TXV	14			11.7
ED*4X48J**	*9MX*1202422A**	41000	TDR&TXV	14.2			11.8	
ED*4X48J**	*9MX*1202422A**	41000	TDR&TXV	14.2			11.8	
ED*4X48J**	*9MV*0802120A**	41000	TDR&TXV	14			11.7	
ED*4X48J**	*9MV*1002120A**	41000	TDR&TXV	14			11.7	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342AKA	ED*4X48J**	*9MV*1202422A**	41000	TDR&TXV	14.2			11.8
N4A342GKA	ED*4X48J**	*9MA*0802120A**	40500	TDR&TXV	14			11.7
N4A342GHA	ED*4X48J**	*9MA*1002122A**	41000	TDR&TXV	14			11.8
N4A342GLA	ED*4X48J**	*9MA*1202422A**	40500	TDR&TXV	14.2			11.8
(continued)	ED*4X48J**	*9MA*1202422A**	40500	TDR&TXV	14.2			11.8
	ED*4X48J**	*9MA*0602120A**	40500	TDR&TXV	13.7			11.5
	ED*4X48J**	*9MVX080	41500	TDR&TXV	13.5			11.7
	ED*4X48J**	*9MX*1002116A**	40500	TDR&TXV	14			11.5
	ED*4X48J**	*9MX*1002116A**	40500	TDR&TXV	14			11.5
	ED*4X48J**	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	ED*4X48J**	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	ED*4X48J**	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	ED*4X48J**	OLV112A16A	41000	TDR&TXV	13.5			11.2
	ED*4X48J**		41500	TXV		13		11
	ED*4X48J**	*8MPV100	41500	TDR&TXV	14			11.5
	ED*4X48J**	*8MPV125	42000	TDR&TXV	14			11.5
	ED*4X48J**	*9MPV100	42000	TDR&TXV	13.2			11
	ED*4X48J**	MV16J22**B*	41000	TDR&TXV	14			12
	ED*4X48L**	*8MX*1352420**	41000	TDR&TXV	14			12
	ED*4X48L**	*8MV*1352422**	41000	TDR&TXV	14			11.7
	ED*4X48L**	*9MX*0802120A**	41000	TDR&TXV	14			11.7
	ED*4X48L**	*9MX*1002120A**	41000	TDR&TXV	14.5			12
	ED*4X48L**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.8
	ED*4X48L**	*9MV*0802120A**	41000	TDR&TXV	14			11.7
	ED*4X48L**	*9MV*1002120A**	41000	TDR&TXV	14.5			12
	ED*4X48L**	*9MV*1202422A**	41000	TDR&TXV	14.2			11.8
	ED*4X48L**	*9MA*0802120A**	40500	TDR&TXV	14.5			12
	ED*4X48L**	*9MA*1002122A**	41000	TDR&TXV	14.5			12
	ED*4X48L**	*9MA*1202422A**	40500	TDR&TXV	14.5			12
	ED*4X48L**	*9MA*0602120A**	40500	TDR&TXV	14			11.5
	ED*4X48L**	*9MVX100	41000	TDR&TXV	14			12
	ED*4X48L**	*9MX*1002116A**	41000	TDR&TXV	14			11.5
	ED*4X48L**	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	ED*4X48L**	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	ED*4X48L**	OLV112A16A	41000	TDR&TXV	13.5			11.2
	ED*4X48L**	OLV154F20A	42000	TDR&TXV	14			11.5
	ED*4X48L**		41500	TXV		13.2		11
	ED*4X48L**	*9MPV125	42000	TDR&TXV	13.5			11.2
	ED*4X48L**	MV20L24**B*	41000	TDR&TXV	14			12
	EHD4X42A**	*9MX*0601714A**	41000	TDR&TXV	13.7			11.4
	EHD4X42A**	*9MX*0801716A**	41000	TDR&TXV	13.7			11.4
	EHD4X42A**	*9MX*0802120A**	41500	TDR&TXV	14			11.7
	EHD4X42A**	*9MX*1002120A**	41000	TDR&TXV	14.5			12
	EHD4X42A**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.8
	EHD4X42A**	*9MV*0601714A**	41000	TDR&TXV	13.7			11.4
	EHD4X42A**	*9MV*0801716A**	41000	TDR&TXV	14			11.5
	EHD4X42A**	*9MV*0802120A**	41000	TDR&TXV	14			11.7
	EHD4X42A**	*9MV*1002120A**	41000	TDR&TXV	14.5			12
	EHD4X42A**	*9MV*1202422A**	41000	TDR&TXV	14.2			11.8
	EHD4X42A**	*9MA*0601714A**	40500	TDR&TXV	13.7			11.4
	EHD4X42A**	*9MA*0801714A**	40500	TDR&TXV	14			11.5
	EHD4X42A**	*9MA*0802120A**	41000	TDR&TXV	14			11.7

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		EER
Standard	W/ Field TDR	W/ Field TXV					
N4A342AKA N4A342GKA N4A342GHA N4A342GLA (continued)	EHD4X42A**	*9MA*1002122A**	41000	TDR&TXV	14.5		12
	EHD4X42A**	*9MA*1202422A**	41000	TDR&TXV	14.5		12
	EHD4X42A**	*9MA*0602120A**	40500	TDR&TXV	14		11.5
	EHD4X42A**	*9MVX060	40000	TDR&TXV	13.2		11.2
	EHD4X42A**	*9MVX080	40500	TDR&TXV	13.5		11.5
	EHD4X42A**	*9MVX100	40500	TDR&TXV	14		11.7
	EHD4X42A**	*9MX*1002116A**	41000	TDR&TXV	14		11.5
	EHD4X42A**	*9MV*1002116A**	41000	TDR&TXV	14		11.5
	EHD4X42A**	*9MA*1002120A**	41000	TDR&TXV	14.2		11.8
	EHD4X42A**	OLV112A16A	41500	TDR&TXV	13.5		11.2
	EHD4X42A**	OLV154F20A	42000	TDR&TXV	13.5		11.7
	EHD4X42A**	OMV112K14A	41000	TDR&TXV	13.5		11.5
	EHD4X42A**		41000	TXV		13.2	11
	EHD4X42A**	*8MPV075	41000	TDR&TXV	13.5		11.2
	EHD4X42A**	*8MPV100	41500	TDR&TXV	14		11.5
	EHD4X42A**	*8MPV125	41500	TDR&TXV	14		11.5
	EHD4X42A**	*9MPV075	40500	TDR&TXV	13.5		11.2
	EHD4X42A**	*9MPV100	40500	TDR&TXV	14		11.5
	EHD4X42A**	*9MPV125	41500	TDR&TXV	13.5		11.2
	EHD4X42A**	MV12F19**B*	41000	TDR&TXV	14		12
	EHD4X42A**	MV16J22**B*	41000	TDR&TXV	14		12
	EHD4X42A**	MV20L24**B*	41000	TDR&TXV	14		12
	EHD4X48A**	*9MX*0601714A**	41000	TDR&TXV	13.7		11.4
	EHD4X48A**	*9MX*0801716A**	41000	TDR&TXV	13.7		11.4
	EHD4X48A**	*9MX*0802120A**	41500	TDR&TXV	14		11.7
	EHD4X48A**	*9MX*1002120A**	41500	TDR&TXV	14.5		12
	EHD4X48A**	*9MX*1202422A**	41500	TDR&TXV	14.2		11.8
	EHD4X48A**	*9MV*0601714A**	41000	TDR&TXV	13.7		11.4
	EHD4X48A**	*9MV*0801716A**	41000	TDR&TXV	14		11.5
	EHD4X48A**	*9MV*0802120A**	41500	TDR&TXV	14.5		12
	EHD4X48A**	*9MV*1002120A**	41000	TDR&TXV	14.5		12
	EHD4X48A**	*9MV*1202422A**	41000	TDR&TXV	14.5		12
	EHD4X48A**	*9MA*0601714A**	40500	TDR&TXV	13.7		11.4
	EHD4X48A**	*9MA*0801714A**	41000	TDR&TXV	14		11.5
	EHD4X48A**	*9MA*0802120A**	41000	TDR&TXV	14.5		12
	EHD4X48A**	*9MA*1002122A**	41500	TDR&TXV	14.5		12
	EHD4X48A**	*9MA*1202422A**	41000	TDR&TXV	14.5		12
	EHD4X48A**	*9MA*0602120A**	41000	TDR&TXV	14		11.7
	EHD4X48A**	*9MVX060	41000	TDR&TXV	13.5		11.2
	EHD4X48A**	*9MVX080	41500	TDR&TXV	13.5		11.7
	EHD4X48A**	*9MVX100	41000	TDR&TXV	14		12
	EHD4X48A**	*9MX*1002116A**	41000	TDR&TXV	14.2		11.8
	EHD4X48A**	*9MV*1002116A**	41500	TDR&TXV	14		11.5
	EHD4X48A**	*9MA*1002120A**	41000	TDR&TXV	14.2		11.8
	EHD4X48A**	OLV112A16A	41500	TDR&TXV	13.5		11.2
EHD4X48A**	OLV154F20A	42500	TDR&TXV	14		11.7	
EHD4X48A**	OMV112K14A	41000	TDR&TXV	13.5		11.5	
EHD4X48A**		41500	TXV		13	11	
EHD4X48A**	*8MPV075	41500	TDR&TXV	13.5		11.2	
EHD4X48A**	*8MPV100	41500	TDR&TXV	14		11.5	
EHD4X48A**	*8MPV125	42000	TDR&TXV	14		11.5	
EHD4X48A**	*9MPV075	41000	TDR&TXV	13.5		11.2	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342AKA	EHD4X48A**	*9MPV100	41500	TDR&TXV	14			11.5
N4A342GKA	EHD4X48A**	*9MPV125	42000	TDR&TXV	13.5			11.2
N4A342GHA	EHD4X48A**	MV12F19**B*	41000	TDR&TXV	14			12
N4A342GLA	EHD4X48A**	MV16J22**B*	41000	TDR&TXV	14			12
(continued)	EHD4X48A**	MV20L24**B*	41000	TDR&TXV	14			12
	EMA4X48D**		41500	TXV		13.2		11
	EN(A,D)4X43*24**	*8MX*0902116**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MX*1102120**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MX*1352420**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MV*1102120**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MV*1352422**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MX*0802120A**	42000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MX*1002120A**	42000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MX*1202422A**	42000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MV*0802120A**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MV*1002120A**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MV*1202422A**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MA*0802120A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MA*1002122A**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MA*1202422A**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MA*0602120A**	41000	TDR&TXV	14			11.7
	EN(A,D)4X43*24**	*9MVX080	42000	TDR&TXV	14			11.7
	EN(A,D)4X43*24**	*9MVX100	42000	TDR&TXV	14			12
	EN(A,D)4X43*24**	*9MX*1002116A**	41500	TDR&TXV	14.2			11.8
	EN(A,D)4X43*24**	*9MV*1002116A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MA*1002120A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	OLV112A16A	42000	TDR&TXV	13.5			11.5
	EN(A,D)4X43*24**	OLV154F20A	42500	TDR&TXV	14			12
	EN(A,D)4X43*24**	*9MPV100	42000	TDR&TXV	14			12
	EN(A,D)4X43*24**	*9MPV125	42000	TDR&TXV	14			12
	EN(A,D)4X43*24**		41500	TXV		13		11
	EN(A,D)4X43*24**	*8MPV100	42500	TDR&TXV	14			12
	EN(A,D)4X43*24**	*8MPV125	42500	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*8MX*1352420**	41000	TDR&TXV	14			12
	EN(A,D)4X48*24**	*8MV*1352422**	41000	TDR&TXV	14			11.7
	EN(A,D)4X48*24**	*9MX*0802120A**	41500	TDR&TXV	14			11.7
	EN(A,D)4X48*24**	*9MX*1002120A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.8
	EN(A,D)4X48*24**	*9MV*0802120A**	41000	TDR&TXV	14			11.7
	EN(A,D)4X48*24**	*9MV*1002120A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MV*1202422A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MA*0802120A**	40500	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MA*1002122A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MA*1202422A**	40500	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MA*0602120A**	40500	TDR&TXV	14			11.7
	EN(A,D)4X48*24**	*9MVX080	41500	TDR&TXV	13.5			11.7
	EN(A,D)4X48*24**	*9MVX100	41500	TDR&TXV	14			11.7
	EN(A,D)4X48*24**	*9MX*1002116A**	41000	TDR&TXV	14.2			11.8
	EN(A,D)4X48*24**	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	EN(A,D)4X48*24**	OLV112A16A	41000	TDR&TXV	13.5			11.5
	EN(A,D)4X48*24**	OLV154F20A	42000	TDR&TXV	14			11.7

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342AKA	EN(A,D)4X48*24**		41500	TXV		13.2		11
N4A342GKA	EN(A,D)4X48*24**	*9MPV100	41500	TDR&TXV	13.5			11.7
N4A342GHA	EN(A,D)4X48*24**	*9MPV125	41500	TDR&TXV	14			11.7
N4A342GLA	EN(A,D,W)4X42*21**	*8MX*0902116**	40500	TDR&TXV	14			11.7
(continued)	EN(A,D,W)4X42*21**	*8MX*1102120**	40500	TDR&TXV	14			12
	EN(A,D,W)4X42*21**	*8MV*1102120**	40500	TDR&TXV	14			11.5
	EN(A,D,W)4X42*21**	*9MX*0601714A**	40000	TDR&TXV	13.5			11.2
	EN(A,D,W)4X42*21**	*9MX*0801716A**	40000	TDR&TXV	13.5			11.2
	EN(A,D,W)4X42*21**	*9MX*0802120A**	40500	TDR&TXV	13.7			11.5
	EN(A,D,W)4X42*21**	*9MX*1002120A**	40000	TDR&TXV	14			11.7
	EN(A,D,W)4X42*21**	*9MV*0601714A**	40000	TDR&TXV	13.5			11.2
	EN(A,D,W)4X42*21**	*9MV*0801716A**	40000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X42*21**	*9MV*0802120A**	40000	TDR&TXV	14			11.5
	EN(A,D,W)4X42*21**	*9MV*1002120A**	40000	TDR&TXV	14			11.7
	EN(A,D,W)4X42*21**	*9MA*0601714A**	39500	TDR&TXV	13.5			11.2
	EN(A,D,W)4X42*21**	*9MA*0801714A**	40000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X42*21**	*9MA*0802120A**	40000	TDR&TXV	13.7			11.5
	EN(A,D,W)4X42*21**	*9MA*1002122A**	40500	TDR&TXV	14			11.7
	EN(A,D,W)4X42*21**	*9MA*0602120A**	40000	TDR&TXV	13.7			11.3
	EN(A,D,W)4X42*21**	*9MVX060	40000	TDR&TXV	13.2			11
	EN(A,D,W)4X42*21**	*9MVX080	40500	TDR&TXV	13.5			11.2
	EN(A,D,W)4X42*21**	*9MX*1002116A**	40000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X42*21**	*9MV*1002116A**	40000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X42*21**	*9MA*1002120A**	40000	TDR&TXV	14			11.5
	EN(A,D,W)4X42*21**	OLV112A16A	40500	TDR&TXV	13.2			11
	EN(A,D,W)4X42*21**	OMV112K14A	40000	TDR&TXV	13.5			11.2
	EN(A,D,W)4X42*21**		41000	TXV		13		11
	EN(A,D,W)4X42*21**	*9MPV075	40000	TDR&TXV	13.2			11
	EN(A,D,W)4X42*21**	*9MPV100	40500	TDR&TXV	13.5			11.2
	EN(A,D,W)4X48*21**	*8MX*0902116**	41000	TDR&TXV	14			12
	EN(A,D,W)4X48*21**	*8MX*1102120**	41000	TDR&TXV	14			12
	EN(A,D,W)4X48*21**	*8MV*1102120**	41000	TDR&TXV	14			11.5
	EN(A,D,W)4X48*21**	*9MX*0601714A**	41000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X48*21**	*9MX*0801716A**	41000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X48*21**	*9MX*0802120A**	41500	TDR&TXV	14			11.7
	EN(A,D,W)4X48*21**	*9MX*1002120A**	41000	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MV*0601714A**	41000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X48*21**	*9MV*0801716A**	41000	TDR&TXV	14			11.5
	EN(A,D,W)4X48*21**	*9MV*0802120A**	41000	TDR&TXV	14			11.7
	EN(A,D,W)4X48*21**	*9MV*1002120A**	41000	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MA*0601714A**	40500	TDR&TXV	13.7			11.4
	EN(A,D,W)4X48*21**	*9MA*0801714A**	40500	TDR&TXV	14			11.5
	EN(A,D,W)4X48*21**	*9MA*0802120A**	40500	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MA*1002122A**	41000	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MA*0602120A**	40500	TDR&TXV	14			11.7
	EN(A,D,W)4X48*21**	*9MVX060	41000	TDR&TXV	13.5			11.2
	EN(A,D,W)4X48*21**	*9MVX080	41500	TDR&TXV	13.5			11.7
	EN(A,D,W)4X48*21**	*9MX*1002116A**	41000	TDR&TXV	14.2			11.8
	EN(A,D,W)4X48*21**	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	EN(A,D,W)4X48*21**	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	EN(A,D,W)4X48*21**	OLV112A16A	41000	TDR&TXV	13.5			11.5
	EN(A,D,W)4X48*21**	OMV112K14A	41000	TDR&TXV	13.5			11.5

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342AKA	EN(A,D,W)4X48*21**		41500	TXV		13.2		11
N4A342GKA	EN(A,D,W)4X48*21**	*9MPV075	41000	TDR&TXV	13.2			11.2
N4A342GHA	EN(A,D,W)4X48*21**	*9MPV100	41500	TDR&TXV	13.5			11.7
N4A342GLA (continued)	END4X42*17**	*8MX*0701716**	40500	TDR&TXV	13.5			11.2
	END4X42*17**	*8MV*0901716**	40500	TDR&TXV	14			11.7
	END4X42*17**	*9MX*0601714A**	40500	TDR&TXV	13.7			11.4
	END4X42*17**	*9MX*0801716A**	40500	TDR&TXV	13.7			11.4
	END4X42*17**	*9MV*0601714A**	40500	TDR&TXV	13.5			11.2
	END4X42*17**	*9MV*0801716A**	40500	TDR&TXV	13.7			11.4
	END4X42*17**	*9MA*0601714A**	40000	TDR&TXV	13.7			11.4
	END4X42*17**	*9MA*0801714A**	40000	TDR&TXV	13.7			11.4
	END4X42*17**	*9MVX060	40500	TDR&TXV	13.2			11
	END4X42*17**	OMV112K14A	40500	TDR&TXV	13.5			11.2
	END4X42*17**		41000	TXV		13		11
	END4X42*17**	*9MPV075	40500	TDR&TXV	13.2			11
	ENH4X42*21**	*8MX*0701716**	40000	TDR&TXV	13.2			11.2
	ENH4X42*21**	*8MX*0902116**	40500	TDR&TXV	14			11.7
	ENH4X42*21**	*8MX*1102120**	40500	TDR&TXV	14			12
	ENH4X42*21**	*8MX*1352420**	40500	TDR&TXV	14			11.7
	ENH4X42*21**	*8MV*0701412**	40500	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MX*0601714A**	40000	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MX*0801716A**	40000	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MX*0802120A**	40500	TDR&TXV	13.7			11.5
	ENH4X42*21**	*9MX*1002120A**	40000	TDR&TXV	14			11.7
	ENH4X42*21**	*9MX*1202422A**	40500	TDR&TXV	14			11.5
	ENH4X42*21**	*9MV*0601714A**	40000	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MV*0801716A**	40000	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MV*0802120A**	40000	TDR&TXV	14			11.5
	ENH4X42*21**	*9MV*1002120A**	40000	TDR&TXV	14			11.7
	ENH4X42*21**	*9MV*1202422A**	40000	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MA*0601714A**	39500	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MA*0801714A**	40000	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MA*0802120A**	40000	TDR&TXV	13.7			11.5
	ENH4X42*21**	*9MA*1002122A**	40500	TDR&TXV	14			11.7
	ENH4X42*21**	*9MA*1202422A**	40000	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MA*0602120A**	40000	TDR&TXV	13.7			11.3
	ENH4X42*21**	*9MVX060	40000	TDR&TXV	13.2			11
	ENH4X42*21**	*9MVX080	40500	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MVX100	40500	TDR&TXV	13.5			11.5
	ENH4X42*21**	*9MX*1002116A**	40000	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MV*1002116A**	40000	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MA*1002120A**	40000	TDR&TXV	14			11.5
	ENH4X42*21**	OLV112A16A	40500	TDR&TXV	13.2			11
	ENH4X42*21**	OLV154F20A	41000	TDR&TXV	13.5			11.2
	ENH4X42*21**	OMV112K14A	40000	TDR&TXV	13.5			11.2
	ENH4X42*21**		41000	TXV		13		11
	ENH4X42*21**	*9MPV075	40000	TDR&TXV	13.2			11
	ENH4X42*21**	*9MPV100	40500	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MPV125	40500	TDR&TXV	13.5			11.5
	ENH4X43*21**	*8MX*0701716**	41500	TDR&TXV	13.5			11
	ENH4X43*21**	*8MX*0902116**	41500	TDR&TXV	14			12
	ENH4X43*21**	*8MX*1102120**	41500	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342AKA	ENH4X43*21**	*8MX*1352420**	41500	TDR&TXV	14.5			12
N4A342GKA	ENH4X43*21**	*8MV*0701412**	41500	TDR&TXV	14			11.5
N4A342GHA	ENH4X43*21**	*8MV*0901716**	41500	TDR&TXV	14			12
N4A342GLA	ENH4X43*21**	*8MV*1102120**	41500	TDR&TXV	14			12
(continued)	ENH4X43*21**	*8MV*1352422**	41500	TDR&TXV	14.5			12
	ENH4X43*21**	*9MX*0601714A**	41500	TDR&TXV	14			11.5
	ENH4X43*21**	*9MX*0801716A**	41500	TDR&TXV	14			11.5
	ENH4X43*21**	*9MX*0802120A**	42000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MX*1002120A**	41500	TDR&TXV	14.5			12
	ENH4X43*21**	*9MX*1202422A**	42000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*0601714A**	41000	TDR&TXV	14			11.5
	ENH4X43*21**	*9MV*0801716A**	41500	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MV*0802120A**	41500	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*1002120A**	41500	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*1202422A**	41000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*0601714A**	41000	TDR&TXV	14			11.5
	ENH4X43*21**	*9MA*0801714A**	41000	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MA*0802120A**	41000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*1002122A**	41500	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*1202422A**	41000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*0602120A**	41000	TDR&TXV	14			11.7
	ENH4X43*21**	*9MVX060	41500	TDR&TXV	13.5			11.2
	ENH4X43*21**	*9MVX080	42000	TDR&TXV	14			11.7
	ENH4X43*21**	*9MVX100	42000	TDR&TXV	14			12
	ENH4X43*21**	*9MX*1002116A**	41500	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MV*1002116A**	41000	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MA*1002120A**	41000	TDR&TXV	14.2			11.8
	ENH4X43*21**	OLV112A16A	41500	TDR&TXV	13.5			11.5
	ENH4X43*21**	OLV154F20A	42500	TDR&TXV	14			11.7
	ENH4X43*21**	OMV112K14A	41500	TDR&TXV	14			11.7
	ENH4X43*21**	*9MPV075	41500	TDR&TXV	13.2			11.2
	ENH4X43*21**	*9MPV100	42000	TDR&TXV	14			11.7
	ENH4X43*21**	*9MPV125	42000	TDR&TXV	14			12
	ENH4X43*21**		41500	TXV		13		11
	ENH4X43*21**	*8MPV075	41500	TDR&TXV	13.5			11.5
	ENH4X43*21**	*8MPV100	41500	TDR&TXV	14			12
	ENH4X43*21**	*8MPV125	41500	TDR&TXV	14.5			12
	ENH4X48*21**	*8MX*0701716**	41000	TDR&TXV	13.5			11.2
	ENH4X48*21**	*8MX*0902116**	41000	TDR&TXV	14			12
	ENH4X48*21**	*8MX*1102120**	41000	TDR&TXV	14			12
	ENH4X48*21**	*8MX*1352420**	41000	TDR&TXV	14			12
	ENH4X48*21**	*8MV*0701412**	41000	TDR&TXV	13.5			11.2
	ENH4X48*21**	*9MX*0601714A**	41000	TDR&TXV	13.7			11.4
	ENH4X48*21**	*9MX*0801716A**	41000	TDR&TXV	13.7			11.4
	ENH4X48*21**	*9MX*0802120A**	41500	TDR&TXV	14			11.7
	ENH4X48*21**	*9MX*1002120A**	41000	TDR&TXV	14.5			12
	ENH4X48*21**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.8
	ENH4X48*21**	*9MV*0601714A**	41000	TDR&TXV	13.7			11.4
	ENH4X48*21**	*9MV*0801716A**	41000	TDR&TXV	14			11.5
	ENH4X48*21**	*9MV*0802120A**	41000	TDR&TXV	14			11.7
	ENH4X48*21**	*9MV*1002120A**	41000	TDR&TXV	14.5			12
	ENH4X48*21**	*9MV*1202422A**	41000	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342AKA	ENH4X48*21**	*9MA*0601714A**	40500	TDR&TXV	13.7			11.4
N4A342GKA	ENH4X48*21**	*9MA*0801714A**	40500	TDR&TXV	14			11.5
N4A342GHA	ENH4X48*21**	*9MA*0802120A**	40500	TDR&TXV	14.5			12
N4A342GLA	ENH4X48*21**	*9MA*1002122A**	41000	TDR&TXV	14.5			12
	ENH4X48*21**	*9MA*1202422A**	40500	TDR&TXV	14.5			12
	ENH4X48*21**	*9MA*0602120A**	40500	TDR&TXV	14			11.7
	ENH4X48*21**	*9MVX060	41000	TDR&TXV	13.2			11.2
	ENH4X48*21**	*9MVX080	41500	TDR&TXV	13.5			11.7
	ENH4X48*21**	*9MVX100	41500	TDR&TXV	14			11.7
	ENH4X48*21**	*9MX*1002116A**	41000	TDR&TXV	14.2			11.8
	ENH4X48*21**	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	ENH4X48*21**	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	ENH4X48*21**	OLV112A16A	41000	TDR&TXV	13.5			11.5
	ENH4X48*21**	OLV154F20A	42000	TDR&TXV	14			11.7
	ENH4X48*21**	OMV112K14A	41000	TDR&TXV	13.5			11.5
	ENH4X48*21**		41500	TXV		13.2		11
	ENH4X48*21**	*9MPV075	41000	TDR&TXV	13.2			11
	ENH4X48*21**	*9MPV100	41500	TDR&TXV	13.5			11.7
	ENH4X48*21**	*9MPV125	41500	TDR&TXV	14			11.7

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			Piston	EER
					Standard	W/ Field TDR	W/ Field TXV		
N4A348AKB	*EA*4X48*21A*		46,000	TXV					11.00
N4A348GKB	FCM4X48****		46,500	TDR&TXV	14.00				11.70
N4A348GHB	FCM4X60****		47,000	TDR&TXV	14.50				12.20
N4A348GLB	FEM4P48**A*		45,500	TDR				13.00	11.00
N4A348GSB	FEM4X48**A*		47,000	TDR&TXV	13.70				11.50
(continued)	FEM4X48**B*		45,500	TDR&TXV	13.20				11.30
	FEM4X60**A*		47,500	TDR&TXV	14.00				11.70
	FEM4X60**B*		46,500	TDR&TXV	13.70				11.50
	FS(M,U)4P48**A*		46,500	TDR				13.00	11.00
	FS(M,U)4X60**A*		47,000	TDR&TXV	13.00				11.00
	FVM4X48****		46,500	TDR&TXV	14.00				11.70
	FVM4X60****		47,000	TDR&TXV	14.50				12.20
	FXM4X48**A*		47,000	TDR&TXV	14.00				11.70
	FXM4X60**A*		47,500	TDR&TXV	14.00				12.00
	EA*4X48*17A*	*8MV*0901716**	45,000	TDR&TXV	13.50				11.30
	EA*4X48*17A*	*9MV*0801716A**	45,000	TDR&TXV	13.00				11.00
	EA*4X48*17A*	*9MX*0801716A**	45,000	TDR&TXV	13.00				11.00
	EA*4X48*17A*		45,000	TXV		13.00			11.00
	EA*4X48*21A*	*8MV*0901716**	45,000	TDR&TXV	13.00				11.00
	EA*4X48*21A*	*8MV*1102120**	45,000	TDR&TXV	13.50				11.30
	EA*4X48*21A*	*8MX*0902116**	45,000	TDR&TXV	13.50				11.30
	EA*4X48*21A*	*8MX*1102120**	45,000	TDR&TXV	13.70				11.50
	EA*4X48*21A*	*9MA*0602120A**	44,500	TDR&TXV	13.20				11.20
	EA*4X48*21A*	*9MA*0802120A**	44,500	TDR&TXV	13.50				11.30
	EA*4X48*21A*	*9MA*1002122A**	45,000	TDR&TXV	13.70				11.50
	EA*4X48*21A*	*9MV*0802120A**	45,000	TDR&TXV	13.50				11.30
	EA*4X48*21A*	*9MV*1002120A**	45,000	TDR&TXV	13.50				11.30
	EA*4X48*21A*	*9MX*0801716A**	44,500	TDR&TXV	13.00				11.00
	EA*4X48*21A*	*9MX*0802120A**	45,000	TDR&TXV	13.50				11.30
	EA*4X48*21A*	*9MX*1002120A**	45,000	TDR&TXV	13.50				11.30
	EA*4X48*21A*	MV16**21C*	45,500	TDR&TXV	13.70				11.50
	EA*4X48*21A*	NOMV156E19*	45,000	TDR&TXV	13.20				11.30
	EA*4X48*21A*	OLV112A16A	45,500	TDR&TXV	13.00				11.00
	EA*4X48*24A*	*8MV*1102120**	45,000	TDR&TXV	13.50				11.00
	EA*4X48*24A*	*8MV*1352422**	45,000	TDR&TXV	13.70				11.50
	EA*4X48*24A*	*8MX*0902116**	45,000	TDR&TXV	13.50				11.00
	EA*4X48*24A*	*8MX*1102120**	45,000	TDR&TXV	13.70				11.50
	EA*4X48*24A*	*8MX*1352420**	45,000	TDR&TXV	13.70				11.50
	EA*4X48*24A*	*9MA*0602120A**	44,500	TDR&TXV	13.00				11.00
	EA*4X48*24A*	*9MA*0802120A**	44,500	TDR&TXV	13.70				11.50
	EA*4X48*24A*	*9MA*1002122A**	45,000	TDR&TXV	13.70				11.50
	EA*4X48*24A*	*9MA*1202422A**	44,500	TDR&TXV	13.70				11.50
	EA*4X48*24A*	*9MV*0802120A**	45,000	TDR&TXV	13.50				11.00
	EA*4X48*24A*	*9MV*1002120A**	45,000	TDR&TXV	13.70				11.50
	EA*4X48*24A*	*9MV*1202422A**	45,000	TDR&TXV	13.50				11.30
	EA*4X48*24A*	*9MX*0802120A**	45,000	TDR&TXV	13.50				11.00
	EA*4X48*24A*	*9MX*1002120A**	45,000	TDR&TXV	13.50				11.50
	EA*4X48*24A*	*9MX*1202422A**	45,000	TDR&TXV	13.50				11.30
	EA*4X48*24A*	MV16**21C*	45,500	TDR&TXV	13.70				11.50
	EA*4X48*24A*	MV20**24C*	45,000	TDR&TXV	13.70				11.70
	EA*4X48*24A*	OLV154F20A	46,000	TDR&TXV	13.20				11.20
	EA*4X48*24A*	OMV154L20A	45,000	TDR&TXV	13.70				11.50
	EA*4X48*24A*		46,000	TXV		13.00			11.00

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			Piston	EER
					Standard	W/ Field TDR	W/ Field TXV		
N4A348AKB	EA*4X60*21A*	*8MV*0901716**	46,000	TDR&TXV	13.70				11.50
N4A348GKB	EA*4X60*21A*	*8MV*1102120**	46,000	TDR&TXV	13.70				11.70
N4A348GHB	EA*4X60*21A*	*8MX*0902116**	46,000	TDR&TXV	13.70				11.50
N4A348GLB	EA*4X60*21A*	*8MX*1102120**	46,000	TDR&TXV	14.00				11.70
N4A348GSB	EA*4X60*21A*	*9MA*0602120A**	45,500	TDR&TXV	13.50				11.30
(continued)	EA*4X60*21A*	*9MA*0802120A**	45,500	TDR&TXV	13.70				11.70
	EA*4X60*21A*	*9MA*1002122A**	46,000	TDR&TXV	14.00				11.70
	EA*4X60*21A*	*9MV*0801716A**	46,000	TDR&TXV	13.00				11.00
	EA*4X60*21A*	*9MV*0802120A**	46,000	TDR&TXV	13.70				11.70
	EA*4X60*21A*	*9MV*1002120A**	46,000	TDR&TXV	13.70				11.70
	EA*4X60*21A*	*9MX*0801716A**	45,500	TDR&TXV	13.00				11.00
	EA*4X60*21A*	*9MX*0802120A**	46,000	TDR&TXV	13.70				11.50
	EA*4X60*21A*	*9MX*1002120A**	46,000	TDR&TXV	13.70				11.70
	EA*4X60*21A*	MV16**21C*	46,500	TDR&TXV	14.00				11.70
	EA*4X60*21A*	NOMV156E19*	46,000	TDR&TXV	13.70				11.50
	EA*4X60*21A*	OLV112A16A	46,000	TDR&TXV	13.00				11.20
	EA*4X60*21A*		46,500	TXV		13.20			11.20
	EA*4X60*24A*	*8MV*1102120**	46,000	TDR&TXV	13.70				11.50
	EA*4X60*24A*	*8MV*1352422**	46,000	TDR&TXV	14.00				11.70
	EA*4X60*24A*	*8MX*0902116**	46,500	TDR&TXV	13.70				11.50
	EA*4X60*24A*	*8MX*1102120**	46,500	TDR&TXV	14.00				11.50
	EA*4X60*24A*	*8MX*1352420**	46,500	TDR&TXV	14.00				11.70
	EA*4X60*24A*	*9MA*0602120A**	45,500	TDR&TXV	13.50				11.50
	EA*4X60*24A*	*9MA*0802120A**	45,500	TDR&TXV	14.00				11.50
	EA*4X60*24A*	*9MA*1002122A**	46,000	TDR&TXV	14.00				11.50
	EA*4X60*24A*	*9MA*1202422A**	45,500	TDR&TXV	13.70				11.70
	EA*4X60*24A*	*9MV*0802120A**	46,000	TDR&TXV	13.70				11.50
	EA*4X60*24A*	*9MV*1002120A**	46,000	TDR&TXV	14.00				11.50
	EA*4X60*24A*	*9MV*1202422A**	46,000	TDR&TXV	13.70				11.70
	EA*4X60*24A*	*9MX*0802120A**	46,000	TDR&TXV	13.70				11.50
	EA*4X60*24A*	*9MX*1002120A**	46,000	TDR&TXV	14.00				11.50
	EA*4X60*24A*	*9MX*1202422A**	46,500	TDR&TXV	13.70				11.70
	EA*4X60*24A*	MV16**21C*	46,500	TDR&TXV	14.00				11.50
	EA*4X60*24A*	MV20**24C*	46,000	TDR&TXV	14.00				11.70
	EA*4X60*24A*	OLV154F20A	47,000	TDR&TXV	13.50				11.30
	EA*4X60*24A*	OMV154L20A	46,000	TDR&TXV	13.70				11.70
	EA*4X60*24A*		46,500	TXV		13.20			11.20
	EHD4X48A**	*8MV*0901716**	45,500	TDR&TXV	13.50				11.30
	EHD4X48A**	*8MV*1102120**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	*8MV*1352422**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	*8MX*0902116**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	*8MX*1102120**	45,500	TDR&TXV	13.70				11.70
	EHD4X48A**	*8MX*1352420**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	*9MA*0602120A**	45,000	TDR&TXV	13.20				11.30
	EHD4X48A**	*9MA*0802120A**	45,000	TDR&TXV	13.70				11.50
	EHD4X48A**	*9MA*1002122A**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	*9MA*1202422A**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	*9MV*0801716A**	45,500	TDR&TXV	13.00				11.20
	EHD4X48A**	*9MV*0802120A**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	*9MV*1002120A**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	*9MV*1202422A**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	*9MX*0801716A**	45,500	TDR&TXV	13.00				11.20
	EHD4X48A**	*9MX*0802120A**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	*9MX*1002120A**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	*9MX*1202422A**	45,500	TDR&TXV	13.70				11.50
	EHD4X48A**	MV16**21C*	46,000	TDR&TXV	13.70				11.70

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35° C)						
			Capacity	Factory Installed	SEER			Piston	EER
					Standard	W/ Field TDR	W/ Field TXV		
N4A348AKB N4A348GKB N4A348GHB N4A348GLB N4A348GSB (continued)	EHD4X48A**	MV20**24C*	45,500	TDR&TXV	13.70			11.70	
	EHD4X48A**	NOMV156E19*	45,500	TDR&TXV	13.50			11.30	
	EHD4X48A**	OLV112A16A	45,500	TDR&TXV	13.00			11.00	
	EHD4X48A**	OLV154F20A	46,500	TDR&TXV	13.20			11.20	
	EHD4X48A**	OMV154L20A	45,500	TDR&TXV	13.70			11.50	
	EHD4X48A**		46,000	TXV		13.00		11.00	
	EHD4X60A**	*8MV*0901716**	46,000	TDR&TXV	13.70			11.70	
	EHD4X60A**	*8MV*1102120**	46,000	TDR&TXV	14.00			11.70	
	EHD4X60A**	*8MV*1352422**	46,500	TDR&TXV	14.00			11.70	
	EHD4X60A**	*8MX*0701716**	46,000	TDR&TXV	13.00			11.00	
	EHD4X60A**	*8MX*0902116**	46,500	TDR&TXV	13.70			11.70	
	EHD4X60A**	*8MX*1102120**	46,500	TDR&TXV	14.00			12.00	
	EHD4X60A**	*8MX*1352420**	46,500	TDR&TXV	14.00			11.70	
	EHD4X60A**	*9MA*0602120A**	45,500	TDR&TXV	13.70			11.50	
	EHD4X60A**	*9MA*0802120A**	46,000	TDR&TXV	14.00			11.70	
	EHD4X60A**	*9MA*1002122A**	46,500	TDR&TXV	14.00			11.70	
	EHD4X60A**	*9MA*1202422A**	46,000	TDR&TXV	14.00			11.70	
	EHD4X60A**	*9MV*0801716A**	46,000	TDR&TXV	13.20			11.30	
	EHD4X60A**	*9MV*0802120A**	46,500	TDR&TXV	14.00			11.70	
	EHD4X60A**	*9MV*1002120A**	46,500	TDR&TXV	14.00			11.70	
	EHD4X60A**	*9MV*1202422A**	46,500	TDR&TXV	14.00			11.70	
	EHD4X60A**	*9MX*0801716A**	46,000	TDR&TXV	13.20			11.30	
	EHD4X60A**	*9MX*0802120A**	46,500	TDR&TXV	13.70			11.70	
	EHD4X60A**	*9MX*1002120A**	46,500	TDR&TXV	14.00			11.70	
	EHD4X60A**	*9MX*1202422A**	46,500	TDR&TXV	13.70			11.70	
	EHD4X60A**	MV16**21C*	46,500	TDR&TXV	14.00			12.00	
	EHD4X60A**	MV20**24C*	46,500	TDR&TXV	14.00			12.00	
	EHD4X60A**	NOMV156E19*	46,000	TDR&TXV	13.70			11.70	
	EHD4X60A**	OLV112A16A	46,500	TDR&TXV	13.20			11.20	
	EHD4X60A**	OLV154F20A	47,500	TDR&TXV	13.70			11.50	
	EHD4X60A**	OMV154L20A	46,500	TDR&TXV	14.00			11.70	
	EHD4X60A**		47,000	TXV		13.20		11.20	
	EMA4X48D**		45,000	TXV		13.00		11.00	
	EN(A,D)4X48*24**	*8MV*1352422**	45,500	TDR&TXV	13.70			11.70	
	EN(A,D)4X48*24**	*8MX*1352420**	45,500	TDR&TXV	13.70			11.50	
	EN(A,D)4X48*24**	*9MA*0602120A**	44,500	TDR&TXV	13.00			11.00	
	EN(A,D)4X48*24**	*9MA*0802120A**	45,000	TDR&TXV	13.70			11.50	
	EN(A,D)4X48*24**	*9MA*1002122A**	45,000	TDR&TXV	13.70			11.50	
	EN(A,D)4X48*24**	*9MA*1202422A**	45,000	TDR&TXV	13.70			11.50	
	EN(A,D)4X48*24**	*9MV*0802120A**	45,000	TDR&TXV	13.70			11.50	
	EN(A,D)4X48*24**	*9MV*1002120A**	45,500	TDR&TXV	13.70			11.50	
	EN(A,D)4X48*24**	*9MV*1202422A**	45,500	TDR&TXV	13.70			11.50	
	EN(A,D)4X48*24**	*9MX*0802120A**	45,500	TDR&TXV	13.50			11.00	
	EN(A,D)4X48*24**	*9MX*1002120A**	45,500	TDR&TXV	13.70			11.50	
	EN(A,D)4X48*24**	*9MX*1202422A**	45,500	TDR&TXV	13.50			11.50	
	EN(A,D)4X48*24**	MV16**21C*	45,500	TDR&TXV	14.00			11.50	
	EN(A,D)4X48*24**	MV20**24C*	45,500	TDR&TXV	13.70			11.70	
	EN(A,D)4X48*24**	OLV154F20A	46,000	TDR&TXV	13.20			11.20	
EN(A,D)4X48*24**	OMV154L20A	45,500	TDR&TXV	13.70			11.50		
EN(A,D)4X48*24**		46,000	TXV		13.00		11.00		
EN(A,D)4X61*24**	*8MV*1102120**	46,500	TDR&TXV	14.00			11.50		
EN(A,D)4X61*24**	*8MV*1352422**	46,500	TDR&TXV	14.00			12.00		
EN(A,D)4X61*24**	*8MX*0902116**	47,000	TDR&TXV	14.00			11.50		
EN(A,D)4X61*24**	*8MX*1102120**	47,000	TDR&TXV	14.00			12.00		
EN(A,D)4X61*24**	*8MX*1352420**	47,000	TDR&TXV	14.00			11.70		
EN(A,D)4X61*24**	*9MA*0602120A**	46,000	TDR&TXV	13.70			11.50		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			Piston	EER
Standard	W/ Field TDR	W/ Field TXV							
N4A348AKB	EN(A,D)4X61*24**	*9MA*0802120A**	46,000	TDR&TXV	14.00				11.50
N4A348GKB	EN(A,D)4X61*24**	*9MA*1002122A**	46,500	TDR&TXV	14.00				12.00
N4A348GHB	EN(A,D)4X61*24**	*9MA*1202422A**	46,000	TDR&TXV	14.00				11.70
N4A348GLB	EN(A,D)4X61*24**	*9MV*0802120A**	46,500	TDR&TXV	14.00				11.50
N4A348GSB	EN(A,D)4X61*24**	*9MV*1002120A**	46,500	TDR&TXV	14.00				11.50
(continued)	EN(A,D)4X61*24**	*9MV*1202422A**	47,000	TDR&TXV	14.00				11.70
	EN(A,D)4X61*24**	*9MX*0802120A**	47,000	TDR&TXV	14.00				11.50
	EN(A,D)4X61*24**	*9MX*1002120A**	47,000	TDR&TXV	14.00				11.50
	EN(A,D)4X61*24**	*9MX*1202422A**	47,000	TDR&TXV	14.00				11.70
	EN(A,D)4X61*24**	MV16**21C*	47,000	TDR&TXV	14.00				12.00
	EN(A,D)4X61*24**	MV20**24C*	46,500	TDR&TXV	14.00				12.00
	EN(A,D)4X61*24**	OLV112A16A	46,500	TDR&TXV	13.00				11.00
	EN(A,D)4X61*24**	OLV154F20A	47,500	TDR&TXV	13.70				11.50
	EN(A,D)4X61*24**	OMV154L20A	46,500	TDR&TXV	14.00				11.70
	EN(A,D)4X61*24**		47,000	TXV		13.20			11.30
	EN(A,D,W)4X48*21**	*8MV*1102120**	45,000	TDR&TXV	13.70				11.50
	EN(A,D,W)4X48*21**	*8MX*0902116**	45,500	TDR&TXV	13.50				11.50
	EN(A,D,W)4X48*21**	*8MX*1102120**	45,500	TDR&TXV	13.70				11.70
	EN(A,D,W)4X48*21**	*9MA*0602120A**	44,500	TDR&TXV	13.20				11.30
	EN(A,D,W)4X48*21**	*9MA*0802120A**	45,000	TDR&TXV	13.70				11.50
	EN(A,D,W)4X48*21**	*9MA*1002122A**	45,000	TDR&TXV	13.70				11.50
	EN(A,D,W)4X48*21**	*9MV*0801716A**	45,000	TDR&TXV	13.00				11.00
	EN(A,D,W)4X48*21**	*9MV*0802120A**	45,000	TDR&TXV	13.70				11.50
	EN(A,D,W)4X48*21**	*9MV*1002120A**	45,500	TDR&TXV	13.70				11.50
	EN(A,D,W)4X48*21**	*9MX*0801716A**	45,000	TDR&TXV	13.00				11.00
	EN(A,D,W)4X48*21**	*9MX*0802120A**	45,500	TDR&TXV	13.50				11.30
	EN(A,D,W)4X48*21**	*9MX*1002120A**	45,500	TDR&TXV	13.70				11.50
	EN(A,D,W)4X48*21**	MV16**21C*	45,500	TDR&TXV	13.70				11.70
	EN(A,D,W)4X48*21**	NOMV156E19*	45,000	TDR&TXV	13.50				11.30
	EN(A,D,W)4X48*21**	OLV112A16A	45,500	TDR&TXV	13.00				11.00
	EN(A,D,W)4X48*21**		46,000	TXV		13.00			11.00
	EN(A,D,W)4X60*24**	*8MV*1352422**	46,000	TDR&TXV	14.00				11.70
	EN(A,D,W)4X60*24**	*8MX*1352420**	46,500	TDR&TXV	14.00				11.70
	EN(A,D,W)4X60*24**	*9MA*0602120A**	45,500	TDR&TXV	13.70				11.50
	EN(A,D,W)4X60*24**	*9MA*0802120A**	45,500	TDR&TXV	14.00				11.50
	EN(A,D,W)4X60*24**	*9MA*1002122A**	46,000	TDR&TXV	14.00				11.50
	EN(A,D,W)4X60*24**	*9MA*1202422A**	45,500	TDR&TXV	14.00				11.70
	EN(A,D,W)4X60*24**	*9MV*0802120A**	46,000	TDR&TXV	13.70				11.50
	EN(A,D,W)4X60*24**	*9MV*1002120A**	46,000	TDR&TXV	14.00				11.50
	EN(A,D,W)4X60*24**	*9MV*1202422A**	46,000	TDR&TXV	13.70				11.70
	EN(A,D,W)4X60*24**	*9MX*0802120A**	46,000	TDR&TXV	13.70				11.50
	EN(A,D,W)4X60*24**	*9MX*1002120A**	46,000	TDR&TXV	14.00				11.50
	EN(A,D,W)4X60*24**	*9MX*1202422A**	46,500	TDR&TXV	13.70				11.70
	EN(A,D,W)4X60*24**	MV16**21C*	46,500	TDR&TXV	14.00				11.50
	EN(A,D,W)4X60*24**	MV20**24C*	46,000	TDR&TXV	14.00				11.70
	EN(A,D,W)4X60*24**	OLV112A16A	46,000	TDR&TXV	13.00				11.00
	EN(A,D,W)4X60*24**	OLV154F20A	47,000	TDR&TXV	13.50				11.30
	EN(A,D,W)4X60*24**	OMV154L20A	46,000	TDR&TXV	14.00				11.70
	EN(A,D,W)4X60*24**		46,500	TXV		13.20			11.20
	ENH4X48*21**	*8MV*0901716**	45,000	TDR&TXV	13.50				11.00
	ENH4X48*21**	*8MV*1102120**	45,000	TDR&TXV	13.70				11.50
	ENH4X48*21**	*8MX*0902116**	45,500	TDR&TXV	13.50				11.50
	ENH4X48*21**	*8MX*1102120**	45,500	TDR&TXV	13.70				11.70
	ENH4X48*21**	*9MA*0602120A**	44,500	TDR&TXV	13.20				11.30
	ENH4X48*21**	*9MA*0802120A**	45,000	TDR&TXV	13.70				11.50
	ENH4X48*21**	*9MA*1002122A**	45,000	TDR&TXV	13.70				11.50

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			Piston	EER
Standard	W/ Field TDR	W/ Field TXV							
N4A348AKB	ENH4X48*21**	*9MV*0801716A**	45,000	TDR&TXV	13.00				11.00
N4A348GKB	ENH4X48*21**	*9MV*0802120A**	45,000	TDR&TXV	13.70				11.50
N4A348GHB	ENH4X48*21**	*9MV*1002120A**	45,500	TDR&TXV	13.70				11.50
N4A348GLB	ENH4X48*21**	*9MX*0801716A**	45,000	TDR&TXV	13.00				11.00
N4A348GSB	ENH4X48*21**	*9MX*0802120A**	45,500	TDR&TXV	13.50				11.30
(continued)	ENH4X48*21**	*9MX*0802120A**	45,500	TDR&TXV	13.50				11.00
	ENH4X48*21**	*9MX*1002120A**	45,500	TDR&TXV	13.70				11.50
	ENH4X48*21**	MV16**21C*	45,500	TDR&TXV	13.70				11.70
	ENH4X48*21**	NOMV156E19*	45,000	TDR&TXV	13.50				11.30
	ENH4X48*21**	OLV112A16A	45,500	TDR&TXV	13.00				11.00
	ENH4X48*21**		46,000	TXV		13.00			11.00
	ENH4X60*24**	*8MV*1102120**	46,000	TDR&TXV	14.00				11.50
	ENH4X60*24**	*8MV*1352422**	46,000	TDR&TXV	14.00				11.70
	ENH4X60*24**	*8MX*0902116**	46,500	TDR&TXV	13.70				11.50
	ENH4X60*24**	*8MX*1102120**	46,500	TDR&TXV	14.00				11.50
	ENH4X60*24**	*8MX*1352420**	46,500	TDR&TXV	14.00				11.70
	ENH4X60*24**	*9MA*0602120A**	45,500	TDR&TXV	13.70				11.50
	ENH4X60*24**	*9MA*0802120A**	45,500	TDR&TXV	14.00				11.50
	ENH4X60*24**	*9MA*1002122A**	46,000	TDR&TXV	14.00				11.50
	ENH4X60*24**	*9MA*1202422A**	45,500	TDR&TXV	14.00				11.70
	ENH4X60*24**	*9MV*0802120A**	46,000	TDR&TXV	13.70				11.50
	ENH4X60*24**	*9MV*1002120A**	46,000	TDR&TXV	14.00				11.50
	ENH4X60*24**	*9MV*1202422A**	46,000	TDR&TXV	13.70				11.70
	ENH4X60*24**	*9MX*0802120A**	46,000	TDR&TXV	13.70				11.50
	ENH4X60*24**	*9MX*1002120A**	46,000	TDR&TXV	14.00				11.50
	ENH4X60*24**	*9MX*1202422A**	46,500	TDR&TXV	13.70				11.70
	ENH4X60*24**	MV16**21C*	46,500	TDR&TXV	14.00				11.50
	ENH4X60*24**	MV20**24C*	46,000	TDR&TXV	14.00				11.70
	ENH4X60*24**	OLV154F20A	47,000	TDR&TXV	13.50				11.30
	ENH4X60*24**	OMV154L20A	46,000	TDR&TXV	14.00				11.70
	ENH4X60*24**		46,500	TXV		13.20			11.20
	ENH4X61*24**	*8MV*1102120**	46,000	TDR&TXV	13.70				11.50
	ENH4X61*24**	*8MV*1352422**	46,500	TDR&TXV	14.00				11.70
	ENH4X61*24**	*8MX*0902116**	46,500	TDR&TXV	13.70				11.50
	ENH4X61*24**	*8MX*1102120**	46,500	TDR&TXV	14.00				11.50
	ENH4X61*24**	*8MX*1352420**	46,500	TDR&TXV	14.00				11.70
	ENH4X61*24**	*9MA*0602120A**	45,500	TDR&TXV	13.50				11.50
	ENH4X61*24**	*9MA*0802120A**	46,000	TDR&TXV	14.00				11.50
	ENH4X61*24**	*9MA*1002122A**	46,000	TDR&TXV	14.00				11.50
	ENH4X61*24**	*9MA*1202422A**	46,000	TDR&TXV	13.70				11.70
	ENH4X61*24**	*9MV*0802120A**	46,000	TDR&TXV	13.70				11.50
	ENH4X61*24**	*9MV*1002120A**	46,000	TDR&TXV	14.00				11.50
	ENH4X61*24**	*9MV*1202422A**	46,000	TDR&TXV	13.70				11.70
	ENH4X61*24**	*9MX*0802120A**	46,500	TDR&TXV	13.70				11.50
	ENH4X61*24**	*9MX*1002120A**	46,500	TDR&TXV	14.00				11.50
	ENH4X61*24**	*9MX*1202422A**	46,500	TDR&TXV	13.70				11.70
	ENH4X61*24**	MV16**21C*	46,500	TDR&TXV	14.00				11.50
	ENH4X61*24**	MV20**24C*	46,000	TDR&TXV	14.00				11.70
	ENH4X61*24**	OLV154F20A	47,000	TDR&TXV	13.50				11.30
	ENH4X61*24**	OMV154L20A	46,500	TDR&TXV	13.70				11.70
	ENH4X61*24**		47,000	TXV		13.20			11.20

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
 New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		EER
Standard	W/ Field TDR						
N4A360AKC	*EA*4X60*24A*		58,000	TXV		13.00	11.00
N4A360GKC	FCM4X60****		58,500	TDR&TXV	13.70		11.70
N4A360GHC	FEM4X60**A*		59,000	TDR&TXV	13.70		11.50
N4A360GLC	FEM4X60**B*		57,500	TDR&TXV	13.20		11.20
N4A360GSC	FVM4X60****		58,500	TDR&TXV	13.70		11.70
(continued)	FXM4X60**A*		58,500	TDR&TXV	14.00		11.70
	EA*4X60*21A*	*8MV*1102120**	57,000	TDR&TXV	13.20		11.20
	EA*4X60*21A*	*8MX*1102120**	57,000	TDR&TXV	13.50		11.30
	EA*4X60*21A*	*9MA*0602120A**	56,000	TDR&TXV	13.00		11.00
	EA*4X60*21A*	*9MA*0802120A**	56,500	TDR&TXV	13.00		11.00
	EA*4X60*21A*	*9MA*1002122A**	57,000	TDR&TXV	13.20		11.20
	EA*4X60*21A*	*9MV*0802120A**	57,000	TDR&TXV	13.00		11.00
	EA*4X60*21A*	*9MV*1002120A**	57,000	TDR&TXV	13.20		11.20
	EA*4X60*21A*	*9MX*0802120A**	57,000	TDR&TXV	13.20		11.20
	EA*4X60*21A*	*9MX*1002120A**	57,000	TDR&TXV	13.00		11.00
	EA*4X60*21A*	MV16**21C*	57,500	TDR&TXV	13.20		11.20
	EA*4X60*21A*		57,500	TXV		13.00	11.00
	EA*4X60*24A*	*8MV*1352422**	57,500	TDR&TXV	13.50		11.30
	EA*4X60*24A*	*8MX*1102120**	57,500	TDR&TXV	13.50		11.00
	EA*4X60*24A*	*8MX*1352420**	57,000	TDR&TXV	13.20		11.30
	EA*4X60*24A*	*9MA*1002122A**	57,000	TDR&TXV	13.00		11.00
	EA*4X60*24A*	*9MA*1202422A**	57,000	TDR&TXV	13.20		11.20
	EA*4X60*24A*	*9MV*1202422A**	57,000	TDR&TXV	13.00		11.00
	EA*4X60*24A*	*9MX*1202422A**	57,000	TDR&TXV	13.20		11.20
	EA*4X60*24A*	MV16**21C*	57,500	TDR&TXV	13.00		11.00
	EA*4X60*24A*	MV20**24C*	57,500	TDR&TXV	13.20		11.30
	EA*4X60*24A*	OMV154L20A	57,000	TDR&TXV	13.00		11.00
	EHD4X60A**	*8MV*1102120**	57,500	TDR&TXV	13.20		11.20
	EHD4X60A**	*8MV*1352422**	57,500	TDR&TXV	13.50		11.30
	EHD4X60A**	*8MX*1102120**	57,500	TDR&TXV	13.50		11.30
	EHD4X60A**	*8MX*1352420**	57,500	TDR&TXV	13.50		11.30
	EHD4X60A**	*9MA*0602120A**	56,500	TDR&TXV	13.00		11.00
	EHD4X60A**	*9MA*0802120A**	57,000	TDR&TXV	13.20		11.20
	EHD4X60A**	*9MA*1002122A**	57,500	TDR&TXV	13.50		11.30
	EHD4X60A**	*9MA*1202422A**	57,000	TDR&TXV	13.20		11.30
	EHD4X60A**	*9MV*0802120A**	57,500	TDR&TXV	13.00		11.00
	EHD4X60A**	*9MV*1002120A**	57,500	TDR&TXV	13.20		11.20
	EHD4X60A**	*9MV*1202422A**	57,500	TDR&TXV	13.20		11.20
	EHD4X60A**	*9MX*0802120A**	57,000	TDR&TXV	13.20		11.20
	EHD4X60A**	*9MX*1002120A**	57,500	TDR&TXV	13.20		11.20
	EHD4X60A**	*9MX*1202422A**	57,500	TDR&TXV	13.20		11.30
	EHD4X60A**	MV16**21C*	58,000	TDR&TXV	13.50		11.30
	EHD4X60A**	MV20**24C*	57,500	TDR&TXV	13.50		11.30
	EHD4X60A**	NOMV156E19*	57,500	TDR&TXV	13.00		11.00
	EHD4X60A**	OMV154L20A	57,500	TDR&TXV	13.00		11.00
	EHD4X60A**		58,500	TXV		13.00	11.00
	EN(A,D)4X61*24**	*8MV*1352422**	58,000	TDR&TXV	13.70		11.50
	EN(A,D)4X61*24**	*8MX*1352420**	58,000	TDR&TXV	13.50		11.30
	EN(A,D)4X61*24**	*9MA*0802120A**	57,500	TDR&TXV	13.00		11.00
	EN(A,D)4X61*24**	*9MA*1002122A**	58,000	TDR&TXV	13.50		11.00
	EN(A,D)4X61*24**	*9MA*1202422A**	57,500	TDR&TXV	13.50		11.30
	EN(A,D)4X61*24**	*9MV*1002120A**	58,000	TDR&TXV	13.00		11.00
	EN(A,D)4X61*24**	*9MV*1202422A**	58,000	TDR&TXV	13.20		11.20
	EN(A,D)4X61*24**	*9MX*0802120A**	57,500	TDR&TXV	13.00		11.00

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		EER
Standard	W/ Field TDR						
N4A360AKC	EN(A,D)4X61*24**	*9MX*1002120A**	58,000	TDR&TXV	13.00		11.00
N4A360GKC	EN(A,D)4X61*24**	*9MX*1202422A**	57,500	TDR&TXV	13.50		11.30
N4A360GHC	EN(A,D)4X61*24**	MV16**21C*	58,500	TDR&TXV	13.50		11.00
N4A360GLC	EN(A,D)4X61*24**	MV20**24C*	58,000	TDR&TXV	13.50		11.30
N4A360GSC	EN(A,D)4X61*24**	OMV154L20A	58,000	TDR&TXV	13.20		11.20
	EN(A,D)4X61*24**		59,000	TXV		13.20	11.20
	EN(A,D,W)4X60*24**	*8MV*1352422**	57,000	TDR&TXV	13.50		11.30
	EN(A,D,W)4X60*24**	*8MX*1352420**	57,000	TDR&TXV	13.20		11.30
	EN(A,D,W)4X60*24**	*9MA*1002122A**	57,000	TDR&TXV	13.00		11.00
	EN(A,D,W)4X60*24**	*9MA*1202422A**	57,000	TDR&TXV	13.20		11.20
	EN(A,D,W)4X60*24**	*9MV*1202422A**	57,000	TDR&TXV	13.00		11.00
	EN(A,D,W)4X60*24**	*9MX*1202422A**	57,000	TDR&TXV	13.20		11.20
	EN(A,D,W)4X60*24**	MV16**21C*	57,500	TDR&TXV	13.00		11.00
	EN(A,D,W)4X60*24**	MV20**24C*	57,500	TDR&TXV	13.50		11.30
	EN(A,D,W)4X60*24**	OMV154L20A	57,000	TDR&TXV	13.00		11.00
	EN(A,D,W)4X60*24**		58,000	TXV		13.00	11.00
	ENH4X60*24**	*8MV*1352422**	57,000	TDR&TXV	13.50		11.30
	ENH4X60*24**	*8MX*1102120**	57,500	TDR&TXV	13.50		11.00
	ENH4X60*24**	*8MX*1352420**	57,000	TDR&TXV	13.20		11.30
	ENH4X60*24**	*9MA*1002122A**	57,000	TDR&TXV	13.00		11.00
	ENH4X60*24**	*9MA*1202422A**	57,000	TDR&TXV	13.20		11.20
	ENH4X60*24**	*9MV*1202422A**	57,000	TDR&TXV	13.00		11.00
	ENH4X60*24**	*9MX*1202422A**	57,000	TDR&TXV	13.20		11.20
	ENH4X60*24**	MV16**21C*	57,500	TDR&TXV	13.00		11.00
	ENH4X60*24**	MV20**24C*	57,500	TDR&TXV	13.50		11.30
	ENH4X60*24**	OMV154L20A	57,000	TDR&TXV	13.00		11.00
	ENH4X60*24**		58,000	TXV		13.00	11.00
	ENH4X61*24**	*8MV*1102120**	57,500	TDR&TXV	13.00		11.00
	ENH4X61*24**	*8MV*1352422**	57,500	TDR&TXV	13.50		11.30
	ENH4X61*24**	*8MX*1102120**	57,500	TDR&TXV	13.50		11.00
	ENH4X61*24**	*8MX*1352420**	57,000	TDR&TXV	13.20		11.30
	ENH4X61*24**	*9MA*1002122A**	57,500	TDR&TXV	13.00		11.00
	ENH4X61*24**	*9MA*1202422A**	57,000	TDR&TXV	13.20		11.20
	ENH4X61*24**	*9MV*1202422A**	57,500	TDR&TXV	13.00		11.00
	ENH4X61*24**	*9MX*1202422A**	57,000	TDR&TXV	13.20		11.20
	ENH4X61*24**	MV16**21C*	58,000	TDR&TXV	13.00		11.00
	ENH4X61*24**	MV20**24C*	57,500	TDR&TXV	13.20		11.30
	ENH4X61*24**	OMV154L20A	57,500	TDR&TXV	13.00		11.00
	ENH4X61*24**		57,500	TXV		13.00	11.20

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

EXPANDED COOLING PERFORMANCE RATINGS For Outdoor / Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

N4A318A(G)KB* Outdoor Section With ED*4X18B Indoor Section**

EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES deg F																	
		75			85			95			105			115			125		
CFM	EWB	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW
		Total	Sens	Total	Sens	Total	Sens	Total	Sens	Total	Sens	Total	Sens	Total	Sens	Total	Sens	Total	Sens
525	72	20.29	10.09	1.24	19.40	9.77	1.39	18.45	9.43	1.55	17.52	9.10	1.73	16.49	8.74	1.93	15.33	8.34	2.14
	67	18.68	12.44	1.24	17.84	12.11	1.39	16.95	11.75	1.55	16.05	11.40	1.73	15.07	11.02	1.93	13.98	10.61	2.15
	63	17.49	12.10	1.24	16.69	11.75	1.39	15.84	11.39	1.55	14.96	11.02	1.74	14.01	10.63	1.94	12.98	10.21	2.15
	62	17.19	14.76	1.24	16.42	14.42	1.39	15.60	14.05	1.55	14.77	13.66	1.74	13.93	13.93	1.93	13.10	13.10	2.15
	57	16.69	16.69	1.24	16.06	16.06	1.39	15.39	15.39	1.55	14.69	14.69	1.74	13.93	13.93	1.93	13.10	13.10	2.15
600	72	20.65	10.58	1.26	19.66	10.24	1.41	18.69	9.90	1.57	17.73	9.57	1.76	16.67	9.20	1.96	15.48	8.80	2.17
	67	18.98	13.22	1.27	18.12	12.88	1.41	17.20	12.53	1.58	16.28	12.18	1.76	15.27	11.80	1.96	14.16	11.38	2.17
	63	17.80	12.83	1.27	16.97	12.49	1.42	16.09	12.13	1.58	15.19	11.75	1.76	14.22	11.36	1.96	13.16	10.93	2.18
	62	17.56	15.84	1.27	16.78	15.48	1.42	15.96	15.96	1.58	15.24	15.24	1.76	14.43	14.43	1.96	13.55	13.55	2.18
	57	17.35	17.35	1.27	16.69	16.69	1.42	15.98	15.98	1.58	15.24	15.24	1.76	14.44	14.44	1.96	13.55	13.55	2.18
675	72	20.88	11.04	1.29	19.84	10.68	1.44	18.84	10.34	1.60	17.87	10.01	1.78	16.79	9.65	1.98	15.57	9.24	2.20
	67	19.19	13.97	1.29	18.31	13.63	1.44	17.37	13.28	1.60	16.44	12.92	1.79	15.41	12.53	1.99	14.28	12.10	2.20
	63	18.02	13.54	1.30	17.18	13.19	1.44	16.28	12.82	1.61	15.36	12.45	1.79	14.37	12.04	1.99	13.29	11.60	2.21
	62	17.91	17.77	1.30	17.19	17.19	1.44	16.44	16.44	1.61	15.68	15.68	1.79	14.84	14.84	1.99	13.91	13.91	2.20
	57	17.89	17.89	1.30	17.19	17.19	1.44	16.44	16.44	1.61	15.68	15.68	1.79	14.84	14.84	1.99	13.91	13.91	2.20

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A318

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
*ED*4X18B**	1.00	1.00		EA*4X24*14A*	1.03	0.94	*9MX*0401410A**
FEA4X18**A*	1.05	0.95		EA*4X24*17A*	1.03	0.94	*9MX*0401410A**
FEA4X24**A*	1.05	0.93		EHD4X24A**	1.03	0.94	*9MX*0401410A**
FEM4P18**A*	1.03	0.94		EN(A,D)4X18*14**	1.02	0.94	*9MX*0401410A**
FEM4P18**A*	1.03	0.94		EN(A,D)4X19*17**	1.04	0.95	*9MX*0401410A**
FEM4P24**A*	1.03	0.94		EN(A,D)4X24*14**	1.03	0.95	*9MX*0401410A**
FEM4P24**A*	1.03	0.94		EN(A,D)4X24*17**	1.03	0.95	*9MX*0401410A**
FS(M,U)4P18**A*	1.03	1.03		ENH4X24*17**	1.03	0.95	*9MX*0401410A**
FS(M,U)4P18**A*	1.03	1.03		EA*4X18*14A*	1.02	0.96	*9MV*0401410A**
FS(M,U)4P24**A*	1.03	1.03		EA*4X24*14A*	1.04	0.96	*9MV*0401410A**
FS(M,U)4P24**A*	1.03	1.03		EA*4X24*17A*	1.05	0.97	*9MV*0401410A**
FSA4X18**A*	1.00	1.00		EHD4X24A**	1.05	0.97	*9MV*0401410A**
FSA4X24**A*	1.00	1.00		EN(A,D)4X18*14**	1.02	0.95	*9MV*0401410A**
FVM4X24***	1.00	0.89		EN(A,D)4X19*17**	1.05	0.96	*9MV*0401410A**
FXM4X18**A*	1.05	0.95		EN(A,D)4X24*14**	1.04	0.96	*9MV*0401410A**
FXM4X24**A*	1.06	0.96		EN(A,D)4X24*17**	1.04	0.96	*9MV*0401410A**
FXM4X30**A*	1.06	0.96		ENH4X24*17**	1.04	0.96	*9MV*0401410A**
EA*4X18*14A*	1.03	0.93	*8MX*0451408**	EA*4X24*17A*	1.06	0.93	*9MV*0601714A**
EA*4X24*14A*	1.06	0.96	*8MX*0451408**	EHD4X24A**	1.05	0.95	*9MV*0601714A**
EA*4X24*17A*	1.06	0.96	*8MX*0451408**	EN(A,D)4X19*17**	1.07	0.93	*9MV*0601714A**
EHD4X24A**	1.06	0.96	*8MX*0451408**	EN(A,D)4X24*17**	1.05	0.95	*9MV*0601714A**
EN(A,D)4X18*14**	1.03	0.94	*8MX*0451408**	ENH4X24*17**	1.05	0.95	*9MV*0601714A**
EN(A,D)4X19*17**	1.05	0.95	*8MX*0451408**	EA*4X24*17A*	1.06	0.93	*9MV*0801716A**
EN(A,D)4X24*14**	1.05	0.93	*8MX*0451408**	EHD4X24A**	1.05	0.93	*9MV*0801716A**
ENH4X24*17**	1.03	0.92	*8MX*0451408**	EN(A,D)4X19*17**	1.08	0.94	*9MV*0801716A**
EA*4X18*14A*	1.02	0.92	*8MV*0701412**	EN(A,D)4X24*17**	1.05	0.93	*9MV*0801716A**
EA*4X24*14A*	1.03	0.94	*8MV*0701412**	ENH4X24*17**	1.05	0.93	*9MV*0801716A**
EA*4X24*17A*	1.03	0.94	*8MV*0701412**	EHD4X24A**	1.06	0.93	*9MV*0802120A**
EHD4X24A**	1.05	0.95	*8MV*0701412**	EHD4X24A**	1.07	0.93	*9MV*1002120A**
EN(A,D)4X18*14**	1.02	0.92	*8MV*0701412**	EHD4X24A**	1.07	0.94	*9MV*1202422A**
EN(A,D)4X19*17**	1.05	0.95	*8MV*0701412**	ENH4X24*17**	1.06	0.94	*9MV*1202422A**
EN(A,D)4X24*14**	1.03	0.92	*8MV*0701412**	EA*4X24*17A*	1.03	0.94	*9MA*0601714A**
ENH4X24*17**	1.03	0.92	*8MV*0701412**	EHD4X24A**	1.05	0.95	*9MA*0601714A**
EA*4X24*17A*	1.04	0.95	*8MV*0901716**	EN(A,D)4X19*17**	1.05	0.95	*9MA*0601714A**
EHD4X24A**	1.05	0.95	*8MV*0901716**	EN(A,D)4X24*17**	1.04	0.95	*9MA*0601714A**
EN(A,D)4X19*17**	1.05	0.95	*8MV*0901716**	ENH4X24*17**	1.04	0.95	*9MA*0601714A**
EN(A,D)4X24*17**	1.03	0.92	*8MV*0901716**	EA*4X24*17A*	1.03	0.94	*9MA*0801714A**
ENH4X24*17**	1.03	0.92	*8MV*0901716**	EHD4X24A**	1.04	0.95	*9MA*0801714A**
EA*4X18*14A*	1.01	0.94	*9MX*0401410A**	EN(A,D)4X19*17**	1.04	0.91	*9MA*0801714A**

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A318 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EN(A,D)4X24*17**	1.03	0.94	*9MA*0801714A**	EHD4X24A**	1.00	1.00	
ENH4X24*17**	1.03	0.94	*9MA*0801714A**	EHD4X24A**	1.05	0.94	MV08**14C*
EHD4X24A**	1.05	0.96	*9MA*0602120A**	EHD4X30A**	1.06	0.95	MV08**14C*
EHD4X24A**	1.05	0.93	OLV098A12A	EMA4X24D**	1.00	1.00	
EN(A,D)4X19*17**	1.05	0.93	OLV098A12A	EN(A,D)4X18*14**	1.02	1.01	
EN(A,D)4X24*17**	1.03	0.92	OLV098A12A	EN(A,D)4X18*14**	1.04	0.95	MV08**14C*
ENH4X24*17**	1.03	0.92	OLV098A12A	EN(A,D)4X19*17**	1.05	1.04	
EHD4X24A**	1.05	0.93	OMV098J12A	EN(A,D)4X19*17**	1.05	0.94	MV08**14C*
EN(A,D)4X19*17**	1.05	0.93	OMV098J12A	EN(A,D)4X24*14**	1.04	1.03	
EN(A,D)4X24*17**	1.05	0.93	OMV098J12A	EN(A,D)4X24*14**	1.05	0.93	MV08**14C*
ENH4X24*17**	1.05	0.93	OMV098J12A	EN(A,D)4X24*17**	1.04	1.03	
EA*4X18*14A*	1.02	1.02		EN(A,D)4X24*17**	1.05	0.93	MV08**14C*
EA*4X18*14A*	1.02	0.93	MV08**14C*	EN(A,D)4X30*14**	1.05	0.94	MV08**14C*
EA*4X24*14A*	1.04	1.03		EN(A,D)4X30*17**	1.05	0.94	MV08**14C*
EA*4X24*14A*	1.05	0.93	MV08**14C*	EN(A,D)4X31*17**	1.07	0.93	MV08**14C*
EA*4X24*17A*	1.04	1.03		ENH4X24*17**	1.04	1.03	
EA*4X24*17A*	1.05	0.93	MV08**14C*	ENH4X24*17**	1.05	0.93	MV08**14C*
EA*4X30*14A*	1.05	0.94	MV08**14C*	ENH4X30*17**	1.05	0.94	MV08**14C*
EA*4X30*17A*	1.05	0.94	MV08**14C*	ENH4X31*17**	1.07	0.93	MV08**14C*

* Tested Combination

N4A324

EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES deg F																					
		75				85				95				105				115				125	
CFM	EWB	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW				
		Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens		
N4A324A(G)KB* Outdoor Section With ED*4X24B** Indoor Section																							
700	72	27.06	13.71	1.65	25.82	13.26	1.84	24.64	12.84	2.06	23.44	12.41	2.30	22.11	11.94	2.56	20.62	11.43	2.85				
	67	24.87	16.95	1.65	23.82	16.53	1.84	22.70	16.08	2.05	21.55	15.63	2.29	20.30	15.14	2.56	18.91	14.61	2.85				
	63	23.36	16.50	1.64	22.35	16.06	1.84	21.28	15.60	2.05	20.16	15.14	2.29	18.96	14.63	2.56	17.65	14.09	2.85				
	62	22.98	20.20	1.64	22.00	19.75	1.84	20.97	19.28	2.05	19.92	18.78	2.29	18.88	18.88	2.56	17.80	17.80	2.85				
	57	22.41	22.41	1.64	21.61	21.61	1.83	20.75	20.75	2.05	19.85	19.85	2.29	18.88	18.88	2.56	17.80	17.80	2.85				
800	72	27.50	14.39	1.69	26.14	13.91	1.88	24.93	13.48	2.10	23.69	13.05	2.33	22.33	12.58	2.60	20.80	12.06	2.88				
	67	25.24	18.02	1.68	24.15	17.59	1.88	23.00	17.15	2.09	21.83	16.70	2.33	20.54	16.20	2.59	19.12	15.66	2.88				
	63	23.74	17.51	1.68	22.70	17.08	1.87	21.59	16.61	2.09	20.45	16.14	2.33	19.21	15.63	2.60	17.86	15.08	2.89				
	62	23.44	21.67	1.68	22.46	21.19	1.87	21.49	21.49	2.09	20.55	20.55	2.33	19.52	19.52	2.59	18.38	18.38	2.88				
	57	23.25	23.25	1.68	22.41	22.41	1.87	21.49	21.49	2.09	20.55	20.55	2.33	19.52	19.52	2.59	18.38	18.38	2.88				
900	72	27.78	15.02	1.73	26.38	14.53	1.92	25.12	14.10	2.13	23.86	13.67	2.37	22.46	13.20	2.63	20.90	12.67	2.92				
	67	25.51	19.05	1.72	24.39	18.62	1.91	23.21	18.17	2.13	22.02	17.72	2.37	20.71	17.22	2.63	19.26	16.66	2.92				
	63	24.01	18.48	1.72	22.95	18.04	1.91	21.82	17.57	2.13	20.65	17.10	2.37	19.39	16.58	2.63	18.02	16.00	2.92				
	62	23.92	23.92	1.72	23.04	23.04	1.91	22.08	22.08	2.13	21.10	21.10	2.37	20.03	20.03	2.63	18.83	18.83	2.92				
	57	23.93	23.93	1.72	23.04	23.04	1.91	22.08	22.08	2.13	21.10	21.10	2.37	20.03	20.03	2.63	18.83	18.83	2.92				

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A324

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
*ED*4X24B**	1.00	1.00		EA*4X24*14A*	1.00	0.92	*8MX*0451408**
FEA4X24**A*	1.01	0.95		EA*4X24*17A*	1.01	0.92	*8MX*0451408**
FEA4X30**A*	1.02	0.96		EA*4X30*14A*	1.02	0.93	*8MX*0451408**
FEM4P24**A*	0.99	0.99		EA*4X30*17A*	1.02	0.93	*8MX*0451408**
FEM4P24**A*	0.99	0.95		EHD4X24A**	1.01	0.92	*8MX*0451408**
FEM4P30**A*	1.03	0.94		EHD4X30A**	1.02	0.93	*8MX*0451408**
FEM4P30**A*	1.02	0.93		EN(A,D)4X24*14**	1.00	0.94	*8MX*0451408**
FS(M,U)4P24**A*	1.02	0.97		EN(A,D)4X30*14**	1.01	0.92	*8MX*0451408**
FS(M,U)4P24**A*	1.02	0.97		EN(A,D)4X31*17**	1.02	0.93	*8MX*0451408**
FS(M,U)4P30**A*	1.03	1.03		EN(A,D,W)4X36*17**	1.02	0.92	*8MX*0451408**
FS(M,U)4P30**A*	1.02	1.02		ENH4X24*17**	1.00	0.94	*8MX*0451408**
FSA4X24**A*	0.98	0.99		ENH4X30*17**	1.02	0.93	*8MX*0451408**
FSA4X30**A*	1.00	1.01		ENH4X31*17**	1.02	0.93	*8MX*0451408**
FVM4X24****	0.98	0.90		EA*4X24*14A*	0.99	0.91	*8MV*0701412**
FVM4X36****	1.00	0.90		EA*4X24*17A*	0.99	0.91	*8MV*0701412**
FXM4X24**A*	1.01	0.92		EA*4X30*14A*	1.00	0.92	*8MV*0701412**
FXM4X30**A*	1.02	0.97		EA*4X30*17A*	1.00	0.92	*8MV*0701412**
FXM4X36**A*	1.03	0.94		EHD4X24A**	1.01	0.92	*8MV*0701412**

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A324 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EHD4X30A**	1.01	0.92	*8MV*0701412**	EA*4X24*17A*	1.00	0.92	*9MV*0601714A**
EN(A,D)4X24*14**	0.99	0.93	*8MV*0701412**	EA*4X30*17A*	1.01	0.92	*9MV*0601714A**
EN(A,D)4X30*14**	1.00	0.92	*8MV*0701412**	EHD4X24A**	1.00	0.92	*9MV*0601714A**
EN(A,D)4X31*17**	1.02	0.93	*8MV*0701412**	EHD4X30A**	1.01	0.92	*9MV*0601714A**
ENH4X24*17**	0.99	0.93	*8MV*0701412**	EN(A,D)4X24*17**	0.99	0.92	*9MV*0601714A**
ENH4X30*17**	1.00	0.92	*8MV*0701412**	EN(A,D)4X30*17**	1.01	0.92	*9MV*0601714A**
ENH4X31*17**	1.02	0.93	*8MV*0701412**	EN(A,D)4X31*17**	1.03	0.94	*9MV*0601714A**
EA*4X24*17A*	1.00	0.92	*8MV*0901716**	ENH4X24*17**	0.99	0.92	*9MV*0601714A**
EA*4X30*17A*	1.01	0.92	*8MV*0901716**	ENH4X30*17**	1.01	0.92	*9MV*0601714A**
EHD4X24A**	1.01	0.92	*8MV*0901716**	ENH4X31*17**	1.03	0.94	*9MV*0601714A**
EHD4X30A**	1.01	0.92	*8MV*0901716**	EA*4X24*17A*	1.00	0.92	*9MV*0801716A**
EN(A,D)4X24*17**	0.99	0.91	*8MV*0901716**	EA*4X30*17A*	1.02	0.93	*9MV*0801716A**
EN(A,D)4X30*17**	1.01	0.91	*8MV*0901716**	EHD4X24A**	1.00	0.92	*9MV*0801716A**
EN(A,D)4X31*17**	1.02	0.93	*8MV*0901716**	EHD4X30A**	1.02	0.93	*9MV*0801716A**
ENH4X24*17**	0.99	0.91	*8MV*0901716**	EN(A,D)4X24*17**	0.99	0.91	*9MV*0801716A**
ENH4X30*17**	1.01	0.91	*8MV*0901716**	EN(A,D)4X30*17**	1.02	0.93	*9MV*0801716A**
ENH4X31*17**	1.02	0.93	*8MV*0901716**	EN(A,D)4X31*17**	1.03	0.91	*9MV*0801716A**
EHD4X24A**	1.01	0.92	*8MV*1102120**	ENH4X24*17**	0.99	0.91	*9MV*0801716A**
EHD4X30A**	1.01	0.92	*8MV*1102120**	ENH4X30*17**	1.02	0.93	*9MV*0801716A**
ENH4X24*17**	0.99	0.93	*8MV*1102120**	ENH4X31*17**	1.03	0.91	*9MV*0801716A**
ENH4X30*17**	1.01	0.91	*8MV*1102120**	EA*4X36*21A*	1.03	0.93	*9MV*0802120A**
ENH4X31*17**	1.02	0.93	*8MV*1102120**	EHD4X24A**	0.99	0.91	*9MV*0802120A**
EHD4X24A**	1.01	0.92	*8MV*1352422**	EHD4X30A**	1.02	0.93	*9MV*0802120A**
EHD4X30A**	1.01	0.92	*8MV*1352422**	EN(A,D)4X36*21**	1.02	0.93	*9MV*0802120A**
ENH4X24*17**	0.99	0.91	*8MV*1352422**	EA*4X36*21A*	1.04	0.94	*9MV*1002120A**
ENH4X30*17**	1.01	0.91	*8MV*1352422**	EHD4X24A**	1.00	0.92	*9MV*1002120A**
ENH4X31*17**	1.02	0.93	*8MV*1352422**	EHD4X30A**	1.02	0.92	*9MV*1002120A**
EA*4X24*14A*	1.00	1.00	*9MX*0401410A**	EN(A,D)4X36*21**	1.03	0.93	*9MV*1002120A**
EA*4X24*17A*	1.00	1.00	*9MX*0401410A**	EHD4X24A**	1.00	0.92	*9MV*1202422A**
EA*4X30*14A*	1.01	0.99	*9MX*0401410A**	EHD4X30A**	1.02	0.93	*9MV*1202422A**
EA*4X30*17A*	1.02	1.00	*9MX*0401410A**	ENH4X24*17**	0.99	0.91	*9MV*1202422A**
EHD4X24A**	1.01	0.99	*9MX*0401410A**	ENH4X30*17**	1.02	0.93	*9MV*1202422A**
EHD4X30A**	1.02	1.00	*9MX*0401410A**	ENH4X31*17**	1.04	0.92	*9MV*1202422A**
EN(A,D)4X24*14**	1.00	1.00	*9MX*0401410A**	EA*4X24*17A*	1.00	0.92	*9MA*0601714A**
EN(A,D)4X24*17**	1.00	1.00	*9MX*0401410A**	EA*4X30*17A*	1.01	0.92	*9MA*0601714A**
EN(A,D)4X30*14**	1.01	0.99	*9MX*0401410A**	EA*4X36*21A*	1.01	0.92	*9MA*0601714A**
EN(A,D)4X30*17**	1.02	1.00	*9MX*0401410A**	EHD4X24A**	1.01	0.94	*9MA*0601714A**
EN(A,D)4X31*17**	1.03	1.00	*9MX*0401410A**	EHD4X30A**	1.01	0.92	*9MA*0601714A**
ENH4X24*17**	1.00	1.00	*9MX*0401410A**	EN(A,D)4X24*17**	0.99	0.92	*9MA*0601714A**
ENH4X30*17**	1.02	1.00	*9MX*0401410A**	EN(A,D)4X30*17**	1.01	0.92	*9MA*0601714A**
ENH4X31*17**	1.03	1.00	*9MX*0401410A**	EN(A,D)4X31*17**	1.03	0.94	*9MA*0601714A**
EA*4X24*17A*	1.00	0.92	*9MX*0601714A**	EN(A,D)4X36*21**	1.01	0.92	*9MA*0601714A**
EA*4X30*17A*	1.01	0.92	*9MX*0601714A**	ENH4X24*17**	0.99	0.92	*9MA*0601714A**
EHD4X24A**	1.00	0.92	*9MX*0601714A**	ENH4X30*17**	1.01	0.92	*9MA*0601714A**
EHD4X30A**	1.01	0.92	*9MX*0601714A**	ENH4X31*17**	1.03	0.94	*9MA*0601714A**
EN(A,D)4X24*17**	0.99	0.91	*9MX*0601714A**	EA*4X24*17A*	0.99	0.91	*9MA*0801714A**
EN(A,D)4X30*17**	1.01	0.92	*9MX*0601714A**	EA*4X30*17A*	1.00	0.92	*9MA*0801714A**
EN(A,D)4X31*17**	1.03	0.92	*9MX*0601714A**	EA*4X36*21A*	1.01	0.92	*9MA*0801714A**
ENH4X24*17**	0.99	0.91	*9MX*0601714A**	EHD4X24A**	1.00	0.92	*9MA*0801714A**
ENH4X30*17**	1.01	0.92	*9MX*0601714A**	EHD4X30A**	1.01	0.92	*9MA*0801714A**
ENH4X31*17**	1.03	0.92	*9MX*0601714A**	EN(A,D)4X24*17**	0.99	0.91	*9MA*0801714A**
EA*4X24*14A*	0.99	0.96	*9MV*0401410A**	EN(A,D)4X30*17**	1.00	0.92	*9MA*0801714A**
EA*4X24*17A*	0.99	0.96	*9MV*0401410A**	EN(A,D)4X31*17**	1.02	0.90	*9MA*0801714A**
EA*4X30*14A*	1.00	0.96	*9MV*0401410A**	EN(A,D)4X36*21**	1.00	0.92	*9MA*0801714A**
EA*4X30*17A*	1.00	0.96	*9MV*0401410A**	ENH4X24*17**	0.99	0.91	*9MA*0801714A**
EHD4X24A**	1.00	0.96	*9MV*0401410A**	ENH4X30*17**	1.00	0.92	*9MA*0801714A**
EHD4X30A**	1.01	0.97	*9MV*0401410A**	ENH4X31*17**	1.02	0.90	*9MA*0801714A**
EN(A,D)4X24*14**	0.99	0.96	*9MV*0401410A**	EA*4X36*21A*	1.03	0.93	*9MA*0802120A**
EN(A,D)4X24*17**	0.99	0.96	*9MV*0401410A**	EHD4X24A**	1.02	0.93	*9MA*0802120A**
EN(A,D)4X30*14**	1.00	0.96	*9MV*0401410A**	EHD4X30A**	1.03	0.93	*9MA*0802120A**
EN(A,D)4X30*17**	1.00	0.96	*9MV*0401410A**	EN(A,D)4X36*21**	1.02	0.93	*9MA*0802120A**
EN(A,D)4X31*17**	1.03	0.98	*9MV*0401410A**	EA*4X36*21A*	1.03	0.93	*9MA*1002122A**
ENH4X24*17**	0.99	0.96	*9MV*0401410A**	EHD4X24A**	1.02	0.93	*9MA*1002122A**
ENH4X30*17**	1.00	0.96	*9MV*0401410A**	EHD4X30A**	1.03	0.93	*9MA*1002122A**
ENH4X31*17**	1.03	0.98	*9MV*0401410A**	EN(A,D)4X36*21**	1.02	0.92	*9MA*1002122A**

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A324 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EHD4X24A**	1.02	0.93	*9MA*1202422A**	EA*4X36*17A*	1.01	1.01	
EHD4X30A**	1.02	0.93	*9MA*1202422A**	EA*4X36*17A*	1.01	0.91	MV08**14C*
ENH4X24*17**	1.00	0.92	*9MA*1202422A**	EA*4X36*17A*	1.02	0.92	MV12**17C*
ENH4X30*17**	1.02	0.93	*9MA*1202422A**	EA*4X36*21A*	1.02	1.02	
ENH4X31*17**	1.03	0.91	*9MA*1202422A**	EA*4X36*21A*	1.02	0.92	MV12**17C*
EA*4X36*21A*	1.02	0.93	*9MA*0602120A**	EHD4X24A**	1.00	1.00	
EHD4X24A**	1.01	0.92	*9MA*0602120A**	EHD4X24A**	1.01	0.92	MV08**14C*
EHD4X30A**	1.02	0.93	*9MA*0602120A**	EHD4X24A**	1.02	0.93	MV12**17C*
EN(A,D)4X36*21**	1.01	0.92	*9MA*0602120A**	EHD4X30A**	1.00	1.00	
EHD4X24A**	1.02	0.96	OLV098A12A	EHD4X30A**	1.01	0.91	MV08**14C*
EHD4X30A**	1.02	0.93	OLV098A12A	EHD4X30A**	1.02	0.92	MV12**17C*
EN(A,D)4X24*17**	1.00	0.94	OLV098A12A	EHD4X36A**	1.03	0.93	MV08**14C*
EN(A,D)4X30*17**	1.02	0.93	OLV098A12A	EHD4X36A**	1.03	0.93	MV12**17C*
EN(A,D)4X31*17**	1.03	0.93	OLV098A12A	EMA4X24D**	1.00	1.00	
ENH4X24*17**	1.00	0.94	OLV098A12A	EN(A,D)4X24*14**	1.00	1.00	
ENH4X30*17**	1.02	0.93	OLV098A12A	EN(A,D)4X24*14**	1.00	0.92	MV08**14C*
ENH4X31*17**	1.03	0.93	OLV098A12A	EN(A,D)4X24*17**	1.00	1.00	
EHD4X24A**	1.02	0.96	OMV098J12A	EN(A,D)4X24*17**	1.00	0.92	MV08**14C*
EHD4X30A**	1.02	0.93	OMV098J12A	EN(A,D)4X24*17**	1.00	0.92	MV12**17C*
EN(A,D)4X24*17**	1.00	0.94	OMV098J12A	EN(A,D)4X30*14**	1.01	1.01	
EN(A,D)4X30*17**	1.02	0.93	OMV098J12A	EN(A,D)4X30*14**	1.01	0.92	MV08**14C*
EN(A,D)4X31*17**	1.03	0.93	OMV098J12A	EN(A,D)4X30*17**	1.01	1.01	
ENH4X24*17**	1.00	0.94	OMV098J12A	EN(A,D)4X30*17**	1.01	0.91	MV08**14C*
ENH4X30*17**	1.02	0.93	OMV098J12A	EN(A,D)4X30*17**	1.02	0.92	MV12**17C*
ENH4X31*17**	1.03	0.93	OMV098J12A	EN(A,D)4X31*17**	1.02	1.02	
EHD4X24A**	1.01	0.92	OMV112K14A	EN(A,D)4X31*17**	1.03	0.93	MV08**14C*
EHD4X30A**	1.02	0.92	OMV112K14A	EN(A,D)4X31*17**	1.03	0.91	MV12**17C*
EN(A,D)4X24*17**	1.00	0.94	OMV112K14A	EN(A,D)4X36*21**	1.02	0.92	MV12**17C*
EN(A,D)4X30*17**	1.01	0.91	OMV112K14A	EN(A,D)4X37*17**	1.03	0.91	MV08**14C*
EN(A,D)4X31*17**	1.03	0.93	OMV112K14A	EN(A,D)4X37*17**	1.04	0.92	MV12**17C*
ENH4X24*17**	1.00	0.92	OMV112K14A	EN(A,D,W)4X36*17**	1.01	1.01	
ENH4X30*17**	1.01	0.91	OMV112K14A	EN(A,D,W)4X36*17**	1.01	0.91	MV08**14C*
ENH4X31*17**	1.03	0.93	OMV112K14A	EN(A,D,W)4X36*17**	1.02	0.92	MV12**17C*
EA*4X24*14A*	1.00	1.00		ENH4X24*17**	1.00	1.00	
EA*4X24*14A*	1.00	0.92	MV08**14C*	ENH4X24*17**	1.00	0.92	MV08**14C*
EA*4X24*17A*	1.00	1.00		ENH4X24*17**	1.00	0.92	MV12**17C*
EA*4X24*17A*	1.00	0.92	MV08**14C*	ENH4X30*17**	1.01	1.01	
EA*4X24*17A*	1.00	0.92	MV12**17C*	ENH4X30*17**	1.01	0.91	MV08**14C*
EA*4X30*14A*	1.01	1.01		ENH4X30*17**	1.02	0.92	MV12**17C*
EA*4X30*14A*	1.01	0.92	MV08**14C*	ENH4X31*17**	1.02	1.02	
EA*4X30*17A*	1.01	1.01		ENH4X31*17**	1.03	0.93	MV08**14C*
EA*4X30*17A*	1.01	0.91	MV08**14C*	ENH4X31*17**	1.03	0.91	MV12**17C*
EA*4X30*17A*	1.02	0.92	MV12**17C*	ENH4X36*17**	1.01	0.91	MV08**14C*
EA*4X36*14A*	1.01	0.91	MV08**14C*	ENH4X36*17**	1.02	0.92	MV12**17C*

* Tested Combination

N4A330																					
EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES deg F																			
		75				85				95				105				115			
CFM	EWB	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW		
		Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens			
N4A330A(G)KC* Outdoor Section With ED*4X30B** Indoor Section																					
875	72	32.02	16.33	2.03	30.68	15.86	2.24	29.25	15.36	2.47	27.76	14.85	2.72	26.11	14.28	3.00	24.24	13.65	3.29		
	67	29.54	20.42	2.02	28.28	19.93	2.23	26.92	19.41	2.46	25.50	18.87	2.72	23.94	18.28	2.99	22.21	17.63	3.29		
	63	27.75	19.85	2.02	26.53	19.34	2.23	25.22	18.80	2.46	23.85	18.24	2.71	22.35	17.62	2.99	20.71	16.96	3.29		
	62	27.35	24.48	2.02	26.19	23.94	2.23	24.96	24.73	2.46	23.81	23.81	2.71	22.57	22.57	2.99	21.21	21.21	3.28		
	57	26.98	26.98	2.02	25.99	25.99	2.23	24.93	24.93	2.46	23.81	23.81	2.71	22.58	22.58	2.99	21.21	21.21	3.28		
1000	72	32.38	17.12	2.08	30.97	16.63	2.29	29.51	16.14	2.52	27.98	15.62	2.78	26.29	15.05	3.05	24.37	14.42	3.35		
	67	29.89	21.72	2.08	28.59	21.23	2.29	27.20	20.70	2.52	25.75	20.16	2.77	24.16	19.56	3.05	22.39	18.89	3.34		
	63	28.12	21.08	2.08	26.86	20.57	2.29	25.52	20.02	2.52	24.11	19.45	2.77	22.58	18.82	3.05	20.90	18.14	3.34		
	62	27.91	27.74	2.08	26.85	26.85	2.29	25.73	25.73	2.52	24.55	24.55	2.77	23.26	23.26	3.04	21.81	21.81	3.34		
	57	27.89	27.89	2.08	26.85	26.85	2.29	25.73	25.73	2.52	24.56	24.56	2.77	23.26	23.26	3.04	21.81	21.81	3.34		
1125	72	32.60	17.86	2.14	31.16	17.37	2.35	29.67	16.87	2.58	28.11	16.35	2.83	26.38	15.78	3.11	24.43	15.14	3.40		
	67	30.13	22.97	2.14	28.80	22.47	2.34	27.39	21.94	2.57	25.92	21.38	2.83	24.30	20.77	3.10	22.52	20.07	3.40		
	63	28.36	22.24	2.13	27.09	21.72	2.34	25.72	21.17	2.57	24.30	20.59	2.83	22.74	19.94	3.10	21.06	19.21	3.40		
	62	28.60	28.60	2.13	27.52	27.52	2.34	26.35	26.35	2.57	25.13	25.13	2.83	23.78	23.78	3.10	22.26	22.26	3.40		
	57	28.60	28.60	2.13	27.52	27.52	2.34	26.35	26.35	2.57	25.13	25.13	2.83	23.78	23.78	3.10	22.26	22.26	3.40		

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A330											
COOLING INDOOR MODEL			CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL			CAPACITY	POWER	FURNACE MODEL
*ED*4X30B**			1.00	1.00		EA*4X42*21A*			1.02	0.94	*9MV*1002120A**
FEA4X30**A*			1.01	0.94		EA*4X36*17A*			1.01	0.95	*8MV*0701412**
FEA4X36**A*			1.02	0.96		EHD4X30A**			1.01	0.95	*8MV*0701412**
FEM4P30**A*			1.01	0.99		EHD4X36A**			1.02	0.92	*8MV*0701412**
FEM4P30**A*			1.01	0.95		EN(A,D)4X30*14**			1.00	0.92	*8MV*0701412**
FEM4P36**A*			1.01	0.99		EN(A,D)4X31*17**			1.02	0.92	*8MV*0701412**
FEM4P36**A*			1.01	0.95		EN(A,D)4X37*17**			1.02	0.92	*8MV*0701412**
FS(M,U)4P30**A*			1.01	1.00		ENH4X30*17**			1.00	0.92	*8MV*0701412**
FS(M,U)4P30**A*			1.01	1.00		ENH4X31*17**			1.02	0.92	*8MV*0701412**
FS(M,U)4P36**A*			1.01	1.00		ENH4X36*17**			1.01	0.93	*8MV*0701412**
FS(M,U)4P36**A*			1.01	1.00		EA*4X30*17A*			1.01	0.91	*8MV*0901716**
FSA4X30**A*			0.99	1.00		EA*4X36*17A*			1.01	0.91	*8MV*0901716**
FSA4X36**A*			1.00	1.00		EA*4X36*21A*			1.01	0.91	*8MV*0901716**
FVM4X24***			0.99	0.91		EHD4X30A**			1.01	0.93	*8MV*0901716**
FVM4X36***			1.00	0.89		EHD4X36A**			1.03	0.93	*8MV*0901716**
FVM4X48***			1.00	0.89		EN(A,D)4X30*17**			1.01	0.93	*8MV*0901716**
FXM4X30**A*			1.02	0.96		EN(A,D)4X31*17**			1.02	0.92	*8MV*0901716**
FXM4X36**A*			1.03	0.93		EN(A,D)4X37*17**			1.02	0.92	*8MV*0901716**
FXM4X42**A*			1.04	1.02		EN(A,D,W)4X36*17**			1.01	0.93	*8MV*0901716**
EA*4X30*17A*			1.01	0.95	*8MX*0701716**	END4X42*17**			1.02	0.90	*8MV*0901716**
EA*4X36*17A*			1.01	0.95	*8MX*0701716**	ENH4X30*17**			1.01	0.93	*8MV*0901716**
EA*4X36*21A*			1.02	0.96	*8MX*0701716**	ENH4X31*17**			1.02	0.92	*8MV*0901716**
EHD4X30A**			1.01	0.95	*8MX*0701716**	ENH4X36*17**			1.01	0.93	*8MV*0901716**
EHD4X36A**			1.03	0.97	*8MX*0701716**	EA*4X36*21A*			1.01	0.91	*8MV*1102120**
EN(A,D)4X30*17**			1.01	0.95	*8MX*0701716**	EHD4X30A**			1.01	0.94	*8MV*1102120**
EN(A,D)4X31*17**			1.02	0.96	*8MX*0701716**	EHD4X36A**			1.03	0.93	*8MV*1102120**
EN(A,D)4X37*17**			1.02	0.92	*8MX*0701716**	EN(A,D)4X36*21**			1.01	0.93	*8MV*1102120**
EN(A,D,W)4X36*17**			1.01	0.95	*8MX*0701716**	ENH4X30*17**			1.01	0.93	*8MV*1102120**
ENH4X30*17**			1.01	0.95	*8MX*0701716**	ENH4X31*17**			1.02	0.92	*8MV*1102120**
ENH4X31*17**			1.02	0.96	*8MX*0701716**	ENH4X36*17**			1.01	0.93	*8MV*1102120**
ENH4X36*17**			1.01	0.95	*8MX*0701716**	EHD4X30A**			1.01	0.94	*8MV*1352422**
EA*4X36*21A*			1.02	0.92	*8MX*0902116**	EHD4X36A**			1.03	0.93	*8MV*1352422**
EHD4X30A**			1.01	0.95	*8MX*0902116**	ENH4X30*17**			1.01	0.91	*8MV*1352422**
EHD4X36A**			1.04	0.93	*8MX*0902116**	ENH4X31*17**			1.02	0.92	*8MV*1352422**
EN(A,D)4X36*21**			1.01	0.94	*8MX*0902116**	ENH4X36*17**			1.01	0.91	*8MV*1352422**
EN(A,D,W)4X48*21**			1.04	0.92	*8MX*0902116**	EA*4X30*14A*			0.99	1.05	*9MX*0401410A**
ENH4X30*17**			1.01	0.94	*8MX*0902116**	EA*4X30*17A*			1.00	1.05	*9MX*0401410A**
ENH4X31*17**			1.02	0.92	*8MX*0902116**	EA*4X36*14A*			1.00	1.05	*9MX*0401410A**
ENH4X36*17**			1.01	0.94	*8MX*0902116**	EA*4X36*17A*			1.00	1.05	*9MX*0401410A**
EA*4X30*14A*			1.00	0.94	*8MV*0701412**	EHD4X30A**			1.00	1.04	*9MX*0401410A**
EA*4X30*17A*			1.01	0.95	*8MV*0701412**	EHD4X36A**			1.02	1.06	*9MX*0401410A**
EA*4X36*14A*			1.01	0.95	*8MV*0701412**	EN(A,D)4X30*14**			0.99	1.04	*9MX*0401410A**

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A330 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EN(A,D)4X30*17**	1.00	1.05	*9MX*0401410A**	EA*4X36*21A*	1.01	0.91	*9MV*1002120A**
EN(A,D)4X31*17**	1.02	1.05	*9MX*0401410A**	EHD4X30A**	1.00	0.92	*9MV*1002120A**
EN(A,D)4X37*17**	1.03	1.05	*9MX*0401410A**	EHD4X36A**	1.02	0.92	*9MV*1002120A**
EN(A,D,W)4X36*17**	1.00	1.05	*9MX*0401410A**	EN(A,D)4X36*21**	1.00	0.90	*9MV*1002120A**
ENH4X30*17**	1.00	1.05	*9MX*0401410A**	EN(A,D,W)4X42*21**	1.01	0.91	*9MV*1002120A**
ENH4X31*17**	1.02	1.06	*9MX*0401410A**	EHD4X30A**	1.01	0.93	*9MV*1202422A**
ENH4X36*17**	1.00	1.05	*9MX*0401410A**	EHD4X36A**	1.03	0.93	*9MV*1202422A**
EA*4X30*17A*	1.01	0.95	*9MX*0601714A**	ENH4X30*17**	1.01	0.92	*9MV*1202422A**
EA*4X36*17A*	1.01	0.95	*9MX*0601714A**	ENH4X31*17**	1.04	0.93	*9MV*1202422A**
EA*4X36*21A*	1.01	0.94	*9MX*0601714A**	ENH4X36*17**	1.01	0.92	*9MV*1202422A**
EHD4X30A**	1.01	0.95	*9MX*0601714A**	EA*4X30*17A*	1.00	0.94	*9MA*0601714A**
EHD4X36A**	1.03	0.94	*9MX*0601714A**	EA*4X36*17A*	1.01	0.95	*9MA*0601714A**
EN(A,D)4X30*17**	1.01	0.95	*9MX*0601714A**	EA*4X36*21A*	1.01	0.92	*9MA*0601714A**
EN(A,D)4X31*17**	1.04	0.95	*9MX*0601714A**	EHD4X30A**	1.01	0.95	*9MA*0601714A**
EN(A,D)4X36*21**	1.01	0.95	*9MX*0601714A**	EHD4X36A**	1.02	0.94	*9MA*0601714A**
EN(A,D)4X37*17**	1.04	0.94	*9MX*0601714A**	EN(A,D)4X30*17**	1.01	0.95	*9MA*0601714A**
EN(A,D,W)4X36*17**	1.01	0.95	*9MX*0601714A**	EN(A,D)4X31*17**	1.02	0.94	*9MA*0601714A**
ENH4X30*17**	1.01	0.95	*9MX*0601714A**	EN(A,D)4X36*21**	1.01	0.95	*9MA*0601714A**
ENH4X31*17**	1.04	0.95	*9MX*0601714A**	EN(A,D)4X37*17**	1.04	0.93	*9MA*0601714A**
ENH4X36*17**	1.01	0.95	*9MX*0601714A**	EN(A,D,W)4X36*17**	1.01	0.95	*9MA*0601714A**
EA*4X30*17A*	1.01	0.95	*9MX*0801716A**	ENH4X30*17**	1.01	0.95	*9MA*0601714A**
EA*4X36*17A*	1.02	0.94	*9MX*0801716A**	ENH4X31*17**	1.02	0.94	*9MA*0601714A**
EA*4X36*21A*	1.02	0.94	*9MX*0801716A**	ENH4X36*17**	1.01	0.95	*9MA*0601714A**
EHD4X30A**	1.02	0.96	*9MX*0801716A**	EA*4X30*17A*	1.01	0.92	*9MA*0801714A**
EHD4X36A**	1.04	0.95	*9MX*0801716A**	EA*4X36*17A*	1.01	0.93	*9MA*0801714A**
EN(A,D)4X30*17**	1.01	0.95	*9MX*0801716A**	EA*4X36*21A*	1.01	0.93	*9MA*0801714A**
EN(A,D)4X31*17**	1.04	0.96	*9MX*0801716A**	EHD4X30A**	1.01	0.94	*9MA*0801714A**
EN(A,D)4X36*21**	1.02	0.96	*9MX*0801716A**	EHD4X36A**	1.03	0.93	*9MA*0801714A**
EN(A,D)4X37*17**	1.05	0.95	*9MX*0801716A**	EN(A,D)4X30*17**	1.01	0.93	*9MA*0801714A**
EN(A,D,W)4X36*17**	1.01	0.95	*9MX*0801716A**	EN(A,D)4X31*17**	1.03	0.93	*9MA*0801714A**
ENH4X30*17**	1.01	0.95	*9MX*0801716A**	EN(A,D)4X36*21**	1.01	0.93	*9MA*0801714A**
ENH4X31*17**	1.04	0.96	*9MX*0801716A**	EN(A,D)4X37*17**	1.04	0.94	*9MA*0801714A**
ENH4X36*17**	1.01	0.95	*9MX*0801716A**	EN(A,D,W)4X36*17**	1.01	0.93	*9MA*0801714A**
EA*4X30*17A*	1.01	0.95	*9MV*0601714A**	ENH4X30*17**	1.01	0.93	*9MA*0801714A**
EA*4X36*17A*	1.01	0.93	*9MV*0601714A**	ENH4X31*17**	1.03	0.93	*9MA*0801714A**
EA*4X36*21A*	1.01	0.93	*9MV*0601714A**	ENH4X36*17**	1.01	0.93	*9MA*0801714A**
EHD4X30A**	1.01	0.95	*9MV*0601714A**	EA*4X36*21A*	1.01	0.91	*9MA*0802120A**
EHD4X36A**	1.02	0.94	*9MV*0601714A**	EA*4X42*21A*	1.02	0.92	*9MA*0802120A**
EN(A,D)4X30*17**	1.01	0.95	*9MV*0601714A**	EHD4X30A**	1.01	0.94	*9MA*0802120A**
EN(A,D)4X31*17**	1.03	0.94	*9MV*0601714A**	EHD4X36A**	1.03	0.93	*9MA*0802120A**
EN(A,D)4X36*21**	1.01	0.95	*9MV*0601714A**	EN(A,D)4X36*21**	1.01	0.94	*9MA*0802120A**
EN(A,D)4X37*17**	1.04	0.93	*9MV*0601714A**	EN(A,D,W)4X42*21**	1.02	0.92	*9MA*0802120A**
EN(A,D,W)4X36*17**	1.01	0.95	*9MV*0601714A**	EA*4X36*21A*	1.02	0.92	*9MA*1002122A**
ENH4X30*17**	1.01	0.95	*9MV*0601714A**	EA*4X42*21A*	1.03	0.93	*9MA*1002122A**
ENH4X31*17**	1.03	0.94	*9MV*0601714A**	EHD4X30A**	1.02	0.94	*9MA*1002122A**
ENH4X36*17**	1.01	0.95	*9MV*0601714A**	EHD4X36A**	1.04	0.93	*9MA*1002122A**
EA*4X30*17A*	1.01	0.92	*9MV*0801716A**	EN(A,D)4X36*21**	1.01	0.91	*9MA*1002122A**
EA*4X36*17A*	1.01	0.93	*9MV*0801716A**	EN(A,D,W)4X42*21**	1.03	0.93	*9MA*1002122A**
EA*4X36*21A*	1.01	0.93	*9MV*0801716A**	EHD4X30A**	1.01	0.93	*9MA*1202422A**
EHD4X30A**	1.01	0.92	*9MV*0801716A**	EHD4X36A**	1.03	0.93	*9MA*1202422A**
EHD4X36A**	1.03	0.93	*9MV*0801716A**	ENH4X30*17**	1.01	0.93	*9MA*1202422A**
EN(A,D)4X30*17**	1.01	0.92	*9MV*0801716A**	ENH4X31*17**	1.04	0.93	*9MA*1202422A**
EN(A,D)4X31*17**	1.03	0.93	*9MV*0801716A**	ENH4X36*17**	1.01	0.93	*9MA*1202422A**
EN(A,D)4X36*21**	1.01	0.92	*9MV*0801716A**	EA*4X36*21A*	1.01	0.93	*9MA*0602120A**
EN(A,D)4X37*17**	1.04	0.94	*9MV*0801716A**	EA*4X42*21A*	1.02	0.94	*9MA*0602120A**
EN(A,D,W)4X36*17**	1.01	0.92	*9MV*0801716A**	EHD4X30A**	1.01	0.95	*9MA*0602120A**
ENH4X30*17**	1.01	0.92	*9MV*0801716A**	EHD4X36A**	1.03	0.94	*9MA*0602120A**
ENH4X31*17**	1.03	0.93	*9MV*0801716A**	EN(A,D)4X36*21**	1.01	0.93	*9MA*0602120A**
ENH4X36*17**	1.01	0.92	*9MV*0801716A**	EN(A,D,W)4X42*21**	1.02	0.96	*9MA*0602120A**
EA*4X36*21A*	1.02	0.92	*9MV*0802120A**	EHD4X30A**	1.01	0.99	OLV098A12A
EA*4X42*21A*	1.02	0.94	*9MV*0802120A**	EHD4X36A**	1.03	0.95	OLV098A12A
EHD4X30A**	1.01	0.93	*9MV*0802120A**	EN(A,D)4X30*17**	1.01	0.95	OLV098A12A
EHD4X36A**	1.03	0.93	*9MV*0802120A**	EN(A,D)4X31*17**	1.03	0.95	OLV098A12A
EN(A,D)4X36*21**	1.01	0.93	*9MV*0802120A**	EN(A,D)4X36*21**	1.01	0.95	OLV098A12A
EN(A,D,W)4X42*21**	1.02	0.92	*9MV*0802120A**	EN(A,D)4X37*17**	1.04	0.96	OLV098A12A

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A330 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EN(A,D,W)4X36*17**	1.01	0.95	OLV098A12A	EA*4X42*24A*	1.01	1.01	
ENH4X30*17**	1.01	0.95	OLV098A12A	EHD4X30A**	1.00	1.00	
ENH4X31*17**	1.03	0.95	OLV098A12A	EHD4X30A**	1.01	0.93	MV08**14C*
ENH4X36*17**	1.01	0.95	OLV098A12A	EHD4X30A**	1.01	0.94	MV12**17C*
EHD4X30A**	1.02	0.96	OLV112A16A	EHD4X36A**	1.00	1.00	
EHD4X36A**	1.04	0.96	OLV112A16A	EHD4X36A**	1.02	0.92	MV08**14C*
EN(A,D)4X36*21**	1.01	0.95	OLV112A16A	EHD4X36A**	1.03	0.93	MV12**17C*
ENH4X30*17**	1.01	0.95	OLV112A16A	EHD4X42A**	1.03	0.93	MV08**14C*
ENH4X31*17**	1.04	0.93	OLV112A16A	EHD4X42A**	1.04	0.93	MV12**17C*
ENH4X36*17**	1.01	0.95	OLV112A16A	EMA4X36D**	1.00	1.00	
EHD4X30A**	1.01	1.00	OMV098J12A	EN(A,D)4X30*14**	1.01	1.01	
EHD4X36A**	1.03	0.97	OMV098J12A	EN(A,D)4X30*14**	1.00	0.92	MV08**14C*
EN(A,D)4X30*17**	1.01	0.99	OMV098J12A	EN(A,D)4X30*17**	1.01	1.00	
EN(A,D)4X31*17**	1.03	0.97	OMV098J12A	EN(A,D)4X30*17**	1.01	0.93	MV08**14C*
EN(A,D)4X36*21**	1.01	0.99	OMV098J12A	EN(A,D)4X30*17**	1.01	0.94	MV12**17C*
EN(A,D)4X37*17**	1.04	0.96	OMV098J12A	EN(A,D)4X31*17**	1.02	1.00	
EN(A,D,W)4X36*17**	1.01	0.99	OMV098J12A	EN(A,D)4X31*17**	1.03	0.93	MV08**14C*
ENH4X30*17**	1.01	0.99	OMV098J12A	EN(A,D)4X31*17**	1.04	0.93	MV12**17C*
ENH4X31*17**	1.03	0.97	OMV098J12A	EN(A,D)4X36*21**	1.01	1.01	
ENH4X36*17**	1.01	0.99	OMV098J12A	EN(A,D)4X36*21**	1.01	0.94	MV12**17C*
EHD4X30A**	1.01	0.95	OMV112K14A	EN(A,D)4X37*17**	1.03	1.01	
EHD4X36A**	1.03	0.93	OMV112K14A	EN(A,D)4X37*17**	1.04	0.92	MV08**14C*
EN(A,D)4X30*17**	1.01	0.94	OMV112K14A	EN(A,D)4X37*17**	1.04	0.92	MV12**17C*
EN(A,D)4X31*17**	1.04	0.93	OMV112K14A	EN(A,D,W)4X36*17**	1.01	1.01	
EN(A,D)4X36*21**	1.01	0.94	OMV112K14A	EN(A,D,W)4X36*17**	1.01	0.93	MV08**14C*
EN(A,D)4X37*17**	1.04	0.94	OMV112K14A	EN(A,D,W)4X36*17**	1.01	0.94	MV12**17C*
EN(A,D,W)4X36*17**	1.01	0.94	OMV112K14A	EN(A,D,W)4X42*21**	1.01	1.01	
ENH4X30*17**	1.01	0.94	OMV112K14A	EN(A,D,W)4X42*21**	1.02	0.94	MV12**17C*
ENH4X31*17**	1.04	0.93	OMV112K14A	END4X42*17**	1.01	1.00	
ENH4X36*17**	1.01	0.94	OMV112K14A	END4X42*17**	1.02	0.92	MV08**14C*
EA*4X30*14A*	1.01	1.01		END4X42*17**	1.03	0.93	MV12**17C*
EA*4X30*14A*	1.00	0.92	MV08**14C*	ENH4X30*17**	1.01	1.00	
EA*4X30*17A*	1.01	1.01		ENH4X30*17**	1.01	0.93	MV08**14C*
EA*4X30*17A*	1.01	0.93	MV08**14C*	ENH4X30*17**	1.01	0.94	MV12**17C*
EA*4X30*17A*	1.01	0.94	MV12**17C*	ENH4X31*17**	1.02	1.00	
EA*4X36*14A*	1.01	1.01		ENH4X31*17**	1.03	0.93	MV08**14C*
EA*4X36*14A*	1.01	0.93	MV08**14C*	ENH4X31*17**	1.04	0.93	MV12**17C*
EA*4X36*17A*	1.01	1.01		ENH4X36*17**	1.01	1.01	
EA*4X36*17A*	1.01	0.93	MV08**14C*	ENH4X36*17**	1.01	0.93	MV08**14C*
EA*4X36*17A*	1.01	0.94	MV12**17C*	ENH4X36*17**	1.01	0.94	MV12**17C*
EA*4X36*21A*	1.01	1.01		ENH4X42*21**	1.01	1.00	
EA*4X36*21A*	1.01	0.91	MV12**17C*	ENH4X42*21**	1.02	0.94	MV12**17C*
EA*4X42*21A*	1.01	1.01		ENH4X43*21**	1.04	0.92	MV12**17C*
EA*4X42*21A*	1.02	0.92	MV12**17C*				

* Tested Combination

N4A336A(G)KB3 Outdoor Section With EA*4X36*17A* Indoor Section																									
EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES deg F																							
		75				85				95				105				115				125			
		CFM	EWB	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW				
Total	Sens			Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens					
1050	72	40.22	21.00	2.47	38.50	20.34	2.71	36.66	19.65	2.98	34.69	18.93	3.30	32.56	18.15	3.66	30.22	17.30	4.08						
	67	36.61	25.73	2.44	35.00	25.05	2.69	33.29	24.35	2.96	31.46	23.60	3.27	29.49	22.81	3.64	27.34	21.95	4.07						
	63	34.02	24.88	2.43	32.50	24.20	2.67	30.89	23.49	2.94	29.17	22.73	3.26	27.32	21.94	3.63	25.29	21.07	4.07						
	62	33.42	30.44	2.42	31.97	29.75	2.67	30.45	29.01	2.94	28.86	28.20	3.26	27.29	27.29	3.63	25.64	25.64	4.07						
	57	32.55	32.55	2.42	31.38	31.38	2.66	30.12	30.12	2.94	28.77	28.77	3.26	27.29	27.29	3.63	25.65	25.65	4.07						
1200	72	40.90	21.97	2.53	39.11	21.31	2.77	37.20	20.61	3.04	35.17	19.88	3.36	32.96	19.09	3.72	30.54	18.23	4.14						
	67	37.25	27.30	2.50	35.57	26.61	2.74	33.80	25.90	3.02	31.91	25.15	3.33	29.88	24.35	3.70	27.67	23.48	4.13						
	63	34.63	26.36	2.49	33.04	25.66	2.73	31.38	24.94	3.00	29.60	24.18	3.32	27.69	23.37	3.69	25.61	22.48	4.12						
	62	34.19	32.60	2.48	32.73	31.85	2.73	31.24	31.24	3.00	29.83	29.83	3.32	28.26	28.26	3.69	26.52	26.52	4.12						
	57	33.87	33.87	2.48	32.61	32.61	2.72	31.27	31.27	3.00	29.83	29.83	3.32	28.26	28.26	3.69	26.52	26.52	4.12						
1350	72	41.40	22.89	2.59	39.55	22.22	2.83	37.60	21.52	3.10	35.50	20.77	3.42	33.24	19.97	3.78	30.75	19.10	4.20						
	67	37.72	28.79	2.56	36.00	28.11	2.80	34.19	27.39	3.08	32.26	26.63	3.39	30.19	25.81	3.76	27.93	24.92	4.18						
	63	35.09	27.77	2.54	33.47	27.07	2.79	31.76	26.34	3.06	29.94	25.57	3.38	27.99	24.73	3.74	25.88	23.82	4.18						
	62	34.90	34.90	2.54	33.63	33.63	2.79	32.22	32.22	3.06	30.70	30.70	3.38	29.05	29.05	3.75	27.22	27.22	4.18						
	57	34.96	34.96	2.54	33.64	33.64	2.79	32.23	32.23	3.06	30.70	30.70	3.38	29.05	29.05	3.75	27.22	27.22	4.18						

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A336A(G)KB3

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
*EA*4X36*17A*	1.00	1.00		EA*4X42*24A*	1.01	0.93	*8MV*1102120**
FCM4X24****	1.01	0.95		EHD4X36A**	1.02	0.94	*8MV*1102120**
FCM4X36****	1.01	0.93		EHD4X42A**	1.03	0.93	*8MV*1102120**
FCM4X48****	1.04	0.92		EN(A,D)4X36*21**	1.00	0.94	*8MV*1102120**
FCM4X60****	1.05	0.91		EN(A,D)4X43*24**	1.04	0.95	*8MV*1102120**
FEA4X36**A*	1.01	0.99		EN(A,D,W)4X42*21**	1.01	0.95	*8MV*1102120**
FEM4P36**A*	1.01	1.01		ENH4X42*21**	1.01	0.95	*8MV*1102120**
FEM4P42**A*	1.04	0.95		ENH4X43*21**	1.04	0.93	*8MV*1102120**
FEM4X35**A*	1.02	0.96		EA*4X42*24A*	1.01	0.93	*8MV*1352422**
FEM4X36**A*	1.04	0.97		EHD4X36A**	1.02	0.94	*8MV*1352422**
FEM4X36**B*	1.01	0.98		EHD4X42A**	1.03	0.93	*8MV*1352422**
FEM4X42**A*	1.04	0.97		EN(A,D)4X43*24**	1.04	0.91	*8MV*1352422**
FEM4X42**B*	1.04	0.95		EA*4X36*14A*	0.99	0.98	*8MX*0451408**
FS(M,U)4P36**A*	1.01	1.01		EA*4X36*17A*	1.00	1.00	*8MX*0451408**
FS(M,U)4P42**A*	1.03	0.98		EHD4X36A**	1.02	0.99	*8MX*0451408**
FVM4X24****	1.01	0.95		EHD4X42A**	1.02	0.98	*8MX*0451408**
FVM4X36****	1.01	0.93		EN(A,D)4X37*17**	1.04	0.99	*8MX*0451408**
FVM4X48****	1.04	0.92		EA*4X36*17A*	1.00	0.96	*8MX*0701716**
FVM4X60****	1.05	0.91		EA*4X36*21A*	1.01	0.96	*8MX*0701716**
FXM4X36**A*	1.04	0.94		EA*4X42*21A*	1.01	0.97	*8MX*0701716**
FXM4X42**A*	1.04	0.94		EHD4X36A**	1.02	0.96	*8MX*0701716**
FXM4X48**A*	1.06	0.95		EHD4X42A**	1.03	0.97	*8MX*0701716**
EA*4X36*14A*	0.99	0.95	*8MV*0701412**	EN(A,D)4X37*17**	1.04	0.97	*8MX*0701716**
EA*4X36*17A*	1.00	0.96	*8MV*0701412**	EN(A,D,W)4X36*17**	0.99	0.95	*8MX*0701716**
EHD4X36A**	1.02	0.96	*8MV*0701412**	END4X42*17**	1.02	0.96	*8MX*0701716**
EHD4X42A**	1.02	0.96	*8MV*0701412**	ENH4X36*17**	0.99	0.95	*8MX*0701716**
EN(A,D)4X37*17**	1.03	0.94	*8MV*0701412**	ENH4X42*21**	1.01	0.96	*8MX*0701716**
ENH4X36*17**	0.99	0.95	*8MV*0701412**	ENH4X43*21**	1.04	0.99	*8MX*0701716**
EA*4X36*17A*	1.00	0.94	*8MV*0901716**	EA*4X36*21A*	1.01	0.93	*8MX*0902116**
EA*4X36*21A*	1.00	0.96	*8MV*0901716**	EA*4X42*21A*	1.02	0.93	*8MX*0902116**
EA*4X42*21A*	1.01	0.92	*8MV*0901716**	EA*4X42*24A*	1.02	0.93	*8MX*0902116**
EHD4X36A**	1.02	0.94	*8MV*0901716**	EHD4X36A**	1.03	0.94	*8MX*0902116**
EHD4X42A**	1.02	0.92	*8MV*0901716**	EHD4X42A**	1.04	0.93	*8MX*0902116**
EN(A,D)4X37*17**	1.04	0.93	*8MV*0901716**	EN(A,D)4X36*21**	1.01	0.95	*8MX*0902116**
EN(A,D,W)4X36*17**	1.00	0.94	*8MV*0901716**	EN(A,D)4X43*24**	1.05	0.96	*8MX*0902116**
END4X42*17**	1.02	0.93	*8MV*0901716**	EN(A,D,W)4X42*21**	1.02	0.93	*8MX*0902116**
ENH4X36*17**	1.00	0.94	*8MV*0901716**	EN(A,D,W)4X48*21**	1.04	0.95	*8MX*0902116**
ENH4X42*21**	1.01	0.96	*8MV*0901716**	ENH4X42*21**	1.02	0.93	*8MX*0902116**
ENH4X43*21**	1.04	0.95	*8MV*0901716**	ENH4X43*21**	1.05	0.94	*8MX*0902116**
EA*4X36*21A*	1.01	0.95	*8MV*1102120**	EA*4X36*21A*	1.02	0.93	*8MX*1102120**
EA*4X42*21A*	1.01	0.93	*8MV*1102120**	EA*4X42*21A*	1.02	0.94	*8MX*1102120**
EA*4X42*21A*	1.01	0.93	*8MV*1102120**	EA*4X42*24A*	1.02	0.94	*8MX*1102120**

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A336A(G)KB3 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EHD4X36A**	1.04	0.93	*8MX*1102120**	ENH4X48*21**	1.02	0.93	*9MA*0802120A**
EHD4X42A**	1.04	0.94	*8MX*1102120**	EA*4X36*21A*	1.00	0.92	*9MA*1002122A**
EN(A,D)4X36*21**	1.01	0.95	*8MX*1102120**	EA*4X42*21A*	1.01	0.92	*9MA*1002122A**
EN(A,D)4X43*24**	1.05	0.93	*8MX*1102120**	EA*4X42*24A*	1.01	0.92	*9MA*1002122A**
EN(A,D,W)4X42*21**	1.02	0.93	*8MX*1102120**	EA*4X48*21A*	1.02	0.93	*9MA*1002122A**
EN(A,D,W)4X48*21**	1.04	0.95	*8MX*1102120**	EHD4X36A**	1.02	0.94	*9MA*1002122A**
ENH4X42*21**	1.02	0.93	*8MX*1102120**	EHD4X42A**	1.03	0.93	*9MA*1002122A**
ENH4X43*21**	1.05	0.95	*8MX*1102120**	EHD4X48A**	1.03	0.94	*9MA*1002122A**
EA*4X36*17A*	0.99	0.95	*9MA*0601714A**	EN(A,D)4X36*21**	1.00	0.94	*9MA*1002122A**
EA*4X36*21A*	0.99	0.95	*9MA*0601714A**	EN(A,D)4X43*24**	1.04	0.95	*9MA*1002122A**
EA*4X42*21A*	0.99	0.95	*9MA*0601714A**	EN(A,D,W)4X42*21**	1.01	0.93	*9MA*1002122A**
EHD4X36A**	1.01	0.95	*9MA*0601714A**	EN(A,D,W)4X48*21**	1.02	0.94	*9MA*1002122A**
EHD4X42A**	1.01	0.95	*9MA*0601714A**	ENH4X42*21**	1.01	0.93	*9MA*1002122A**
EN(A,D)4X36*21**	0.99	0.99	*9MA*0601714A**	ENH4X43*21**	1.04	0.93	*9MA*1002122A**
EN(A,D)4X37*17**	1.02	0.96	*9MA*0601714A**	ENH4X48*21**	1.02	0.94	*9MA*1002122A**
EN(A,D,W)4X36*17**	0.99	0.96	*9MA*0601714A**	EA*4X42*24A*	1.01	0.92	*9MA*1202422A**
EN(A,D,W)4X42*21**	0.99	0.95	*9MA*0601714A**	EHD4X36A**	1.02	0.93	*9MA*1202422A**
EN(A,D,W)4X48*21**	1.01	0.97	*9MA*0601714A**	EHD4X42A**	1.02	0.92	*9MA*1202422A**
END4X42*17**	1.00	0.94	*9MA*0601714A**	EN(A,D)4X43*24**	1.03	0.93	*9MA*1202422A**
ENH4X36*17**	0.99	0.96	*9MA*0601714A**	EA*4X36*17A*	1.00	0.97	*9MV*0601714A**
ENH4X42*21**	0.99	0.95	*9MA*0601714A**	EA*4X36*21A*	1.00	0.96	*9MV*0601714A**
ENH4X43*21**	1.02	0.97	*9MA*0601714A**	EA*4X42*21A*	1.01	0.96	*9MV*0601714A**
ENH4X48*21**	1.01	0.97	*9MA*0601714A**	EHD4X36A**	1.02	0.97	*9MV*0601714A**
EA*4X36*21A*	0.99	0.93	*9MA*0602120A**	EHD4X42A**	1.02	0.96	*9MV*0601714A**
EA*4X42*21A*	1.00	0.94	*9MA*0602120A**	EN(A,D)4X36*21**	0.99	0.99	*9MV*0601714A**
EA*4X42*24A*	1.00	0.96	*9MA*0602120A**	EN(A,D)4X37*17**	1.03	0.97	*9MV*0601714A**
EA*4X48*21A*	1.01	0.97	*9MA*0602120A**	EN(A,D,W)4X36*17**	0.99	0.97	*9MV*0601714A**
EHD4X36A**	1.01	0.95	*9MA*0602120A**	EN(A,D,W)4X42*21**	1.01	0.96	*9MV*0601714A**
EHD4X42A**	1.02	0.93	*9MA*0602120A**	END4X42*17**	1.01	0.97	*9MV*0601714A**
EHD4X48A**	1.02	0.94	*9MA*0602120A**	ENH4X36*17**	0.99	0.97	*9MV*0601714A**
EN(A,D)4X36*21**	0.99	0.95	*9MA*0602120A**	ENH4X42*21**	1.01	0.96	*9MV*0601714A**
EN(A,D)4X43*24**	1.02	0.94	*9MA*0602120A**	ENH4X43*21**	1.04	0.99	*9MV*0601714A**
EN(A,D,W)4X42*21**	1.00	0.94	*9MA*0602120A**	EA*4X36*17A*	1.00	0.96	*9MV*0801716A**
EN(A,D,W)4X48*21**	1.02	0.93	*9MA*0602120A**	EA*4X36*21A*	1.01	0.96	*9MV*0801716A**
ENH4X42*21**	1.00	0.94	*9MA*0602120A**	EA*4X42*21A*	1.01	0.97	*9MV*0801716A**
ENH4X43*21**	1.02	0.94	*9MA*0602120A**	EHD4X36A**	1.02	0.96	*9MV*0801716A**
ENH4X48*21**	1.02	0.93	*9MA*0602120A**	EHD4X42A**	1.03	0.97	*9MV*0801716A**
EA*4X36*17A*	0.99	0.93	*9MA*0801714A**	EN(A,D)4X36*21**	1.00	0.96	*9MV*0801716A**
EA*4X36*21A*	0.99	0.95	*9MA*0801714A**	EN(A,D)4X37*17**	1.04	0.95	*9MV*0801716A**
EA*4X42*21A*	1.00	0.96	*9MA*0801714A**	EN(A,D,W)4X36*17**	1.00	0.96	*9MV*0801716A**
EHD4X36A**	1.01	0.95	*9MA*0801714A**	EN(A,D,W)4X42*21**	1.01	0.97	*9MV*0801716A**
EHD4X42A**	1.02	0.93	*9MA*0801714A**	END4X42*17**	1.02	0.96	*9MV*0801716A**
EN(A,D)4X36*21**	0.99	0.95	*9MA*0801714A**	ENH4X36*17**	1.00	0.96	*9MV*0801716A**
EN(A,D)4X37*17**	1.02	0.94	*9MA*0801714A**	ENH4X42*21**	1.01	0.97	*9MV*0801716A**
EN(A,D,W)4X36*17**	0.99	0.95	*9MA*0801714A**	ENH4X43*21**	1.04	0.95	*9MV*0801716A**
EN(A,D,W)4X42*21**	1.00	0.96	*9MA*0801714A**	EA*4X36*21A*	1.01	0.95	*9MV*0802120A**
EN(A,D,W)4X48*21**	1.01	0.93	*9MA*0801714A**	EA*4X42*21A*	1.01	0.93	*9MV*0802120A**
END4X42*17**	1.01	0.95	*9MA*0801714A**	EA*4X42*24A*	1.01	0.93	*9MV*0802120A**
ENH4X36*17**	0.99	0.95	*9MA*0801714A**	EA*4X48*21A*	1.02	0.93	*9MV*0802120A**
ENH4X42*21**	1.00	0.96	*9MA*0801714A**	EHD4X36A**	1.02	0.93	*9MV*0802120A**
ENH4X43*21**	1.02	0.94	*9MA*0801714A**	EHD4X42A**	1.03	0.93	*9MV*0802120A**
ENH4X48*21**	1.01	0.93	*9MA*0801714A**	EN(A,D)4X36*21**	0.99	0.93	*9MV*0802120A**
EA*4X36*21A*	1.00	0.92	*9MA*0802120A**	EN(A,D)4X43*24**	1.04	0.95	*9MV*0802120A**
EA*4X42*21A*	1.01	0.92	*9MA*0802120A**	EN(A,D,W)4X42*21**	1.01	0.95	*9MV*0802120A**
EA*4X42*24A*	1.01	0.92	*9MA*0802120A**	EN(A,D,W)4X48*21**	1.03	0.94	*9MV*0802120A**
EA*4X48*21A*	1.02	0.93	*9MA*0802120A**	ENH4X42*21**	1.01	0.95	*9MV*0802120A**
EHD4X36A**	1.02	0.93	*9MA*0802120A**	ENH4X43*21**	1.04	0.93	*9MV*0802120A**
EHD4X42A**	1.02	0.92	*9MA*0802120A**	EA*4X36*21A*	1.01	0.92	*9MV*1002120A**
EHD4X48A**	1.02	0.94	*9MA*0802120A**	EA*4X42*21A*	1.01	0.93	*9MV*1002120A**
EN(A,D)4X36*21**	0.99	0.93	*9MA*0802120A**	EA*4X42*24A*	1.01	0.93	*9MV*1002120A**
EN(A,D)4X43*24**	1.03	0.94	*9MA*0802120A**	EA*4X48*21A*	1.02	0.93	*9MV*1002120A**
EN(A,D,W)4X42*21**	1.01	0.92	*9MA*0802120A**	EHD4X36A**	1.02	0.93	*9MV*1002120A**
EN(A,D,W)4X48*21**	1.02	0.93	*9MA*0802120A**	EHD4X42A**	1.02	0.92	*9MV*1002120A**
ENH4X42*21**	1.01	0.92	*9MA*0802120A**	EN(A,D)4X36*21**	0.99	0.93	*9MV*1002120A**
ENH4X43*21**	1.03	0.93	*9MA*0802120A**	EN(A,D)4X43*24**	1.04	0.95	*9MV*1002120A**

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A336A(G)KB3 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EN(A,D,W)4X42*21**	1.01	0.92	*9MV*1002120A**	EHD4X48A**	1.04	0.95	MV12**17C*
EN(A,D,W)4X48*21**	1.03	0.94	*9MV*1002120A**	EN(A,D)4X36*21**	1.01	0.96	MV12**17C*
ENH4X42*21**	1.01	0.92	*9MV*1002120A**	EN(A,D)4X37*17**	1.04	0.94	MV12**17C*
ENH4X43*21**	1.04	0.93	*9MV*1002120A**	EN(A,D,W)4X36*17**	1.01	0.95	MV12**17C*
EA*4X42*24A*	1.01	0.93	*9MV*1202422A**	EN(A,D,W)4X42*21**	1.02	0.93	MV12**17C*
EHD4X36A**	1.02	0.94	*9MV*1202422A**	EN(A,D,W)4X48*21**	1.04	0.95	MV12**17C*
EHD4X42A**	1.03	0.93	*9MV*1202422A**	END4X42*17**	1.02	0.94	MV12**17C*
EN(A,D)4X43*24**	1.04	0.94	*9MV*1202422A**	ENH4X36*17**	1.01	0.95	MV12**17C*
EA*4X36*17A*	1.00	0.96	*9MX*0601714A**	ENH4X42*21**	1.02	0.93	MV12**17C*
EA*4X36*21A*	1.00	0.96	*9MX*0601714A**	ENH4X43*21**	1.04	0.95	MV12**17C*
EA*4X42*21A*	1.01	0.96	*9MX*0601714A**	ENH4X48*21**	1.04	0.95	MV12**17C*
EHD4X36A**	1.02	0.96	*9MX*0601714A**	EA*4X36*21A*	1.01	0.93	MV16**21C*
EHD4X42A**	1.03	0.97	*9MX*0601714A**	EA*4X42*21A*	1.02	0.92	MV16**21C*
EN(A,D)4X36*21**	0.99	0.99	*9MX*0601714A**	EA*4X42*24A*	1.02	0.93	MV16**21C*
EN(A,D)4X37*17**	1.04	0.97	*9MX*0601714A**	EA*4X48*21A*	1.03	0.94	MV16**21C*
EN(A,D,W)4X36*17**	0.99	0.97	*9MX*0601714A**	EA*4X48*24A*	1.03	0.94	MV16**21C*
EN(A,D,W)4X42*21**	1.01	0.96	*9MX*0601714A**	EHD4X36A**	1.03	0.93	MV16**21C*
EN(A,D,W)4X48*21**	1.02	0.98	*9MX*0601714A**	EHD4X42A**	1.04	0.93	MV16**21C*
END4X42*17**	1.02	0.97	*9MX*0601714A**	EHD4X48A**	1.04	0.95	MV16**21C*
ENH4X36*17**	0.99	0.97	*9MX*0601714A**	EN(A,D)4X36*21**	1.01	0.95	MV16**21C*
ENH4X42*21**	1.01	0.96	*9MX*0601714A**	EN(A,D)4X43*24**	1.04	0.92	MV16**21C*
ENH4X43*21**	1.04	0.99	*9MX*0601714A**	EN(A,D)4X48*24**	1.03	0.94	MV16**21C*
ENH4X48*21**	1.02	0.98	*9MX*0601714A**	EN(A,D,W)4X42*21**	1.02	0.93	MV16**21C*
EA*4X36*17A*	0.99	0.93	*9MX*0801716A**	EN(A,D,W)4X48*21**	1.03	0.94	MV16**21C*
EA*4X36*21A*	1.00	0.96	*9MX*0801716A**	ENH4X42*21**	1.02	0.93	MV16**21C*
EA*4X42*21A*	1.01	0.96	*9MX*0801716A**	ENH4X43*21**	1.04	0.92	MV16**21C*
EHD4X36A**	1.02	0.96	*9MX*0801716A**	ENH4X48*21**	1.03	0.94	MV16**21C*
EHD4X42A**	1.02	0.94	*9MX*0801716A**	EA*4X42*24A*	1.01	0.91	MV20**24C*
EN(A,D)4X36*21**	0.99	0.95	*9MX*0801716A**	EA*4X48*24A*	1.02	0.94	MV20**24C*
EN(A,D)4X37*17**	1.03	0.94	*9MX*0801716A**	EHD4X36A**	1.02	0.92	MV20**24C*
EN(A,D,W)4X36*17**	0.99	0.95	*9MX*0801716A**	EHD4X42A**	1.03	0.93	MV20**24C*
EN(A,D,W)4X42*21**	1.01	0.96	*9MX*0801716A**	EHD4X48A**	1.04	0.95	MV20**24C*
EN(A,D,W)4X48*21**	1.02	0.94	*9MX*0801716A**	EN(A,D)4X43*24**	1.04	0.92	MV20**24C*
END4X42*17**	1.01	0.95	*9MX*0801716A**	EN(A,D)4X48*24**	1.03	0.94	MV20**24C*
ENH4X36*17**	0.99	0.95	*9MX*0801716A**	EA*4X36*17A*	0.99	0.93	NOMV106D12*
ENH4X42*21**	1.01	0.96	*9MX*0801716A**	EHD4X36A**	1.01	0.95	NOMV106D12*
ENH4X43*21**	1.04	0.95	*9MX*0801716A**	EHD4X42A**	1.02	0.93	NOMV106D12*
ENH4X48*21**	1.02	0.94	*9MX*0801716A**	EN(A,D)4X37*17**	1.02	0.94	NOMV106D12*
EA*4X36*21A*	1.02	0.96	*9MX*1002120A**	EN(A,D,W)4X36*17**	0.99	0.95	NOMV106D12*
EA*4X42*21A*	1.03	0.97	*9MX*1002120A**	END4X42*17**	1.01	0.95	NOMV106D12*
EA*4X42*24A*	1.03	0.98	*9MX*1002120A**	ENH4X36*17**	1.01	0.95	NOMV106D12*
EHD4X36A**	1.04	0.95	*9MX*1002120A**	EA*4X36*21A*	1.00	0.94	NOMV156E19*
EHD4X42A**	1.05	0.96	*9MX*1002120A**	EA*4X42*21A*	1.01	0.95	NOMV156E19*
EN(A,D)4X36*21**	1.01	0.95	*9MX*1002120A**	EHD4X36A**	1.02	0.93	NOMV156E19*
EN(A,D)4X43*24**	1.06	0.97	*9MX*1002120A**	EHD4X42A**	1.02	0.94	NOMV156E19*
EN(A,D,W)4X42*21**	1.02	0.96	*9MX*1002120A**	EN(A,D)4X36*21**	0.99	0.93	NOMV156E19*
ENH4X42*21**	1.02	0.96	*9MX*1002120A**	EN(A,D,W)4X42*21**	1.01	0.95	NOMV156E19*
ENH4X43*21**	1.06	0.95	*9MX*1002120A**	ENH4X42*21**	1.01	0.95	NOMV156E19*
EA*4X36*14A*	1.00	0.94	MV08**14C*	ENH4X43*21**	1.03	0.93	NOMV156E19*
EA*4X36*17A*	1.00	0.96	MV08**14C*	EN(A,D)4X36*21**	0.99	0.99	OLV098A12*
EA*4X48*17A*	1.03	0.94	MV08**14C*	EN(A,D)4X37*17**	1.03	0.98	OLV098A12*
EHD4X36A**	1.02	0.94	MV08**14C*	EN(A,D,W)4X36*17**	0.99	0.99	OLV098A12*
EHD4X42A**	1.03	0.94	MV08**14C*	EN(A,D,W)4X42*21**	1.00	0.96	OLV098A12*
EHD4X48A**	1.03	0.94	MV08**14C*	END4X42*17**	1.01	0.97	OLV098A12*
EN(A,D)4X37*17**	1.04	0.95	MV08**14C*	EA*4X36*21A*	1.01	0.95	OLV112A16A
EN(A,D,W)4X36*17**	1.00	0.96	MV08**14C*	EA*4X42*21A*	1.01	0.95	OLV112A16A
END4X42*17**	1.02	0.93	MV08**14C*	EHD4X36A**	1.03	0.97	OLV112A16A
ENH4X36*17**	1.00	0.96	MV08**14C*	EHD4X42A**	1.04	0.97	OLV112A16A
EA*4X36*17A*	1.01	0.95	MV12**17C*	EN(A,D)4X36*21**	1.00	0.96	OLV112A16A
EA*4X36*21A*	1.01	0.93	MV12**17C*	EN(A,D)4X43*24**	1.04	0.95	OLV112A16A
EA*4X42*21A*	1.02	0.93	MV12**17C*	EN(A,D,W)4X42*21**	1.01	0.97	OLV112A16A
EA*4X48*17A*	1.04	0.95	MV12**17C*	ENH4X42*21**	1.01	0.97	OLV112A16A
EA*4X48*21A*	1.03	0.94	MV12**17C*	ENH4X43*21**	1.04	0.95	OLV112A16A
EHD4X36A**	1.03	0.93	MV12**17C*	EA*4X42*24A*	1.04	0.95	OLV154F20A
EHD4X42A**	1.04	0.93	MV12**17C*	EHD4X36A**	1.05	0.96	OLV154F20A

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A336A(G)KB3 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EHD4X42A**	1.05	0.97	OLV154F20A	EA*4X36*21A*	1.00	1.00	
EN(A,D)4X43*24**	1.06	0.95	OLV154F20A	EA*4X42*21A*	1.01	1.01	
EHD4X36A**	1.02	0.97	OMV098J12*	EA*4X42*24A*	1.01	1.01	
EHD4X42A**	1.02	0.98	OMV098J12*	EA*4X48*17A*	1.04	1.04	
EN(A,D)4X36*21**	0.99	0.99	OMV098J12*	EA*4X48*21A*	1.03	1.03	
EN(A,D)4X37*17**	1.03	0.98	OMV098J12*	EA*4X48*24A*	1.03	1.03	
EN(A,D,W)4X36*17**	0.99	0.99	OMV098J12*	EHD4X36A**	1.03	1.01	
EN(A,D,W)4X42*21**	1.01	0.96	OMV098J12*	EHD4X36A**	1.02	0.97	OMV098J12A
END4X42*17**	1.01	0.97	OMV098J12*	EHD4X36A**	1.02	0.97	OLV098A12A
ENH4X36*17**	0.99	0.99	OMV098J12*	EHD4X42A**	1.04	1.02	
ENH4X42*21**	1.01	0.96	OMV098J12*	EHD4X42A**	1.02	0.96	OMV098J12A
ENH4X43*21**	1.03	0.98	OMV098J12*	EHD4X42A**	1.02	0.96	OLV098A12A
EA*4X36*17A*	1.00	0.96	OMV112K14A	EMA4X36D**	1.00	1.00	
EHD4X36A**	1.02	0.96	OMV112K14A	EN(A,D)4X36*21**	1.00	1.00	
EHD4X42A**	1.03	0.94	OMV112K14A	EN(A,D)4X37*17**	1.04	1.01	
EN(A,D)4X36*21**	1.00	0.96	OMV112K14A	EN(A,D)4X37*17**	1.03	0.97	OMV098J12A
EN(A,D)4X37*17**	1.04	0.95	OMV112K14A	EN(A,D)4X37*17**	1.03	0.97	OLV098A12A
EN(A,D,W)4X36*17**	1.00	0.96	OMV112K14A	EN(A,D)4X43*24**	1.04	1.01	
EN(A,D,W)4X42*21**	1.01	0.97	OMV112K14A	EN(A,D,W)4X36*17**	1.00	1.00	
END4X42*17**	1.02	0.96	OMV112K14A	EN(A,D,W)4X36*17**	0.99	0.97	OMV098J12A
ENH4X36*17**	1.00	0.96	OMV112K14A	EN(A,D,W)4X36*17**	0.99	0.97	OLV098A12A
ENH4X42*21**	1.01	0.97	OMV112K14A	EN(A,D,W)4X42*21**	1.02	1.02	
ENH4X43*21**	1.04	0.95	OMV112K14A	EN(A,D,W)4X48*21**	1.03	1.03	
EA*4X42*24A*	1.01	0.93	OMV154L20A	END4X42*17**	1.02	1.01	
EHD4X36A**	1.02	0.94	OMV154L20A	END4X42*17**	1.01	0.97	OMV098J12A
EHD4X42A**	1.03	0.93	OMV154L20A	END4X42*17**	1.01	0.97	OLV098A12A
EN(A,D)4X43*24**	1.04	0.94	OMV154L20A	ENH4X36*17**	0.99	0.97	OMV098J12A
EA*4X36*14A*	1.00	1.00		ENH4X36*17**	0.99	0.97	OLV098A12A
EA*4X36*17A*	0.99	0.97	OMV098J12A	ENH4X42*21**	1.02	1.02	
EA*4X36*17A*	0.99	0.97	OLV098A12A	ENH4X43*21**	1.04	1.01	

* Tested Combination

N4A342

EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES deg F																	
		75			85			95			105			115			125		
CFM	EWB	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW
		Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens	
N4A342A(G)KA* Outdoor Section With EB*4X42J Indoor Section																			
1225	72	48.65	25.59	3.45	46.41	24.73	3.68	44.15	23.88	4.08	41.78	23.00	4.51	39.23	22.06	4.99	36.40	21.03	5.51
	67	44.62	31.50	3.40	42.55	30.62	3.66	40.47	29.75	4.06	38.27	28.85	4.50	35.92	27.90	4.98	33.34	26.87	5.50
	63	41.68	30.56	3.35	39.82	29.72	3.70	37.85	28.84	4.08	35.76	27.91	4.51	33.53	26.94	4.97	31.08	25.89	5.48
	62	40.98	37.36	3.35	39.11	36.47	3.65	37.25	35.56	4.04	35.32	34.59	4.48	33.39	33.39	4.97	31.42	31.42	5.50
	57	39.89	39.89	3.33	38.36	38.36	3.64	36.82	36.82	4.04	35.18	35.18	4.48	33.40	33.40	4.97	31.42	31.42	5.50
1400	72	49.36	26.72	3.54	47.04	25.86	3.76	44.69	24.99	4.15	42.24	24.10	4.59	39.60	23.15	5.06	36.68	22.11	5.58
	67	45.32	33.35	3.48	43.17	32.47	3.74	41.00	31.58	4.13	38.74	30.68	4.57	36.32	29.72	5.05	33.67	28.67	5.58
	63	42.37	32.31	3.44	40.44	31.45	3.79	38.40	30.56	4.17	36.25	29.64	4.59	33.95	28.65	5.06	31.43	27.57	5.56
	62	41.84	39.94	3.43	39.95	38.98	3.73	38.08	38.08	4.12	36.38	36.38	4.56	34.49	34.49	5.05	32.37	32.37	5.57
	57	41.42	41.42	3.43	39.79	39.79	3.72	38.14	38.14	4.12	36.39	36.39	4.56	34.49	34.49	5.05	32.38	32.38	5.57
1575	72	49.90	27.82	3.62	47.50	26.94	3.84	45.08	26.07	4.23	42.57	25.17	4.66	39.86	24.21	5.14	36.86	23.16	5.66
	67	45.85	35.16	3.57	43.63	34.27	3.82	41.41	33.39	4.21	39.10	32.47	4.65	36.63	31.49	5.13	33.92	30.40	5.65
	63	42.90	34.01	3.52	40.92	33.16	3.87	38.83	32.26	4.25	36.63	31.32	4.68	34.28	30.31	5.14	31.71	29.19	5.64
	62	42.68	42.28	3.52	40.93	40.93	3.80	39.20	39.20	4.20	37.35	37.35	4.64	35.35	35.35	5.12	33.12	33.12	5.65
	57	42.66	42.66	3.52	40.94	40.94	3.80	39.20	39.20	4.20	37.35	37.35	4.64	35.35	35.35	5.12	33.12	33.12	5.65

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A342

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
*ED*4X42J**	1.00	1.00		FS(M,U)4P42**A*	1.00	1.00	
FEM4P42**A*	1.00	0.96		FS(M,U)4P42**A*	1.01	1.01	
FEM4P42**A*	1.01	0.97		FS(M,U)4P48**A*	1.02	1.02	
FEM4P48**A*	1.00	0.96		FS(M,U)4P48**A*	1.02	1.02	
FEM4P48**A*	1.01	0.97		FVM4X48****	1.01	0.93	

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A342 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
FVM4X60****	1.04	0.95		EA*4X48*24A*	1.00	0.92	*8MV*1352422**
FXM4X42**A*	1.01	0.97		EHD4X42A**	1.00	0.92	*8MV*1352422**
FXM4X48**A*	1.02	0.94		EHD4X48A**	1.01	0.93	*8MV*1352422**
FXM4X60**A*	1.04	0.95		EN(A,D)4X43*24**	1.01	0.93	*8MV*1352422**
EA*4X42*21A*	0.98	0.96	*8MX*0701716**	EN(A,D)4X48*24**	1.00	0.94	*8MV*1352422**
EA*4X48*17A*	1.00	0.97	*8MX*0701716**	ENH4X43*21**	1.01	0.93	*8MV*1352422**
EHD4X42A**	1.00	0.97	*8MX*0701716**	EA*4X42*21A*	0.98	0.96	*9MX*0601714A**
EHD4X48A**	1.01	0.99	*8MX*0701716**	EA*4X48*17A*	1.00	0.96	*9MX*0601714A**
END4X42*17**	0.99	0.97	*8MX*0701716**	EA*4X48*21A*	0.99	0.95	*9MX*0601714A**
ENH4X42*21**	0.98	0.96	*8MX*0701716**	EHD4X42A**	1.00	0.96	*9MX*0601714A**
ENH4X43*21**	1.01	1.01	*8MX*0701716**	EHD4X48A**	1.00	0.96	*9MX*0601714A**
ENH4X48*21**	1.00	0.98	*8MX*0701716**	EN(A,D,W)4X42*21**	0.98	0.96	*9MX*0601714A**
EA*4X42*21A*	0.99	0.93	*8MX*0902116**	EN(A,D,W)4X48*21**	1.00	0.96	*9MX*0601714A**
EA*4X42*24A*	0.99	0.93	*8MX*0902116**	END4X42*17**	0.99	0.95	*9MX*0601714A**
EA*4X48*24A*	1.00	0.94	*8MX*0902116**	ENH4X42*21**	0.98	0.96	*9MX*0601714A**
EHD4X42A**	1.00	0.94	*8MX*0902116**	ENH4X43*21**	1.01	0.97	*9MX*0601714A**
EHD4X48A**	1.01	0.93	*8MX*0902116**	ENH4X48*21**	1.00	0.96	*9MX*0601714A**
EN(A,D)4X43*24**	1.01	0.93	*8MX*0902116**	EA*4X42*21A*	0.98	0.94	*9MX*0801716A**
EN(A,D,W)4X42*21**	0.99	0.93	*8MX*0902116**	EA*4X48*17A*	1.00	0.96	*9MX*0801716A**
EN(A,D,W)4X48*21**	1.00	0.92	*8MX*0902116**	EA*4X48*21A*	1.00	0.96	*9MX*0801716A**
ENH4X42*21**	0.99	0.93	*8MX*0902116**	EHD4X42A**	1.00	0.96	*9MX*0801716A**
ENH4X43*21**	1.01	0.93	*8MX*0902116**	EHD4X48A**	1.00	0.96	*9MX*0801716A**
ENH4X48*21**	1.00	0.92	*8MX*0902116**	EN(A,D,W)4X42*21**	0.98	0.96	*9MX*0801716A**
EA*4X42*21A*	0.99	0.93	*8MX*1102120**	EN(A,D,W)4X48*21**	1.00	0.96	*9MX*0801716A**
EA*4X42*24A*	0.99	0.93	*8MX*1102120**	END4X42*17**	0.99	0.95	*9MX*0801716A**
EA*4X48*24A*	1.00	0.92	*8MX*1102120**	ENH4X42*21**	0.98	0.96	*9MX*0801716A**
EHD4X42A**	1.01	0.93	*8MX*1102120**	ENH4X43*21**	1.01	0.97	*9MX*0801716A**
EHD4X48A**	1.01	0.93	*8MX*1102120**	ENH4X48*21**	1.00	0.96	*9MX*0801716A**
EN(A,D)4X43*24**	1.01	0.93	*8MX*1102120**	EA*4X42*21A*	0.99	0.94	*9MX*0802120A**
EN(A,D,W)4X42*21**	0.99	0.91	*8MX*1102120**	EA*4X42*24A*	0.99	0.94	*9MX*0802120A**
EN(A,D,W)4X48*21**	1.00	0.92	*8MX*1102120**	EA*4X48*21A*	1.00	0.94	*9MX*0802120A**
ENH4X42*21**	0.99	0.91	*8MX*1102120**	EA*4X48*24A*	1.00	0.94	*9MX*0802120A**
ENH4X43*21**	1.01	0.93	*8MX*1102120**	EHD4X42A**	1.01	0.95	*9MX*0802120A**
ENH4X48*21**	1.00	0.92	*8MX*1102120**	EHD4X48A**	1.01	0.95	*9MX*0802120A**
EA*4X42*24A*	0.99	0.93	*8MX*1352420**	EN(A,D)4X43*24**	1.02	0.94	*9MX*0802120A**
EA*4X48*24A*	1.00	0.92	*8MX*1352420**	EN(A,D)4X48*24**	1.01	0.95	*9MX*0802120A**
EHD4X42A**	1.00	0.92	*8MX*1352420**	EN(A,D,W)4X42*21**	0.99	0.94	*9MX*0802120A**
EHD4X48A**	1.01	0.93	*8MX*1352420**	EN(A,D,W)4X48*21**	1.01	0.95	*9MX*0802120A**
EN(A,D)4X43*24**	1.01	0.93	*8MX*1352420**	ENH4X42*21**	0.99	0.94	*9MX*0802120A**
EN(A,D)4X48*24**	1.00	0.92	*8MX*1352420**	ENH4X43*21**	1.02	0.94	*9MX*0802120A**
ENH4X42*21**	0.99	0.93	*8MX*1352420**	ENH4X48*21**	1.01	0.95	*9MX*0802120A**
ENH4X43*21**	1.01	0.93	*8MX*1352420**	EA*4X42*21A*	0.99	0.93	*9MX*1002120A**
ENH4X48*21**	1.00	0.92	*8MX*1352420**	EA*4X42*24A*	0.99	0.93	*9MX*1002120A**
EA*4X48*17A*	1.00	0.96	*8MV*0701412**	EA*4X48*21A*	1.00	0.94	*9MX*1002120A**
EHD4X42A**	1.00	0.96	*8MV*0701412**	EA*4X48*24A*	1.00	0.92	*9MX*1002120A**
EHD4X48A**	1.00	0.96	*8MV*0701412**	EHD4X42A**	1.00	0.92	*9MX*1002120A**
ENH4X42*21**	0.99	0.97	*8MV*0701412**	EHD4X48A**	1.01	0.93	*9MX*1002120A**
ENH4X43*21**	1.01	0.97	*8MV*0701412**	EN(A,D)4X43*24**	1.02	0.94	*9MX*1002120A**
ENH4X48*21**	1.00	0.98	*8MV*0701412**	EN(A,D)4X48*24**	1.00	0.92	*9MX*1002120A**
EA*4X42*21A*	0.98	0.92	*8MV*0901716**	EN(A,D,W)4X42*21**	0.98	0.92	*9MX*1002120A**
EA*4X48*17A*	1.00	0.94	*8MV*0901716**	EN(A,D,W)4X48*21**	1.00	0.92	*9MX*1002120A**
EHD4X42A**	1.00	0.94	*8MV*0901716**	ENH4X42*21**	0.98	0.92	*9MX*1002120A**
EHD4X48A**	1.00	0.94	*8MV*0901716**	ENH4X43*21**	1.01	0.93	*9MX*1002120A**
END4X42*17**	0.99	0.93	*8MV*0901716**	ENH4X48*21**	1.00	0.92	*9MX*1002120A**
ENH4X43*21**	1.01	0.93	*8MV*0901716**	EA*4X42*24A*	0.99	0.92	*9MX*1202422A**
EA*4X42*21A*	0.98	0.92	*8MV*1102120**	EA*4X48*24A*	1.01	0.94	*9MX*1202422A**
EA*4X42*24A*	0.98	0.92	*8MV*1102120**	EHD4X42A**	1.01	0.94	*9MX*1202422A**
EA*4X48*24A*	1.00	0.92	*8MV*1102120**	EHD4X48A**	1.01	0.94	*9MX*1202422A**
EHD4X42A**	1.00	0.94	*8MV*1102120**	EN(A,D)4X43*24**	1.02	0.94	*9MX*1202422A**
EHD4X48A**	1.01	0.95	*8MV*1102120**	EN(A,D)4X48*24**	1.01	0.94	*9MX*1202422A**
EN(A,D)4X43*24**	1.01	0.93	*8MV*1102120**	ENH4X42*21**	0.99	0.94	*9MX*1202422A**
EN(A,D,W)4X42*21**	0.99	0.94	*8MV*1102120**	ENH4X43*21**	1.02	0.94	*9MX*1202422A**
EN(A,D,W)4X48*21**	1.00	0.96	*8MV*1102120**	ENH4X48*21**	1.01	0.94	*9MX*1202422A**
ENH4X43*21**	1.01	0.93	*8MV*1102120**	EA*4X42*21A*	0.98	0.96	*9MV*0601714A**
EA*4X42*24A*	0.99	0.91	*8MV*1352422**	EA*4X48*17A*	1.00	0.96	*9MV*0601714A**

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A342 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EA*4X48*21A*	0.99	0.95	*9MV*0601714A**	ENH4X48*21**	0.99	0.95	*9MA*0601714A**
EHD4X42A**	1.00	0.96	*9MV*0601714A**	EA*4X42*21A*	0.98	0.94	*9MA*0801714A**
EHD4X48A**	1.00	0.96	*9MV*0601714A**	EA*4X48*17A*	0.99	0.94	*9MA*0801714A**
EN(A,D,W)4X42*21**	0.98	0.96	*9MV*0601714A**	EA*4X48*21A*	0.99	0.94	*9MA*0801714A**
EN(A,D,W)4X48*21**	1.00	0.96	*9MV*0601714A**	EHD4X42A**	0.99	0.94	*9MA*0801714A**
END4X42*17**	0.99	0.97	*9MV*0601714A**	EHD4X48A**	1.00	0.96	*9MA*0801714A**
ENH4X42*21**	0.98	0.96	*9MV*0601714A**	EN(A,D,W)4X42*21**	0.98	0.94	*9MA*0801714A**
ENH4X43*21**	1.00	0.96	*9MV*0601714A**	EN(A,D,W)4X48*21**	0.99	0.94	*9MA*0801714A**
ENH4X48*21**	1.00	0.96	*9MV*0601714A**	END4X42*17**	0.98	0.94	*9MA*0801714A**
EA*4X42*21A*	0.98	0.94	*9MV*0801716A**	ENH4X42*21**	0.98	0.94	*9MA*0801714A**
EA*4X48*17A*	1.00	0.96	*9MV*0801716A**	ENH4X43*21**	1.00	0.93	*9MA*0801714A**
EA*4X48*21A*	0.99	0.95	*9MV*0801716A**	ENH4X48*21**	0.99	0.94	*9MA*0801714A**
EHD4X42A**	1.00	0.96	*9MV*0801716A**	EA*4X42*21A*	0.98	0.92	*9MA*0802120A**
EHD4X48A**	1.00	0.96	*9MV*0801716A**	EA*4X42*24A*	0.98	0.92	*9MA*0802120A**
EN(A,D,W)4X42*21**	0.98	0.94	*9MV*0801716A**	EA*4X48*21A*	0.99	0.93	*9MA*0802120A**
EN(A,D,W)4X48*21**	1.00	0.96	*9MV*0801716A**	EA*4X48*24A*	0.99	0.93	*9MA*0802120A**
END4X42*17**	0.99	0.95	*9MV*0801716A**	EHD4X42A**	1.00	0.94	*9MA*0802120A**
ENH4X42*21**	0.98	0.94	*9MV*0801716A**	EHD4X48A**	1.00	0.92	*9MA*0802120A**
ENH4X43*21**	1.01	0.94	*9MV*0801716A**	EN(A,D)4X43*24**	1.00	0.92	*9MA*0802120A**
ENH4X48*21**	1.00	0.96	*9MV*0801716A**	EN(A,D)4X48*24**	0.99	0.91	*9MA*0802120A**
EA*4X42*21A*	0.98	0.92	*9MV*0802120A**	EN(A,D,W)4X42*21**	0.98	0.93	*9MA*0802120A**
EA*4X42*24A*	0.99	0.93	*9MV*0802120A**	EN(A,D,W)4X48*21**	0.99	0.91	*9MA*0802120A**
EA*4X48*21A*	1.00	0.94	*9MV*0802120A**	ENH4X42*21**	0.98	0.93	*9MA*0802120A**
EA*4X48*24A*	1.00	0.94	*9MV*0802120A**	ENH4X43*21**	1.00	0.92	*9MA*0802120A**
EHD4X42A**	1.00	0.94	*9MV*0802120A**	ENH4X48*21**	0.99	0.91	*9MA*0802120A**
EHD4X48A**	1.01	0.93	*9MV*0802120A**	EA*4X42*21A*	0.99	0.93	*9MA*1002122A**
EN(A,D)4X43*24**	1.01	0.93	*9MV*0802120A**	EA*4X42*24A*	0.99	0.93	*9MA*1002122A**
EN(A,D)4X48*24**	1.00	0.94	*9MV*0802120A**	EA*4X48*21A*	1.00	0.93	*9MA*1002122A**
EN(A,D,W)4X42*21**	0.98	0.93	*9MV*0802120A**	EA*4X48*24A*	1.00	0.92	*9MA*1002122A**
EN(A,D,W)4X48*21**	1.00	0.94	*9MV*0802120A**	EHD4X42A**	1.00	0.92	*9MA*1002122A**
ENH4X42*21**	0.98	0.93	*9MV*0802120A**	EHD4X48A**	1.01	0.93	*9MA*1002122A**
ENH4X43*21**	1.01	0.93	*9MV*0802120A**	EN(A,D)4X43*24**	1.01	0.93	*9MA*1002122A**
ENH4X48*21**	1.00	0.94	*9MV*0802120A**	EN(A,D)4X48*24**	1.00	0.92	*9MA*1002122A**
EA*4X42*21A*	0.98	0.92	*9MV*1002120A**	EN(A,D,W)4X42*21**	0.99	0.93	*9MA*1002122A**
EA*4X42*24A*	0.99	0.93	*9MV*1002120A**	EN(A,D,W)4X48*21**	1.00	0.92	*9MA*1002122A**
EA*4X48*21A*	1.00	0.94	*9MV*1002120A**	ENH4X42*21**	0.99	0.93	*9MA*1002122A**
EA*4X48*24A*	1.00	0.92	*9MV*1002120A**	ENH4X43*21**	1.01	0.93	*9MA*1002122A**
EHD4X42A**	1.00	0.92	*9MV*1002120A**	ENH4X48*21**	1.00	0.92	*9MA*1002122A**
EHD4X48A**	1.00	0.92	*9MV*1002120A**	EA*4X42*24A*	0.98	0.91	*9MA*1202422A**
EN(A,D)4X43*24**	1.01	0.93	*9MV*1002120A**	EHD4X42A**	1.00	0.92	*9MA*1202422A**
EN(A,D)4X48*24**	1.00	0.92	*9MV*1002120A**	EHD4X48A**	1.00	0.92	*9MA*1202422A**
EN(A,D,W)4X42*21**	0.98	0.92	*9MV*1002120A**	EN(A,D)4X43*24**	1.01	0.93	*9MA*1202422A**
EN(A,D,W)4X48*21**	1.00	0.92	*9MV*1002120A**	EN(A,D)4X48*24**	0.99	0.91	*9MA*1202422A**
ENH4X42*21**	0.98	0.92	*9MV*1002120A**	ENH4X42*21**	0.98	0.91	*9MA*1202422A**
ENH4X43*21**	1.01	0.93	*9MV*1002120A**	ENH4X43*21**	1.00	0.92	*9MA*1202422A**
ENH4X48*21**	1.00	0.92	*9MV*1002120A**	ENH4X48*21**	0.99	0.91	*9MA*1202422A**
EA*4X42*24A*	0.99	0.92	*9MV*1202422A**	EA*4X42*21A*	0.96	0.92	*9MA*0602120A**
EA*4X48*24A*	1.00	0.93	*9MV*1202422A**	EA*4X42*24A*	0.98	0.93	*9MA*0602120A**
EHD4X42A**	1.00	0.93	*9MV*1202422A**	EA*4X48*21A*	0.99	0.94	*9MA*0602120A**
EHD4X48A**	1.00	0.92	*9MV*1202422A**	EA*4X48*24A*	0.99	0.94	*9MA*0602120A**
EN(A,D)4X43*24**	1.01	0.93	*9MV*1202422A**	EHD4X42A**	0.99	0.94	*9MA*0602120A**
EN(A,D)4X48*24**	1.00	0.92	*9MV*1202422A**	EHD4X48A**	1.00	0.94	*9MA*0602120A**
ENH4X42*21**	0.98	0.91	*9MV*1202422A**	EN(A,D)4X43*24**	1.00	0.94	*9MA*0602120A**
ENH4X43*21**	1.00	0.92	*9MV*1202422A**	EN(A,D)4X48*24**	0.99	0.93	*9MA*0602120A**
ENH4X48*21**	1.00	0.92	*9MV*1202422A**	EN(A,D,W)4X42*21**	0.98	0.95	*9MA*0602120A**
EA*4X42*21A*	0.96	0.93	*9MA*0601714A**	EN(A,D,W)4X48*21**	0.99	0.93	*9MA*0602120A**
EA*4X48*17A*	0.99	0.95	*9MA*0601714A**	ENH4X42*21**	0.98	0.95	*9MA*0602120A**
EA*4X48*21A*	0.99	0.95	*9MA*0601714A**	ENH4X43*21**	1.00	0.94	*9MA*0602120A**
EHD4X42A**	0.99	0.95	*9MA*0601714A**	ENH4X48*21**	0.99	0.93	*9MA*0602120A**
EHD4X48A**	0.99	0.95	*9MA*0601714A**	EHD4X42A**	1.01	0.99	OLV112A16A
EN(A,D,W)4X42*21**	0.96	0.95	*9MA*0601714A**	EHD4X48A**	1.01	0.99	OLV112A16A
EN(A,D,W)4X48*21**	0.99	0.95	*9MA*0601714A**	EN(A,D)4X43*24**	1.02	0.98	OLV112A16A
END4X42*17**	0.98	0.94	*9MA*0601714A**	EN(A,D)4X48*24**	1.00	0.96	OLV112A16A
ENH4X42*21**	0.96	0.95	*9MA*0601714A**	EN(A,D,W)4X42*21**	0.99	0.99	OLV112A16A
ENH4X43*21**	1.00	0.96	*9MA*0601714A**				

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A342 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EN(A,D,W)4X48*21**	1.00	0.96	OLV112A16A	EHD4X42A**	1.01	0.93	MV20**24C*
ENH4X42*21**	0.99	0.99	OLV112A16A	EHD4X48A**	1.01	1.01	
ENH4X43*21**	1.01	0.97	OLV112A16A	EHD4X48A**	1.01	0.95	MV12**17C*
ENH4X48*21**	1.00	0.96	OLV112A16A	EHD4X48A**	1.01	0.93	MV16**21C*
EHD4X42A**	1.02	0.96	OLV154F20A	EHD4X48A**	1.01	0.93	MV20**24C*
EHD4X48A**	1.04	0.97	OLV154F20A	EHD4X60A**	1.02	0.94	MV12**17C*
EN(A,D)4X43*24**	1.04	0.95	OLV154F20A	EHD4X60A**	1.02	0.92	MV16**21C*
EN(A,D)4X48*24**	1.02	0.96	OLV154F20A	EHD4X60A**	1.02	0.92	MV20**24C*
ENH4X42*21**	1.00	0.98	OLV154F20A	EMA4X48D**	1.01	1.01	
ENH4X43*21**	1.04	0.97	OLV154F20A	EN(A,D)4X43*24**	1.01	1.01	
ENH4X48*21**	1.02	0.96	OLV154F20A	EN(A,D)4X43*24**	1.02	0.92	MV16**21C*
EHD4X42A**	1.00	0.96	OMV112K14A	EN(A,D)4X43*24**	1.01	0.91	MV20**24C*
EHD4X48A**	1.00	0.96	OMV112K14A	EN(A,D)4X48*24**	1.01	1.01	
EN(A,D,W)4X42*21**	0.98	0.96	OMV112K14A	EN(A,D)4X48*24**	1.01	0.93	MV16**21C*
EN(A,D,W)4X48*21**	1.00	0.96	OMV112K14A	EN(A,D)4X48*24**	1.00	0.92	MV20**24C*
END4X42*17**	0.99	0.97	OMV112K14A	EN(A,D)4X61*24**	1.04	0.93	MV16**21C*
ENH4X42*21**	0.98	0.96	OMV112K14A	EN(A,D)4X61*24**	1.02	0.92	MV20**24C*
ENH4X43*21**	1.01	0.95	OMV112K14A	EN(A,D,W)4X42*21**	1.00	1.00	
ENH4X48*21**	1.00	0.96	OMV112K14A	EN(A,D,W)4X42*21**	0.99	0.94	MV12**17C*
EA*4X42*21A*	1.00	1.00		EN(A,D,W)4X42*21**	0.99	0.93	MV16**21C*
EA*4X42*21A*	0.99	0.93	MV12**17C*	EN(A,D,W)4X48*21**	1.01	1.01	
EA*4X42*21A*	0.99	0.93	MV16**21C*	EN(A,D,W)4X48*21**	1.00	0.94	MV12**17C*
EA*4X42*24A*	1.00	1.00		EN(A,D,W)4X48*21**	1.01	0.93	MV16**21C*
EA*4X42*24A*	0.99	0.93	MV16**21C*	EN(A,D,W)4X60*24**	1.02	0.92	MV16**21C*
EA*4X42*24A*	0.99	0.93	MV20**24C*	EN(A,D,W)4X60*24**	1.02	0.92	MV20**24C*
EA*4X48*17A*	0.99	0.99		END4X42*17**	1.00	1.00	
EA*4X48*17A*	1.01	0.95	MV12**17C*	END4X42*17**	1.00	0.94	MV12**17C*
EA*4X48*21A*	1.01	1.01		ENH4X42*21**	1.00	1.00	
EA*4X48*21A*	1.00	0.94	MV12**17C*	ENH4X42*21**	0.99	0.94	MV12**17C*
EA*4X48*21A*	1.00	0.92	MV16**21C*	ENH4X42*21**	0.99	0.93	MV16**21C*
EA*4X48*24A*	1.01	1.01		ENH4X43*21**	1.01	1.01	
EA*4X48*24A*	1.01	0.93	MV16**21C*	ENH4X43*21**	1.02	0.94	MV12**17C*
EA*4X48*24A*	1.00	0.92	MV20**24C*	ENH4X43*21**	1.02	0.94	MV16**21C*
EA*4X60*21A*	1.02	0.94	MV12**17C*	ENH4X48*21**	1.01	1.01	
EA*4X60*21A*	1.02	0.92	MV16**21C*	ENH4X48*21**	1.00	0.94	MV12**17C*
EA*4X60*24A*	1.02	0.92	MV16**21C*	ENH4X48*21**	1.01	0.93	MV16**21C*
EA*4X60*24A*	1.02	0.92	MV20**24C*	ENH4X60*24**	1.02	0.92	MV16**21C*
EHD4X42A**	1.00	1.00		ENH4X60*24**	1.02	0.92	MV20**24C*
EHD4X42A**	1.01	0.95	MV12**17C*	ENH4X61*24**	1.02	0.92	MV16**21C*
EHD4X42A**	1.01	0.93	MV16**21C*	ENH4X61*24**	1.02	0.92	MV20**24C*

* Tested Combination

N4A348																							
EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES deg F																					
		75				85				95				105				115				125	
		CFM	EWB	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW		
				Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens		Total	Sens
N4A348A(G)KB3 Outdoor Section With EA*4X48*21A Indoor Section																							
1400	72	54.48	26.42	3.38	52.18	25.62	3.74	49.73	24.77	4.13	47.13	23.89	4.56	44.34	22.96	5.03	41.30	21.95	5.55				
	67	49.80	32.57	3.36	47.63	31.74	3.71	45.34	30.88	4.10	42.93	29.97	4.53	40.34	29.02	5.01	37.58	28.02	5.53				
	63	46.42	31.55	3.34	44.36	30.70	3.69	42.19	29.82	4.08	39.89	28.90	4.52	37.46	27.94	5.00	34.91	26.94	5.51				
	62	45.58	38.68	3.34	43.61	37.81	3.69	41.55	36.89	4.08	39.45	39.21	4.52	37.47	37.47	5.00	35.38	35.38	5.51				
	57	44.55	44.55	3.33	42.94	42.94	3.69	41.23	41.23	4.08	39.42	39.42	4.52	37.47	37.47	4.99	35.39	35.39	5.51				
1600	72	55.34	27.67	3.47	52.95	26.86	3.82	50.42	26.01	4.21	47.73	25.12	4.64	44.84	24.17	5.11	41.69	23.15	5.63				
	67	50.63	34.61	3.44	48.38	33.76	3.79	46.00	32.88	4.18	43.51	31.98	4.61	40.84	31.01	5.09	38.00	29.98	5.61				
	63	47.22	33.46	3.42	45.08	32.60	3.77	42.83	31.71	4.17	40.47	30.78	4.60	37.96	29.80	5.08	35.33	28.77	5.59				
	62	46.58	41.42	3.42	44.61	44.23	3.77	42.74	42.74	4.16	40.82	40.82	4.60	38.75	38.75	5.08	36.51	36.51	5.60				
	57	46.27	46.27	3.42	44.56	44.56	3.77	42.75	42.75	4.16	40.82	40.82	4.60	38.75	38.75	5.08	36.52	36.52	5.60				
1800	72	55.96	28.85	3.55	53.51	28.03	3.90	50.90	27.17	4.29	48.15	26.28	4.72	45.18	25.32	5.19	41.94	24.28	5.70				
	67	51.22	36.53	3.52	48.91	35.69	3.87	46.48	34.81	4.26	43.93	33.88	4.69	41.20	32.89	5.17	38.30	31.83	5.68				
	63	47.80	35.26	3.50	45.61	34.40	3.85	43.31	33.50	4.25	40.89	32.56	4.68	38.33	31.55	5.16	35.64	30.47	5.67				
	62	47.66	47.66	3.50	45.87	45.87	3.86	43.97	43.97	4.25	41.94	41.94	4.68	39.77	39.77	5.16	37.41	37.41	5.68				
	57	47.67	47.67	3.50	45.88	45.88	3.86	43.97	43.97	4.25	41.95	41.95	4.68	39.77	39.77	5.16	37.41	37.41	5.68				

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A348							
COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
*EA*4X48*21A*	1.00	1.00		EHD4X48A**	0.99	0.95	*8MX*1352420**
FCM4X48****	1.01	0.95		EHD4X60A**	1.01	0.95	*8MX*1352420**
FCM4X60****	1.02	0.92		EN(A,D)4X48*24**	0.99	0.95	*8MX*1352420**
FEM4P48**A*	0.99	0.99		EN(A,D)4X61*24**	1.02	0.96	*8MX*1352420**
FEM4X48**A*	1.02	0.98		EN(A,D,W)4X60*24**	1.01	0.95	*8MX*1352420**
FEM4X48**B*	0.99	0.96		ENH4X60*24**	1.01	0.95	*8MX*1352420**
FEM4X60**A*	1.03	0.97		ENH4X61*24**	1.01	0.95	*8MX*1352420**
FEM4X60**B*	1.01	0.97		EA*4X48*21A*	0.97	0.95	*9MA*0602120A**
FS(M,U)4P48**A*	1.01	1.01		EA*4X48*24A*	0.97	0.97	*9MA*0602120A**
FS(M,U)4X60**A*	1.02	1.02		EA*4X60*21A*	0.99	0.96	*9MA*0602120A**
FVM4X48****	1.01	0.95		EA*4X60*24A*	0.99	0.95	*9MA*0602120A**
FVM4X60****	1.02	0.92		EHD4X48A**	0.98	0.95	*9MA*0602120A**
FXM4X48**A*	1.02	0.96		EHD4X60A**	0.99	0.95	*9MA*0602120A**
FXM4X60**A*	1.03	0.95		EN(A,D)4X48*24**	0.97	0.97	*9MA*0602120A**
EA*4X48*17A*	0.98	0.95	*8MV*0901716**	EN(A,D)4X61*24**	1.00	0.96	*9MA*0602120A**
EA*4X48*21A*	0.98	0.98	*8MV*0901716**	EN(A,D,W)4X48*21**	0.97	0.94	*9MA*0602120A**
EA*4X60*21A*	1.00	0.96	*8MV*0901716**	EN(A,D,W)4X60*24**	0.99	0.95	*9MA*0602120A**
EHD4X48A**	0.99	0.96	*8MV*0901716**	ENH4X48*21**	0.97	0.94	*9MA*0602120A**
EHD4X60A**	1.00	0.94	*8MV*0901716**	ENH4X60*24**	0.99	0.95	*9MA*0602120A**
ENH4X48*21**	0.98	0.98	*8MV*0901716**	ENH4X61*24**	0.99	0.95	*9MA*0602120A**
EA*4X48*21A*	0.98	0.95	*8MV*1102120**	EA*4X48*21A*	0.97	0.94	*9MA*0802120A**
EA*4X48*24A*	0.98	0.98	*8MV*1102120**	EA*4X48*24A*	0.97	0.93	*9MA*0802120A**
EA*4X60*21A*	1.00	0.94	*8MV*1102120**	EA*4X60*21A*	0.99	0.93	*9MA*0802120A**
EA*4X60*24A*	1.00	0.96	*8MV*1102120**	EA*4X60*24A*	0.99	0.95	*9MA*0802120A**
EHD4X48A**	0.99	0.95	*8MV*1102120**	EHD4X48A**	0.98	0.94	*9MA*0802120A**
EHD4X60A**	1.00	0.94	*8MV*1102120**	EHD4X60A**	1.00	0.94	*9MA*0802120A**
EN(A,D)4X61*24**	1.01	0.97	*8MV*1102120**	EN(A,D)4X48*24**	0.98	0.94	*9MA*0802120A**
EN(A,D,W)4X48*21**	0.98	0.94	*8MV*1102120**	EN(A,D)4X61*24**	1.00	0.96	*9MA*0802120A**
ENH4X48*21**	0.98	0.94	*8MV*1102120**	EN(A,D,W)4X48*21**	0.98	0.94	*9MA*0802120A**
ENH4X60*24**	1.00	0.96	*8MV*1102120**	EN(A,D,W)4X60*24**	0.99	0.95	*9MA*0802120A**
ENH4X61*24**	1.00	0.96	*8MV*1102120**	ENH4X48*21**	0.98	0.94	*9MA*0802120A**
EA*4X48*24A*	0.98	0.94	*8MV*1352422**	ENH4X60*24**	0.99	0.95	*9MA*0802120A**
EA*4X60*24A*	1.00	0.94	*8MV*1352422**	ENH4X61*24**	1.00	0.96	*9MA*0802120A**
EHD4X48A**	0.99	0.95	*8MV*1352422**	EA*4X48*21A*	0.98	0.94	*9MA*1002122A**
EHD4X60A**	1.01	0.95	*8MV*1352422**	EA*4X48*24A*	0.98	0.94	*9MA*1002122A**
EN(A,D)4X48*24**	0.99	0.93	*8MV*1352422**	EA*4X60*21A*	1.00	0.94	*9MA*1002122A**
EN(A,D)4X61*24**	1.01	0.93	*8MV*1352422**	EA*4X60*24A*	1.00	0.96	*9MA*1002122A**
EN(A,D,W)4X60*24**	1.00	0.94	*8MV*1352422**	EHD4X48A**	0.99	0.95	*9MA*1002122A**
ENH4X60*24**	1.00	0.94	*8MV*1352422**	EHD4X60A**	1.01	0.95	*9MA*1002122A**
ENH4X61*24**	1.01	0.95	*8MV*1352422**	EN(A,D)4X48*24**	0.98	0.94	*9MA*1002122A**
EHD4X60A**	1.00	1.00	*8MX*0701716**	EN(A,D)4X61*24**	1.01	0.93	*9MA*1002122A**
EA*4X48*21A*	0.98	0.95	*8MX*0902116**	EN(A,D,W)4X48*21**	0.98	0.94	*9MA*1002122A**
EA*4X48*24A*	0.98	0.98	*8MX*0902116**	EN(A,D,W)4X60*24**	1.00	0.96	*9MA*1002122A**
EA*4X60*21A*	1.00	0.96	*8MX*0902116**	ENH4X48*21**	0.98	0.94	*9MA*1002122A**
EA*4X60*24A*	1.01	0.97	*8MX*0902116**	ENH4X60*24**	1.00	0.96	*9MA*1002122A**
EHD4X48A**	0.99	0.95	*8MX*0902116**	ENH4X61*24**	1.00	0.96	*9MA*1002122A**
EHD4X60A**	1.01	0.95	*8MX*0902116**	EA*4X48*24A*	0.97	0.93	*9MA*1202422A**
EN(A,D)4X61*24**	1.02	0.98	*8MX*0902116**	EA*4X60*24A*	0.99	0.93	*9MA*1202422A**
EN(A,D,W)4X48*21**	0.99	0.95	*8MX*0902116**	EHD4X48A**	0.99	0.95	*9MA*1202422A**
ENH4X48*21**	0.99	0.95	*8MX*0902116**	EHD4X60A**	1.00	0.94	*9MA*1202422A**
ENH4X60*24**	1.01	0.97	*8MX*0902116**	EN(A,D)4X48*24**	0.98	0.94	*9MA*1202422A**
ENH4X61*24**	1.01	0.97	*8MX*0902116**	EN(A,D)4X61*24**	1.00	0.94	*9MA*1202422A**
EA*4X48*21A*	0.98	0.94	*8MX*1102120**	EN(A,D,W)4X60*24**	0.99	0.93	*9MA*1202422A**
EA*4X48*24A*	0.98	0.94	*8MX*1102120**	ENH4X60*24**	0.99	0.93	*9MA*1202422A**
EA*4X60*21A*	1.00	0.94	*8MX*1102120**	ENH4X61*24**	1.00	0.94	*9MA*1202422A**
EA*4X60*24A*	1.01	0.97	*8MX*1102120**	EA*4X48*17A*	0.98	0.98	*9MV*0801716A**
EHD4X48A**	0.99	0.93	*8MX*1102120**	EA*4X60*21A*	1.00	1.00	*9MV*0801716A**
EHD4X60A**	1.01	0.93	*8MX*1102120**	EHD4X48A**	0.99	0.97	*9MV*0801716A**
EN(A,D)4X61*24**	1.02	0.94	*8MX*1102120**	EHD4X60A**	1.00	0.97	*9MV*0801716A**
EN(A,D,W)4X48*21**	0.99	0.93	*8MX*1102120**	EN(A,D,W)4X48*21**	0.98	0.98	*9MV*0801716A**
ENH4X48*21**	0.99	0.93	*8MX*1102120**	ENH4X48*21**	0.98	0.98	*9MV*0801716A**
ENH4X60*24**	1.01	0.97	*8MX*1102120**	EA*4X48*21A*	0.98	0.95	*9MV*0802120A**
ENH4X61*24**	1.01	0.97	*8MX*1102120**	EA*4X48*24A*	0.98	0.98	*9MV*0802120A**
EA*4X48*21A*	0.98	0.94	*8MX*1352420**	EA*4X60*21A*	1.00	0.94	*9MV*0802120A**
EA*4X48*24A*	0.98	0.94	*8MX*1352420**	EA*4X60*24A*	1.00	0.96	*9MV*0802120A**
EA*4X60*21A*	1.00	0.95	*8MX*1352420**				

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A348 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EHD4X48A**	0.99	0.95	*9MV*0802120A**	EA*4X48*24A*	0.98	0.95	*9MX*1202422A**
EHD4X60A**	1.01	0.95	*9MV*0802120A**	EA*4X60*24A*	1.01	0.95	*9MX*1202422A**
EN(A,D)4X48*24**	0.98	0.94	*9MV*0802120A**	EHD4X48A**	0.99	0.95	*9MX*1202422A**
EN(A,D)4X61*24**	1.01	0.97	*9MV*0802120A**	EHD4X60A**	1.01	0.95	*9MX*1202422A**
EN(A,D,W)4X48*21**	0.98	0.94	*9MV*0802120A**	EN(A,D)4X48*24**	0.99	0.95	*9MX*1202422A**
EN(A,D,W)4X60*24**	1.00	0.96	*9MV*0802120A**	EN(A,D)4X61*24**	1.02	0.96	*9MX*1202422A**
ENH4X48*21**	0.98	0.94	*9MV*0802120A**	EN(A,D,W)4X60*24**	1.01	0.95	*9MX*1202422A**
ENH4X60*24**	1.00	0.96	*9MV*0802120A**	ENH4X60*24**	1.01	0.95	*9MX*1202422A**
ENH4X61*24**	1.00	0.96	*9MV*0802120A**	ENH4X61*24**	1.01	0.95	*9MX*1202422A**
EA*4X48*21A*	0.98	0.95	*9MV*1002120A**	EA*4X48*21A*	0.99	0.95	MV16**21C*
EA*4X48*24A*	0.98	0.94	*9MV*1002120A**	EA*4X48*24A*	0.99	0.95	MV16**21C*
EA*4X60*21A*	1.00	0.94	*9MV*1002120A**	EA*4X60*21A*	1.01	0.95	MV16**21C*
EA*4X60*24A*	1.00	0.96	*9MV*1002120A**	EA*4X60*24A*	1.01	0.97	MV16**21C*
EHD4X48A**	0.99	0.95	*9MV*1002120A**	EHD4X48A**	1.00	0.94	MV16**21C*
EHD4X60A**	1.01	0.95	*9MV*1002120A**	EHD4X60A**	1.01	0.93	MV16**21C*
EN(A,D)4X48*24**	0.99	0.95	*9MV*1002120A**	EN(A,D)4X48*24**	0.99	0.95	MV16**21C*
EN(A,D)4X61*24**	1.01	0.97	*9MV*1002120A**	EN(A,D)4X61*24**	1.02	0.94	MV16**21C*
EN(A,D,W)4X48*21**	0.99	0.95	*9MV*1002120A**	EN(A,D,W)4X48*21**	0.99	0.93	MV16**21C*
EN(A,D,W)4X60*24**	1.00	0.96	*9MV*1002120A**	EN(A,D,W)4X60*24**	1.01	0.97	MV16**21C*
ENH4X48*21**	0.99	0.95	*9MV*1002120A**	ENH4X48*21**	0.99	0.93	MV16**21C*
ENH4X60*24**	1.00	0.96	*9MV*1002120A**	ENH4X60*24**	1.01	0.97	MV16**21C*
ENH4X61*24**	1.00	0.96	*9MV*1002120A**	ENH4X61*24**	1.01	0.97	MV16**21C*
EA*4X48*24A*	0.98	0.95	*9MV*1202422A**	EA*4X48*24A*	0.98	0.92	MV20**24C*
EA*4X60*24A*	1.00	0.94	*9MV*1202422A**	EA*4X60*24A*	1.00	0.94	MV20**24C*
EHD4X48A**	0.99	0.95	*9MV*1202422A**	EHD4X48A**	0.99	0.93	MV20**24C*
EHD4X60A**	1.01	0.95	*9MV*1202422A**	EHD4X60A**	1.01	0.93	MV20**24C*
EN(A,D)4X48*24**	0.99	0.95	*9MV*1202422A**	EN(A,D)4X48*24**	0.99	0.93	MV20**24C*
EN(A,D)4X61*24**	1.02	0.96	*9MV*1202422A**	EN(A,D)4X61*24**	1.01	0.93	MV20**24C*
EN(A,D,W)4X60*24**	1.00	0.94	*9MV*1202422A**	EN(A,D,W)4X60*24**	1.00	0.94	MV20**24C*
ENH4X60*24**	1.00	0.94	*9MV*1202422A**	ENH4X60*24**	1.00	0.94	MV20**24C*
ENH4X61*24**	1.00	0.94	*9MV*1202422A**	ENH4X61*24**	1.00	0.94	MV20**24C*
EA*4X48*17A*	0.98	0.98	*9MX*0801716A**	EA*4X48*21A*	0.98	0.95	NOMV156E19*
EA*4X48*21A*	0.97	0.97	*9MX*0801716A**	EA*4X60*21A*	1.00	0.96	NOMV156E19*
EA*4X60*21A*	0.99	0.99	*9MX*0801716A**	EHD4X48A**	0.99	0.96	NOMV156E19*
EHD4X48A**	0.99	0.97	*9MX*0801716A**	EHD4X60A**	1.00	0.94	NOMV156E19*
EHD4X60A**	1.00	0.97	*9MX*0801716A**	EN(A,D,W)4X48*21**	0.98	0.95	NOMV156E19*
EN(A,D,W)4X48*21**	0.98	0.98	*9MX*0801716A**	ENH4X48*21**	0.98	0.95	NOMV156E19*
ENH4X48*21**	0.98	0.98	*9MX*0801716A**	EA*4X48*21A*	0.99	0.99	OLV112A16A
EA*4X48*21A*	0.98	0.95	*9MX*0802120A**	EA*4X60*21A*	1.00	0.98	OLV112A16A
EA*4X48*24A*	0.98	0.98	*9MX*0802120A**	EHD4X48A**	0.99	0.99	OLV112A16A
EA*4X60*21A*	1.00	0.96	*9MX*0802120A**	EHD4X60A**	1.01	0.99	OLV112A16A
EA*4X60*24A*	1.00	0.96	*9MX*0802120A**	EN(A,D)4X61*24**	1.01	1.01	OLV112A16A
EHD4X48A**	0.99	0.95	*9MX*0802120A**	EN(A,D,W)4X48*21**	0.99	0.99	OLV112A16A
EHD4X60A**	1.01	0.95	*9MX*0802120A**	EN(A,D,W)4X60*24**	1.00	1.00	OLV112A16A
EN(A,D)4X48*24**	0.99	0.99	*9MX*0802120A**	ENH4X48*21**	0.99	0.99	OLV112A16A
EN(A,D)4X61*24**	1.02	0.98	*9MX*0802120A**	EA*4X48*24A*	1.00	0.98	OLV154F20A
EN(A,D,W)4X48*21**	0.99	0.96	*9MX*0802120A**	EA*4X60*24A*	1.02	0.99	OLV154F20A
EN(A,D,W)4X60*24**	1.00	0.96	*9MX*0802120A**	EHD4X48A**	1.01	0.99	OLV154F20A
ENH4X48*21**	0.99	0.96	*9MX*0802120A**	EHD4X60A**	1.03	0.99	OLV154F20A
ENH4X60*24**	1.00	0.96	*9MX*0802120A**	EN(A,D)4X48*24**	1.00	0.98	OLV154F20A
ENH4X61*24**	1.01	0.97	*9MX*0802120A**	EN(A,D)4X61*24**	1.03	0.99	OLV154F20A
EA*4X48*21A*	0.98	0.95	*9MX*1002120A**	EN(A,D,W)4X60*24**	1.02	0.99	OLV154F20A
EA*4X48*24A*	0.98	0.94	*9MX*1002120A**	ENH4X60*24**	1.02	0.99	OLV154F20A
EA*4X60*21A*	1.00	0.94	*9MX*1002120A**	ENH4X61*24**	1.02	0.99	OLV154F20A
EA*4X60*24A*	1.00	0.96	*9MX*1002120A**	EA*4X48*24A*	0.98	0.94	OMV154L20A
EHD4X48A**	0.99	0.95	*9MX*1002120A**	EA*4X60*24A*	1.00	0.94	OMV154L20A
EHD4X60A**	1.01	0.95	*9MX*1002120A**	EHD4X48A**	0.99	0.95	OMV154L20A
EN(A,D)4X48*24**	0.99	0.95	*9MX*1002120A**	EHD4X60A**	1.01	0.95	OMV154L20A
EN(A,D)4X61*24**	1.02	0.98	*9MX*1002120A**	EN(A,D)4X48*24**	0.99	0.95	OMV154L20A
EN(A,D,W)4X48*21**	0.99	0.95	*9MX*1002120A**	EN(A,D)4X61*24**	1.01	0.95	OMV154L20A
EN(A,D,W)4X60*24**	1.00	0.96	*9MX*1002120A**	EN(A,D,W)4X60*24**	1.00	0.94	OMV154L20A
ENH4X48*21**	0.99	0.95	*9MX*1002120A**	ENH4X60*24**	1.00	0.94	OMV154L20A
ENH4X60*24**	1.00	0.96	*9MX*1002120A**	ENH4X61*24**	1.01	0.95	OMV154L20A
ENH4X61*24**	1.01	0.97	*9MX*1002120A**	EA*4X48*17A*	0.98	0.98	
EA*4X48*17A*	0.98	0.98	*9MX*1002120A**	EA*4X48*24A*	1.00	1.00	

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A348 (continued)							
COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EA*4X60*21A*	1.01	0.99		EN(A,D)4X61*24**	1.02	0.99	
EA*4X60*24A*	1.01	0.99		EN(A,D,W)4X48*21**	1.00	1.00	
EHD4X48A**	1.00	1.00		EN(A,D,W)4X60*24**	1.01	0.99	
EHD4X60A**	1.02	1.00		ENH4X48*21**	1.00	1.00	
EMA4X48D**	0.98	0.98		ENH4X60*24**	1.01	0.99	
EN(A,D)4X48*24**	1.00	1.00		ENH4X61*24**	1.02	1.00	

* Tested Combination

N4A360																			
EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES deg F																	
		75		85		95		105		115		125							
CFM	EWB	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW	Capacity MBtuh		Total System KW
		Total	Sens	Total	Sens	Total	Sens	Total	Sens	Total	Sens	Total	Sens	Total	Sens	Total	Sens	Total	Sens
N4A360A(G)KC4 Outdoor Section With EA*4X60*24A* Indoor Section																			
1750	72	68.71	34.82	4.37	65.76	33.74	4.81	62.59	32.60	5.30	59.21	31.39	5.84	55.54	30.09	6.42	51.41	28.66	7.05
	67	63.16	43.00	4.29	60.43	41.90	4.74	57.50	40.73	5.23	54.39	39.50	5.77	51.03	38.20	6.36	47.32	36.77	6.99
	63	59.15	41.80	4.24	56.59	40.69	4.68	53.84	39.50	5.18	50.92	38.26	5.72	47.79	36.96	6.31	44.36	35.54	6.95
	62	58.14	51.13	4.23	55.65	49.99	4.67	53.01	48.77	5.16	50.27	47.45	5.71	47.55	47.55	6.31	44.70	44.70	6.96
	57	56.63	56.63	4.21	54.60	54.60	4.66	52.42	52.42	5.16	50.09	50.09	5.71	47.55	47.55	6.31	44.71	44.71	6.96
2000	72	69.71	36.45	4.48	66.67	35.37	4.92	63.38	34.20	5.41	59.88	32.98	5.95	56.07	31.67	6.53	51.80	30.21	7.15
	67	64.15	45.67	4.40	61.31	44.55	4.85	58.27	43.36	5.34	55.05	42.13	5.87	51.58	40.80	6.46	47.74	39.34	7.10
	63	60.14	44.30	4.35	57.47	43.18	4.79	54.61	41.98	5.28	51.60	40.73	5.82	48.36	39.39	6.42	44.82	37.93	7.06
	62	59.33	54.75	4.34	56.80	53.54	4.78	54.23	54.23	5.28	51.77	51.77	5.83	49.05	49.05	6.42	45.99	45.99	7.07
	57	58.75	58.75	4.33	56.59	56.59	4.78	54.26	54.26	5.28	51.77	51.77	5.83	49.05	49.05	6.42	46.00	46.00	7.07
2250	72	70.44	37.99	4.59	67.31	36.90	5.03	63.93	35.73	5.52	60.33	34.49	6.05	56.41	33.16	6.63	52.03	31.69	7.25
	67	64.85	48.20	4.51	61.94	47.09	4.95	58.82	45.89	5.44	55.52	44.63	5.98	51.96	43.27	6.56	48.04	41.75	7.20
	63	60.84	46.68	4.45	58.11	45.56	4.90	55.17	44.34	5.39	52.08	43.07	5.93	48.77	41.69	6.52	45.14	40.17	7.16
	62	60.44	60.44	4.45	58.18	58.18	4.90	55.72	55.72	5.40	53.10	53.10	5.94	50.23	50.23	6.54	46.99	46.99	7.18
	57	60.47	60.47	4.45	58.19	58.19	4.90	55.73	55.73	5.40	53.10	53.10	5.94	50.23	50.23	6.54	47.00	47.00	7.18

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A360							
COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
*EA*4X60*24A*	1.00	1.00		EA*4X60*21A*	0.98	0.97	*9MA*1002122A**
FCM4X60****	1.01	0.95		EA*4X60*24A*	0.98	0.98	*9MA*1002122A**
FEM4X60**A*	1.02	0.97		EHD4X60A**	0.99	0.97	*9MA*1002122A**
FEM4X60**B*	0.99	0.97		EN(A,D)4X61*24**	1.00	1.00	*9MA*1002122A**
FVM4X60***	1.01	0.95		EN(A,D,W)4X60*24**	0.98	0.98	*9MA*1002122A**
FXM4X60**A*	1.01	0.95		ENH4X60*24**	0.98	0.98	*9MA*1002122A**
EA*4X60*21A*	0.98	0.97	*8MV*1102120**	ENH4X61*24**	0.99	0.99	*9MA*1002122A**
EHD4X60A**	0.99	0.97	*8MV*1102120**	EA*4X60*24A*	0.98	0.97	*9MA*1202422A**
ENH4X61*24**	0.99	0.99	*8MV*1102120**	EHD4X60A**	0.98	0.96	*9MA*1202422A**
EA*4X60*24A*	0.99	0.97	*8MV*1352422**	EN(A,D)4X61*24**	0.99	0.97	*9MA*1202422A**
EHD4X60A**	0.99	0.97	*8MV*1352422**	EN(A,D,W)4X60*24**	0.98	0.97	*9MA*1202422A**
EN(A,D)4X61*24**	1.00	0.96	*8MV*1352422**	ENH4X60*24**	0.98	0.97	*9MA*1202422A**
EN(A,D,W)4X60*24**	0.98	0.96	*8MV*1352422**	ENH4X61*24**	0.98	0.97	*9MA*1202422A**
ENH4X60*24**	0.98	0.96	*8MV*1352422**	EA*4X60*21A*	0.98	0.98	*9MV*0802120A**
ENH4X61*24**	0.99	0.97	*8MV*1352422**	EHD4X60A**	0.99	0.99	*9MV*0802120A**
EA*4X60*21A*	0.98	0.96	*8MX*1102120**	EA*4X60*21A*	0.98	0.97	*9MV*1002120A**
EA*4X60*24A*	0.99	0.99	*8MX*1102120**	EHD4X60A**	0.99	0.97	*9MV*1002120A**
EHD4X60A**	0.99	0.97	*8MX*1102120**	EN(A,D)4X61*24**	1.00	1.00	*9MV*1002120A**
ENH4X60*24**	0.99	0.99	*8MX*1102120**	EA*4X60*24A*	0.98	0.98	*9MV*1202422A**
ENH4X61*24**	0.99	0.99	*8MX*1102120**	EHD4X60A**	0.99	0.97	*9MV*1202422A**
EA*4X60*24A*	0.98	0.96	*8MX*1352420**	EN(A,D)4X61*24**	1.00	0.98	*9MV*1202422A**
EHD4X60A**	0.99	0.97	*8MX*1352420**	EN(A,D,W)4X60*24**	0.98	0.98	*9MV*1202422A**
EN(A,D)4X61*24**	1.00	0.97	*8MX*1352420**	ENH4X60*24**	0.98	0.98	*9MV*1202422A**
EN(A,D,W)4X60*24**	0.98	0.96	*8MX*1352420**	ENH4X61*24**	0.99	0.99	*9MV*1202422A**
ENH4X60*24**	0.98	0.96	*8MX*1352420**	EA*4X60*21A*	0.98	0.97	*9MX*0802120A**
ENH4X61*24**	0.98	0.96	*8MX*1352420**	EHD4X60A**	0.98	0.97	*9MX*0802120A**
EA*4X60*21A*	0.97	0.97	*9MA*0602120A**	EN(A,D)4X61*24**	0.99	0.99	*9MX*0802120A**
EHD4X60A**	0.97	0.97	*9MA*0602120A**	EA*4X60*21A*	0.98	0.98	*9MX*1002120A**
EA*4X60*21A*	0.97	0.97	*9MA*0802120A**	EHD4X60A**	0.99	0.97	*9MX*1002120A**
EHD4X60A**	0.98	0.97	*9MA*0802120A**	EN(A,D)4X61*24**	1.00	1.00	*9MX*1002120A**
EN(A,D)4X61*24**	0.99	0.99	*9MA*0802120A**	EA*4X60*24A*	0.98	0.97	*9MX*1202422A**

COOLING MULTIPLIERS FOR COMBINATION RATINGS: N4A360 (continued)

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
EHD4X60A**	0.99	0.97	*9MX*1202422A**	ENH4X60*24**	0.99	0.97	MV20**24C*
EN(A,D)4X61*24**	0.99	0.97	*9MX*1202422A**	ENH4X61*24**	0.99	0.97	MV20**24C*
EN(A,D,W)4X60*24**	0.98	0.97	*9MX*1202422A**	EHD4X60A**	0.99	0.99	NOMV156E19*
ENH4X60*24**	0.98	0.97	*9MX*1202422A**	EA*4X60*24A*	0.98	0.98	OMV154L20A
ENH4X61*24**	0.98	0.97	*9MX*1202422A**	EHD4X60A**	0.99	0.99	OMV154L20A
EA*4X60*21A*	0.99	0.97	MV16**21C*	EN(A,D)4X61*24**	1.00	0.98	OMV154L20A
EA*4X60*24A*	0.99	0.99	MV16**21C*	EN(A,D,W)4X60*24**	0.98	0.98	OMV154L20A
EHD4X60A**	1.00	0.97	MV16**21C*	ENH4X60*24**	0.98	0.98	OMV154L20A
EN(A,D)4X61*24**	1.01	1.01	MV16**21C*	ENH4X61*24**	0.99	0.99	OMV154L20A
EN(A,D,W)4X60*24**	0.99	0.99	MV16**21C*	EA*4X60*21A*	0.99	0.99	
ENH4X60*24**	0.99	0.99	MV16**21C*	EHD4X60A**	1.01	1.01	
ENH4X61*24**	1.00	1.00	MV16**21C*	EN(A,D)4X61*24**	1.02	1.00	
EA*4X60*24A*	0.99	0.97	MV20**24C*	EN(A,D,W)4X60*24**	1.00	1.00	
EHD4X60A**	0.99	0.97	MV20**24C*	ENH4X60*24**	1.00	1.00	
EN(A,D)4X61*24**	1.00	0.97	MV20**24C*	ENH4X61*24**	0.99	0.97	
EN(A,D,W)4X60*24**	0.99	0.97	MV20**24C*				

* Tested Combination

Total sensible capacities are based on net capacities. Blower heat has been subtracted.

Sensible capacities shown are based on 80° F (27° C) entering air at the indoor coil. For sensible capacities at other than 80° F (27° C), deduct 835 Btuh (245 kW) per 1000 CFM (480 L/S) of indoor coil air for each degree below 80° F (27° C), or add 835 Btuh (245 kW) per 1000 CFM (480 L/S) of indoor coil air per degree above 80° F (27° C).

Detailed cooling and heating capacities are based on indoor and outdoor unit at the same elevation per AHRI standard 210/240 -2008. If additional tubing length is required and/or indoor unit is located above outdoor unit, a slight variation in capacity may occur.

System kw is total of indoor and outdoor unit kilowatts.

ACCESSORY USAGE GUIDELINES		
Accessory	REQUIRED FOR LOW-AMBIENT APPLICATIONS {Below 55°F (13°C)}	REQUIRED FOR LONG-LINE APPLICATIONS* {Over 80 ft. (24.4m)}
Crankcase Heater	Yes	Yes
Evaporator Freeze Thermostat	Yes	No
Winter Start Control	Yes **	No
Hard Start Kit (Capacitor & Relay)	Yes	Yes
Low Ambient Kit (Pressure Switch)	Yes	No
Support Feet, 4" (102mm) tall	Recommended	No
Liquid Line Solenoid Valve	No	See Long-Line Application Guideline

* For Line Set lengths between 80 and 200 ft (24.4 and 61m) horizontal, or more than 20 ft (6.1m) indoor-outdoor vertical separation, refer to the Long Line Application Guideline document.

** Can only be installed in conjunction with Low Pressure Switch.

ACCESSORIES		
Part Number	Description	Used On Model Size
NASA003CH	Crankcase Heater for Scroll Compressor (208/230 V)	18, 24, 30
NASA001CH	Crankcase Heater for Scroll Compressor (208/230 V)	36, 42, 48, 60
NASA004CH	Crankcase Heater for Scroll Compressor (460 V)	36
NASA00301CH	Crankcase Heater for Scroll Compressor (460 V)	42, 48, 60
NASA00701CH	Crankcase Heater for Scroll Compressor (575 V)	36
NASA00801CH	Crankcase Heater for Scroll Compressor (575 V)	48, 60
NASA001SC	Start Component – PTC Device	ALL
NASA001FS	Evaporator Freeze Thermostat	ALL
NASA403PS	Low Pressure Switch, AC, R-410A	ALL
NASA401LS	Liquid Line Solenoid Valve, R-410A	ALL
NASA001TD	Time Delay Relay, Indoor Blower	ALL
NASA001WS	Winter Start Control	ALL
NASA001AC	Anti-Cycle Timer (5 minute delay)	ALL
NASA404PS	High Pressure Switch, AC or HP, R-410A	ALL
NASA005SC	Hard Start Kit (Capacitor & Relay)	ALL
NASA401LA	Low Ambient Kit (Pressure Switch), R-410A	ALL
NASA001SF	Support Feet, 4" (102mm) tall	ALL
NASA001SJ	Sound Jacket, Compressor	18, 24, 30, 36, 42, 48
NASA003SJ	Sound Jacket, Compressor	60
EBAC05TXVX	TXV Kit, R-410A – 2005-2009 R-22 TXV Fancoils (air handlers)	18, 24, 30
EBAC06TXVX	TXV Kit, R-410A – 2005-2009 R-22 TXV Fancoils (air handlers)	36, 42
EBAC07TXVX	TXV Kit, R-410A – 2005-2009 R-22 TXV Fancoils (air handlers)	48, 60
NAEA40501TX	TXV Kit, R-410A – 2010 and later Piston Coils	18, 24, 30
NAEA40601TX	TXV Kit, R-410A – 2010 and later Piston Coils	36, 42
NAEA40701TX	TXV Kit, R-410A – 2010 and later Piston Coils	48, 60