

LEXIA FREESTANDING TUB FAUCET WITH HAND SHOWER

SKU: 953765

Code: SHLEFS2000G, SHFSR2000, SHFSR2000WS, SH488887, SH488924, SH488925



FEATURES

Installation Type: Floor
Features: Hand Shower Included; Gooseneck
Design: Modern
Material: Metal
Length: 7-15/16"
Width: 12-3/16"
Height: 44-5/16"
Base Plate Length: 5-7/8"
Assembly Required: Yes
Drain Included: No
Handle Type: Lever
Base Plate Width: 5-7/8"
Hand Shower Hose Length: 60"
Hand Shower Style: Modern
Hand Shower Material: ABS
Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi
Water Supplies Included: Yes
Diverter Included: Yes
Flow Rate: 10.5 gpm (39.8 L/min) @ 80 psi
Height To Spout: 38-15/16"
Spout Reach: 8-11/16"
Ceramic Disc Cartridges: Yes
Hot and Cold Indicators: No
Handle Material: Metal
Tub Faucet Material: Metal

ASME A112.18.1/CSA B125.1

CEC Listed

WaterSense by IAPMO

Massachusetts Accepted

LISTED ID: SHLEFS2000G*, SHFSR2000



REVISED 1/22/2024

LEXIA FREESTANDING TUB FAUCET WITH HAND SHOWER

SKU: 953765

Code: SHLEFS2000G, SHFSR2000, SHFSR2000WS, SH488887, SH488924, SH488925




ADDITIONAL FEATURES

- Spout max. flow rate: 10.5 gpm (39.7 L/min) @ 80 psi.
- Single function hand shower (full spray).
- Integral diverter to hand shower.
- Handshower includes factory installed backflow prevention check valve.
- Optional rough-in valve is required for use.


REVISED 1/22/2024

LEXIA FREESTANDING TUB FAUCET WITH HAND SHOWER





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

LEXIA OPTIONAL FREESTANDING TUB FAUCET ROUGH-IN VALVE



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

LEXIA OPTIONAL FREESTANDING TUB FAUCET ROUGH-IN VALVE WITH STOPS



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.