LEXIA THERMOSTATIC SHOWER SYSTEM WITH 3 BODY SPRAYS, SLIDE BAR AND HAND SHOWER

SKU: 953783

Code: SHLE9009,SH6006,SHRSA122,SHRSB820RG,SHHS4030G,SHH1010,SHWE2040,SHLE9005,SH6103,SHLE9007,SH6040,SHSB3040,SHBS6010E



ASME A112.18.1/CSA B125.1 ASSE 1016 Type T ICC/ANSI A117.1 CEC Listed



FEATURES

Features: Rough-In Included; Hand Shower Included

Material: Metal

Assembly Required: Yes

Shape: Round Handle Type: Lever

Body Spray Flow Rate: 2.5 gpm (9.5 L/min) @ 80 psi

Body Sprays: Yes

Number of Body Sprays: 3

Shower Head Installation Type: Wall

Number of Shower Heads: 1 Shower Head Diameter: 7-7/8" Shower Head Material: ABS Shower Head Spray: Rainfall Shower Arm Included: Yes Shower Arm Extension: 12-3/8" Shower Arm Height: 5-3/8" Shower Head IPS: 1/2" Shower Head Swivel: Yes Slide Bar Length: 28"

Hand Shower Length: 8-7/8"
Hand Shower Hose Length: 60"
Hand Shower Material: ABS

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Diverter Included: Yes Diverter Outlets: 3

Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

LEXIA THERMOSTATIC SHOWER SYSTEM WITH 3 BODY SPRAYS, SLIDE BAR AND HAND SHOWER

SKU: 953783

Code: SHLE9009,SH6006,SHRSA122,SHRSB820RG,SHHS4030G,SHH1010,SHWE2040,SHLE9005,SH6103,SHLE9007,SH6040,SHSB3040,SHBS6010E




ADDITIONAL FEATURES

- Thermostatic technology keeps shower temperature within 1 degree Celsius.
- Temperature outlet factory calibrated to 104 degrees Fahrenheit and can be easily adjusted up or down to user's comfort level.
- Six total settings allow for shared water flow between outlets, giving you the ability to use two functions at once.
- Metal handles.
- Single function shower head (full spray) with easy-clean silicone nozzles.
- Single function hand shower.
- 60" 72" stretchable metal shower hose.
- Adjustable angle for hand shower mount.
- Body spray jet swivels with a 3-9/16" surface area.
- Body spray flow rate: 2.5 gpm (9.5L/min) max @ 80 psi.
- Must be installed in accordance with provided installation instructions.
- Recommended valve installation depth 1-5/8" to 2-3/8"
- Included Rough-in valves:
- Thermostatic rough-in valve features scald guard protection, high temperature limit stop, integral water stops and check valve, a ceramic cartridge, and a bronze valve body.
- Volume control rough-in valve features a ceramic disc cartridge and brass valve body.
- Diverter valve features a ceramic disc cartridge and brass valve body. An available Single-Function Diverter valve Cartridge restricts water flow to one outlet at a time.

REVISED 10/19/2022

LEXIA THERMOSTATIC SHOWER VALVE TRIM


SKU: 953783 SHLE9009




LEXIA THERMOSTATIC SHOWER ROUGH-IN VALVE

SKU: 953783


SH6006





LEXIA 3-WAY IN-WALL SHOWER DIVERTER


SKU: 953783 SHLE9005



LEXIA DIVERTER ROUGH-IN VALVE

SKU: 953783


SH6103






LEXIA IN-WALL SHOWER VOLUME CONTROL TRIM


SKU: 953783 SHLE9007




LEXIA VOLUME CONTROL ROUGH-IN VALVE

SKU: 953783 SH6040









LEXIA WALL-MOUNT SHOWER HEAD


SKU: 953783 SHRSB820RG





LEXIA WALL-MOUNT SHOWER ARM

SKU: 953783 SHRSA122




LEXIA HAND SHOWER

SKU: 953783

SHHS4030G, SHHS4030GZ






LEXIA SLIDE BAR


SKU: 953783


SHSB3040, SHSB3040Z



LEXIA HAND SHOWER HOSE

SKU: 953783 SHH1010







LEXIA ROUND WATER SUPPLY ELBOW

SKU: 953783

SHWE2040, SHWE2040Z





LEXIA BODY SPRAY

SKU: 953783 SHBS6010E

