



Product Catalog

2023

Effective Feb 15th

Schedule 40 _____	6-24
Flexible Series _____	6
Innovator® Cable Series _____	9
9300 Innovator® Shower Drain _____	11
900 Innovator® Series _____	12
900 Innovator® Drain Series _____	16
400 Perfect Fit Series _____	21
600 One-Hole Series _____	22

Tubular Plastic _____	25-27
-----------------------	-------

Tubular Brass _____	28-36
---------------------	-------

Lavatory _____	37-39
----------------	-------

Trim Kits _____	40-51
-----------------	-------

Tub Closures _____	52-53
--------------------	-------

Faceplate Kits _____	54
----------------------	----

Bushings/Accessories _____	55
----------------------------	----

Spec Sheets _____	56-63
-------------------	-------

Terms & Conditions _____	64
--------------------------	----

Freight Allowance _____	64
-------------------------	----

Tech Notes _____	65-66
------------------	-------



Flex
Eliminates Offsets
Page 6

**Innovator
Shower Drain**



New for 2022
Page 11



IdealLav™

Removable Grid
Internal Stopper
Page 38



QuickTrim®
Easy to Change
Finish
Page 48



Universal NuFit®
Makes Old
Drains New
Page 40



901 Innovator®
The Industry Standard
Page 13



Bath Wastes and Trim Kits



Table of Contents

QUICK-FIND PRODUCT NUMBER LOCATOR 4-5

SCHEDULE 40

FLEXIBLE BATH WASTES

WatcoFlex®	Direct Drains with Direct Drain Tee	6
Flex900 Series	Flex916 / Flex924 with Sanitary Tee	7
Flexible Innovator CableFlex® Series	928 / 938 / 948 CableFlex®	8
Flexible Innovator Drain Series	Flex916N & Flex924N	18

INNOVATOR CABLE®

CableFlex®	928 / 938 / 948 CableFlex®	8
Schedule 40 rigid pipe	970 / 980 / 990 Cable	9
Cable Half Kits	971 / 981 / 991 Cable	10

SCHEDULE 40 BATH WASTES

Innovator® Shower Drain	9300 Innovator® Shower Drain	11
900 Series	900 / 902 Innovator® Series	12-14
	915 / 917 / 918 Half Kits with Hub or Spigot Adapters	15
	920 / 921 / 951 / 961 ABS stopper/knob, zinc or brass bodies ..	12-13
	940 / 941 Innovator® Plus Series	12-14
Innovator® Drain Series	900N / 901N / Flex916N / Flex924N / Stoppers	16-17
Perfect Fit Series	400 / 401 Perfect Fit Series	21
600 Series	600 / 601 1-Hole Faceplate Series	22
	Trip Lever / SLIPLOCK® / TURNSTYLE®	23
	620 / 621 / 651 / 661 ABS stopper/knob, zinc or brass bodies ..	23
	610 / 612 / 614 / 615 / 616 / 617 with Hub or Spigot Adapters...	24

TUBULAR PLASTIC

500 Series	500 / 550 / 2-Hole / SLIPLOCK® Bath Wastes	25
	500 / 550 Trip Lever / QUICK ADJUST® / TURNSTYLE®	25
	510 Quarter Kit / 590 / 594 Innovator®	27
	595 Innovator® & 515 Direct Drains	27

TUBULAR BRASS

501 / 502 Series	501 / 551 Series – 502 / 552 Series, 17 & 20-gauge	30-31
Trip-Lever Type	501 / 502 – 551 / 552 QUICK ADJUST® & Trip Lever	30
	501 / 502 – 551 / 552 TURNSTYLE®	33
Tub Closures / Direct Drains	511 Tub Closures – 512 & 593 Innovator® Direct Drains	33
Innovator Brass Drains	591 / 598 – 592 / 599 Innovator® 17 & 20-gauge	34-35
Cable / Chicago-Code	528 / 538 Cable, 20g – 567 / 568 Chicago Code, 17g	36

LAVATORY DRAINS

800 / 801 Series – 700 ABS	37-38
----------------------------------	-------

TRIM KITS / TUB CLOSURES / REPLACEMENT STOPPERS

Trim Kits	Universal NuFit® Trim Kits and Tub Closures	40-45
	NuFit® Trim Kits and Tub Closures	46-47
	QuickTrim® Trim Kits and Tub Closures	48
	528/538 Brass Cable Trim Kits; Innovator Cable Trim Kits	49
	Coarse-Thread / Fine-Thread Innovator® & 1-Hole Trim Kits	51-52
	Trip-Lever Type Trim Kits	54
Tub Closures / Replacement Stoppers / Faceplate Kits		52-53

BUSHINGS / ACCESSORIES

Bushings / Test Kits / Measuring Kits / Miscellaneous	55
---	----

OTHER INFORMATION

Spec Sheets	Schedule 40:56-58 / Tubular Plastic: 60-62 / Brass: 62-63
Carded Packaging (NOTE: Place “-C” at end of part number.)	64
Policies and Miscellaneous Information	64
TechNotes	65-66

Bath Waste Numbering System



Example of Product #:

901 — **FA** — **PVC** — **CP** — ***
 Series Number — Stopper — Material — Finish

1

SERIES

Examples:

FLEX
 FLEX916
 928-CA
 970-CA
 971-CA
 900
 901
 902
 915
 917
 921
 951
 952
 900N
 901N
 902N
 401
 600
 601
 621
 651
 661
 610
 612
 614
 615
 617
 500
 550
 510
 515
 595
 590
 501
 591

Etc.

2

STOPPERS

CA =



CABLE

FA =




FOOT ACTUATED

LT =



LIFT AND TURN

PF =



PRESFLO®

PP =



PUSH PULL®

SL =



SLIP LOCK®

TL =



TRIP LEVER

TQ =



TL QUICK ADJUST®

TS =



TURNSTYLE®

3

TUBING / FITTING MATERIAL



ABS

Acrylonitrile Butadiene
 Styrene
 (Black)



BRS

17-Gauge & 20-Gauge
 Brass Pipe



FLEX

Flexible PVC Pipe
 (Green)



PVC

Polyvinyl Chloride
 (White)

4

FINISHES AVAILABLE



AP

Aged Pewter



BB*

(Champagne Bronze)



BN*

Brushed Nickel



BO

Bone



BS

Biscuit



BZ

Oil-Rubbed Bronze



CB

Chrome Brushed



CP

Chrome Plated



NP*

Nickel Polished



PB*

Polished Brass



WH

White



WI

Wrought
 (Matte Black)



BG

Brushed Gold

* PVD Finish

5 OPTIONS

*** Many options are available and are found throughout the various products.








Product Index

Find products beginning with...

ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE
1		3		3 Cont.		4		5	
10121.....	57	38080.....	51	38317.....	55	400-.....	21	551-TS.....	33
10770.....	52	38090.....	51	38319.....	55	401-.....	21	552-.....	31
10771.....	52	38100BUSH ...	57	38321.....	55	48100.....	47	552-TQ.....	32
11111-SET.....	57	38101.....	57	38325.....	55	48200.....	47	552-TS.....	33
11114.....	57	38102.....	57	38329.....	54	48300.....	47	567.....	36
11519.....	54	38103.....	57	38333.....	54	48301.....	49	568.....	36
11547	41, 43, 45	38104.....	57	38350.....	55	48400.....	47	58080.....	51
11551	41, 43, 45	38105.....	57	38360.....	54	48500.....	47	58190.....	51
11554	41, 43, 45	38106.....	57	38370.....	54	48600.....	47	58220.....	55
11565.....	57	38107.....	57	38375.....	55	487SA-PP....	41-43	58290.....	50
11573.....	57	38108.....	57	38380.....	55	48700-FA....	44-45	58296.....	50
11574.....	57	38109.....	57	38385.....	55	48700-PP....	40-43	58301.....	55
11577.....	57	38110.....	57	38390.....	50	48701-FA....	45	58305.....	54
11579.....	57	38111.....	57	38390W.....	50	48701-PP ...	41-43	58306.....	54
11587.....	57	38112.....	57	38395.....	55	4870N-FA....	44-45	58307.....	55
11594.....	57	38113.....	57	38410.....	54	4870N-PP ...	40-43	58308.....	55
18001.....	56	38114.....	57	38412.....	54	48750-FA....	44-45	58309.....	55
18002.....	56	38115.....	57	38420.....	51	48750-PP....	40-43	58317.....	55
18003.....	56	38116.....	57	38433.....	50	48751-FA....	45	58319.....	55
18009.....	56	38170.....	53	38490.....	51	48751-PP....	40-43	58321.....	55
18660.....	52	38180.....	53	38516.....	54	4875N-FA...	44-45	58329.....	54
18661.....	52	38190.....	51	38520.....	54	4875N-PP...	40-43	58333.....	54
18662.....	52	38194.....	51	38530.....	54	5		58350.....	55
18663.....	52	38212.....	51	38540.....	54	500-.....	25	58390.....	50
18702.....	56	38219.....	55	38610.....	54	500-SL.....	25	58390W.....	50
		38220.....	55	38651.....	54	500-TL.....	26	58433.....	50
		38250.....	50	38660.....	52	500-TQ.....	26	58490.....	51
		38260.....	51	38661.....	52	500-TS.....	26	590-.....	27
		38270.....	51	38702.....	52	501-.....	30	591-.....	34
		38280.....	50	38710.....	54	501-TQ.....	32	592-.....	35
		38290.....	50	38770.....	53	501-TS.....	33	59290.....	48
20200.....	53	38296.....	50	38771.....	53	502-.....	31	593-.....	33
		38301.....	55	38810.....	54	502-TQ.....	32	594.....	27
		38305.....	54	38812.....	54	502-TS.....	33	595-.....	27
		38306.....	54	38921.....	54	510-.....	27	598-.....	34
		38307.....	55	39100.....	53	511-.....	33	599-.....	35
		38308.....	55	39290.....	48	511-TL.....	33		
		38309.....	55	39500.....	53	512-.....	33		
		38312.....	55	39551.....	53	515-.....	27		
		38313.....	55						

Pricing available on www.watcomfg.com

OPTIONAL TUB CLOSURES FOR MOST WATCO COARSE-THREAD BATH WASTES - 1.865"X11.5 TPI

PUSH PULL® Coarse Thread  1. 01010CP 01010 * 2. 11584 3. 01013CP 01013 * 4. 11507 5. 01016CP* 01016 * 11492CP**	LIFT & TURN Coarse Thread  1. 01010CP 01010 * 2. 11079 3. 11088 4. 11290CP 01013 * 5. 11507 6. 11492CP* 01016 *	PRESFLO® Coarse Thread  1. 11145CP 11145 * 2. 11132 3. 11060CP 11060 * 4. 96039: Suction Cup for removing stopper	FOOT ACTUATED Coarse Thread  1. 38412CP 38412 * 2. 11492CP* 01016 * SL, TL, TQ, TS  1. 01040CP 01040 * 2. 01006CP 01006 * 3. 11495CP
---	---	---	---

* If finish other than Chrome is desired, please use this part number and indicate desired finish.

** Plastic Knob, Stopper, and Zinc Body

For 12 tpi, see pages 50 and 54.



Product Index



Find products beginning with...

ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE
6		Lavatory		9		9 Cont.		A - Z	
600-.....	22	7		900-.....	12	940-.....	12	FLEX_.....	6
600-SL	23	700-PP-ABS....	37	900N-.....	16	941-.....	14	FLEX916	7
600-TL	23	715-P	38	900NRI-.....	16	948-CA	8	FLEX916N.....	18
600-TS	23	715-B	38	900NSA.....	20	948100	46	FLEX916NRI ..	18
601-.....	22	8		900NSF-.....	16-18	948400	46	FLEX924	7
610-.....	24	800-PP	37	900TK	20	948500	46	FLEX924N.....	18
612-.....	24	800-PF	37	901-.....	13	948700-FA.....	44	FLEX924NRI ..	18
614-.....	24	801-PP	37	901N-.....	17	948700-PP... 40-42		U39290	48
615-.....	24	801-PF	37	901NRI-.....	17	948701-FA.....	45	U939290	48
616-.....	24	815-P	38	902-.....	14	948701-PP... 41-43		W900-	12
617-.....	24	815-B	38	91050-.....	48	94870N-FA... 44-45		W901	13
620-.....	23			91100	50	94870N-PP... 40,42		Condensate	
621-.....	23			91105	50	94870N... 40,42,44		Adapter.....	57
650-TL	23			915-.....	15	951	13		
650-TS	23			91600	51	958080	51		
651-.....	23			91610	48	958190	51		
661-.....	23			91615	48	958290	50		
68080	51			91618	48	959290	48		
68190	51			91651	48	968080	51		
68290	50			917-.....	15	968190	51		
68296	50			918-.....	15	968290	50		
68301	55			920	12	969290	48		
68305	54			921	13	970-CA	9		
68306	54			928-CA	8	971-CA	10		
68307	55			928-CASF	8-10	980-CA	9		
68308	55			92867 (#23)....	58	981-CA	10		
68309	55			92874	8-10	990-CA	9		
68317	55			92888	49	991-CA	10		
68319	55			92900	49				
68321	55			92999	49				
68329	54			9300	11				
68333	54			938-CA	8				
68390	50			938080	51				
68390W	50			938190	51				
68433	50			938250	50				
68490	51			938260	51				
69290	48			938270	51				
				938290	50				
				939290	48				

OPTIONAL TUB CLOSURES FOR MOST WATCO FINE-THREAD BATH WASTES - 1.625"X16 TPI

PUSH PULL® Fine Thread 01010CP 01010_* 11584 01013CP 01013_* 11290CP** 11507 01022CP* 01022_*	LIFT & TURN Fine Thread 01010CP 01010_* 11079 11088 11290CP 01013_* 11507 01022CP 01022_*	PRESFLO® Fine Thread 11155CP 11155_* 11131 11070CP 11070_* 96039: Suction Cup for removing stopper	FOOT ACTUATED Fine Thread 38412CP 38412_* 01022CP* 01022_*
SL, TL, TQ, TS 01040CP 01040_* 01006CP 01006_* 11490CP			

* If finish other than Chrome is desired, please use this part number and indicate desired finish.

** Plastic Knob, Stopper, and Zinc Body

For 14 tpi, see pages 51 and 55.



Innovator® Flex Series

(Flexible Tubing • Built-In Testing & Snap-On Overflow Plate • Coarse Thread: 11.5 tpi)

WatcoFlex® Direct Drain Only

Complete Bath Wastes
Rough-In Kits
Stopper/Faceplate Kits
PVC and ABS Fittings

See Web XLXS
for ABS Fittings

12 Per Carton



LT



LIFT
AND
TURN



PP



PUSH PULL®

PF



PRESFLO®
ADA

FA



FOOT
ACTUATED
ADA

WITH OPTIONAL W-OVERFLOW COVER

Fits Kohler's Tea-for-Two tub.



FLEX____-CP-T42
BN-BZ-CB-NP-PB

Call
Call

COMPLETE BATH WASTE KIT

Complete Bath Wastes
Lengths 14.5" to 17" Long

Part Number

FLEX____-LT-PVC-CP
FLEX____-PP-PVC-CP
FLEX____-PF-PVC-CP
PF: Not in BO-BS-WH
FLEX____-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

Other Finishes:

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

Complete Bath Wastes
Lengths 17.5" to 21" Long

Part Number

FLEX____-LT-PVC-CP
FLEX____-PP-PVC-CP
FLEX____-PF-PVC-CP
PF: Not in BO-BS-WH
FLEX____-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

Call
For FLEX215
and Longer

Other Finishes:

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

ROUGH IN

RI (Rough-IN) Fittings-
Tubing-Strainer Body
Lengths 14.5" to 17" Long

Part Number

FLEX____-ZRI-PVC-CP - Chrome Only
FLEX____-BRI-PVC-CP - CP & Finish
FLEX____-PFRI-PVC-CP
PF: Not in BO-BS-WH
FA: BB-BN-BZ-CB-CP-NP-PB-WI

Other Finishes:

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

RI (Rough-IN) Fittings-Tub-
ing-Strainer Body Lengths
17.5" to 21" Long

Part Number

FLEX____-ZRI-PVC-CP - Chrome Only
FLEX____-BRI-PVC-CP - CP & Finish
FLEX____-PFRI-PVC-CP
PF: Not in BO-BS-WH
FA: BB-BN-BZ-CB-CP-NP-PB-WI

Call
For FLEX215
and Longer

AP
BB
BN
BO

Other Finishes:

BS
BZ
CB
NP

PB
WH
WI

+PLUS+ Stopper/Face Plate

900-Series SF (FLEX____)
STOPPER/FACE PLATE NOT
A TRIM KIT-NO STRAINER
BODY

PartNumber

900-LTSF-0-CP
900-PPSF-0-CP
900-PFSF-0-CP
PF: Not in BO-BS-WH
900-FASF-0-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

Example Product #:

FLEX230 — **PF** — **PVC** — **CP** — *******
Series Number Tub Closure Material Finish Option

Each WatcoFlex® bath waste is custom-fit to each bathtub model.

PLEASE PROVIDE THE TUB MANUFACTURER AND MODEL NUMBER WHEN ORDERING.

FLEX____: The length portion (____) of the WatcoFlex® model number will be determined by the tub's dimensions.

Choose either a complete bath waste OR a rough-in kit and stopper/faceplate kit.

Patented and Patents Pending
See watcomfg.com for details.



Innovator® Flex Series



(Flexible Tubing • Built-In Testing & Snap-On Overflow Plate • Coarse Thread: 11.5 tpi)

Flex900 Series

Flex916 and Flex 924

Sanitary Tee and Drain Pipe

Complete Bath Wastes
Rough-In Kits
Stopper/Faceplate Kits
PVC and ABS Fittings

See Web XLXS
for ABS Fittings

12 Per Carton



To order the
Flex916 or Flex924
without a Tee or Drain Pipe,
add "-13" to part number.

Example:
FLEX916-PP-PVC-CP-13

*Available only in -CP



LIFT
AND
TURN



PUSH PULL®



PRESFLO®
ADA



FOOT
ACTUATED
ADA

COMPLETE BATH WASTE KIT

Complete Bath Wastes
With Tubing 16" Long

Part Number

FLEX916-LT-PVC-CP	
FLEX916-PP-PVC-CP	
FLEX916-PF-PVC-CP	
PF: Not in BO-BS-WH	
FLEX916-FA-PVC-CP	
FA: BN-BZ-CB-CP-NP-PB-WI	

Other Finishes:

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

Complete Bath Wastes
With Tubing 24" Long

Part Number

FLEX924-LT-PVC-CP	
FLEX924-PP-PVC-CP	
FLEX924-PF-PVC-CP	
PF: Not in BO-BS-WH	
FLEX924-FA-PVC-CP	
FA: BN-BZ-CB-CP-NP-PB-WI	

Other Finishes:

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

ROUGH IN

RI (Rough-IN)
Fittings - Tubing - Strainer
Body With Tubing 16" Long

Part Number

FLEX916-ZRI-PVC-CP - Chrome
FLEX916-BRI-PVC-CP - CP & Finish
FLEX916-PFRI-PVC-CP
PF: Not in BO-BS-WH
FA: BB-BN-BZ-CB-CP-NP-PB-WI

Other Finishes:

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

RI (Rough-IN)
Fittings - Tubing -
Strainer Body With
Tubing 24" Long

Part Number

FLEX924-ZRI-PVC-CP - Chrome
FLEX924-BRI-PVC-CP - CP & Finish
FLEX924-PFRI-PVC-CP
PF: Not in BO-BS-WH
FA: BB-BN-BZ-CB-CP-NP-PB-WI

Other Finishes:

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

+PLUS+ Stopper/Face Plate

900-Series SF (FLEX)
STOPPER/FACEPLATE
NOT A TRIM KIT - NO
STRAINER BODY

Part Number

900-LTSF-0-CP
900-PPSF-0-CP
900-PFSF-0-CP
PF: Not in BO-BS-WH
900-FASF-0-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

Other Finishes:

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

Example Product #:

FLEX916 — **PF** — **PVC** — **CP** — *******
Series Number Tub Closure Material Finish Option

The Overflow end of the Flex tubing is factory-welded.

The Tee end of the Flex tubing is loose, designed to be
cut and fit in the field, using standard PVC-joining techniques.

Choose either a complete bath waste OR a rough-in kit and stopper/faceplate kit.



Innovator Cable Flex®

(Flexible PVC Tubing • OF Elbow Spin-Welded to Tubing • Built-In Testing • Coarse Thread: 11.5 tpi)

Innovator CableFlex® Fully-Testable Cable Bath Waste

- Fully repairable from inside the tub.
- Overflow installs in minutes.
- Self-centering, aligning, and self-sealing overflow.
- Positive mechanical stop stays open in deep water.

Schedule 40 Fittings, PVC

See Web XLXS
for ABS Fittings

12 Per Carton



928-CA-PVC-CP
Testable Cable

928-CA (21" cable)

Fits most tubs up to 16" deep

938-CA (34" cable)

Fits most tubs up to 24" deep

948-CA (48" cable)

Fits most tubs up to 36" deep

Patented and Patents Pending
See watcomfg.com for details.

COMPLETE BATH WASTE KIT

Complete Bath Wastes Most Tubs up to 16" Deep			Part Number
			928-CA-PVC-CP
Other Finishes:	AP BB BN	BS BZ CB	NP PB WH WI

Most Tubs up to 24" Deep			Part Number
			938-CA-PVC-CP
Other Finishes:	AP BB BN	BS BZ CB	NP PB WH WI

Most Tubs up to 36" Deep			Part Number
			948-CA-PVC-CP
Other Finishes:	AP BB BN	BS BZ CB	NP PB WH WI

Example Product #:

928 — **CA** — **PVC** — **CP** — *******
Series # Tub Closure Material Finish Option

Order ADA Handle separately



Part Number
92874-CP

AP BB BN BS BZ CB NP PB WH



Add "-TR" to cable part number.
Example: 938-CA-PVC-BZ-**TR**

ROUGH IN

Fittings - Tubing - Strainer Most Tubs up to 16" Deep			Part Number
			928-CARI-PVC-CP
Other Finishes:	AP BB BN	BS BZ CB	NP PB WH WI

Most Tubs up to 24" Deep			Part Number
			938-CARI-PVC-CP
Other Finishes:	AP BB BN	BS BZ CB	NP PB WH WI

Most Tubs up to 36" Deep			Part Number
			948-CARI-PVC-CP
Other Finishes:	AP BB BN	BS BZ CB	NP PB WH WI

+PLUS+ Stopper/Face Plate

SF - Stopper/Faceplate
For All Innovator Cable
Models Not a Trim Kit - No
Strainer Body

			Part Number
			928-CASF-CP
Other Finishes:	AP BB BN	BS BZ CB	NP PB WH WI

To quickly change the finish of the roughed-in strainer body,
order the 928-CASF (above) with the Watco QuickTrim®
strainer body cover and o-ring. Simply snaps over the existing
strainer body.
Order below.

QuickTrim®			Part Number
Strainer Body Cover and O-Ring			Part Number
			928-CASF-CPQ
Other Finishes:	APQ BBQ BNQ	BSQ BZQ CBQ	NPQ PBQ WHQ WIQ



WATCO... Always a Step Ahead.™

Innovator Cable® Complete Kit

(Solvent-Weld Assembly • Built-In Testing • Coarse Thread: 11.5 tpi)



Innovator Cable® Fully-Testable Cable Bath Waste

- Fully repairable from inside the tub.
- Overflow installs in minutes.
- Self-centering, aligning, and self-sealing overflow.
- Positive mechanical stop stays open in deep water.


Schedule 40 Fittings, **ABS** and **PVC**

See Web XLXS
for ABS Fittings

12 Per Carton

Patented and Patents Pending
See watcomfg.com for details.

970-CA-PVC-CP
Testable Cable



970-CA (21" cable)

Fits most tubs up to 16" deep

980-CA (34" cable)

Fits most tubs up to 24" deep

990-CA (48" cable)

Fits most tubs up to 36" deep

COMPLETE BATH WASTE KIT

Complete Bath Wastes
Most Tubs up to 16" Deep

Part Number

970-CA-PVC-CP

Other Finishes:

AP
BB
BN

BS
BZ
CB

NP
PB
WH
WI

Most Tubs up to 24" Deep

Part Number

980-CA-PVC-CP

Other Finishes:

AP
BB
BN

BS
BZ
CB

NP
PB
WH
WI

Most Tubs up to 36" Deep

Part Number

990-CA-PVC-CP

Other Finishes:

AP
BB
BN

BS
BZ
CB

NP
PB
WH
WI

ROUGH IN

Fittings - Tubing - Strainer

Most Tubs up to 16" Deep

Part Number

970-CARI-PVC-CP

Other Finishes:

AP
BB
BN

BS
BZ
CB

NP
PB
WH
WI

Most Tubs up to 24" Deep

Part Number

980-CARI-PVC-CP

Other Finishes:

AP
BB
BN

BS
BZ
CB

NP
PB
WH
WI

Most Tubs up to 36" Deep

Part Number

990-CARI-PVC-CP

0

Other Finishes:

AP
BB
BN

BS
BZ
CB

NP
PB
WH
WI

+PLUS+ Stopper/Face Plate

SF - Stopper/Faceplate
For All Innovator Cable
Models Not a Trim Kit - No
Strainer Body

Part Number

928-CASF-CP

Other Finishes:

AP
BB
BN

BS
BZ
CB

NP
PB
WH
WI

To quickly change the finish of the roughed-in strainer body,
order the 928-CASF (above) with the Watco QuickTrim®
strainer body cover and o-ring. Simply snaps over the existing
strainer body.
Order below.

QuickTrim®

Strainer Body Cover and O-Ring

Part Number

928-CASF-CPQ

Other Finishes:

APQ
BBQ
BNQ

BSQ
BZQ
CBQ

NPQ
PBQ
WHQ
WIQ



Example Product #:

980 — **CA** — **PVC** — **CP** — *******
Series #Tub Closure Material Finish Option

TRIM KITS for Innovator CableFlex®
& Innovator Cable®

Regular and QuickTrim cable
trim kits available.

For full selection see page 49.



92999



92888

WATCO



Innovator® Cable® Half Kit

(Solvent-Weld Assembly • Built-In Testing • Coarse Thread: 11.5 tpi)

Innovator Cable®


Fully-Testable Cable Half Kits

- Fully repairable from inside the tub.
- Overflow installs in minutes.
- Self-centering, aligning, and self-sealing overflow.
- Positive mechanical stop stays open in deep water.

Schedule 40 Fittings, **ABS** and **PVC**

See Web XLXS
for ABS Fittings

12 Per Carton



971-CA-PVC-CP
Testable Cable

971-CA (21" cable)

Fits most tubs up to 16" deep

981-CA (34" cable)

Fits most tubs up to 24" deep

991-CA (48" cable)

Fits most tubs up to 36" deep

Patented and Patents Pending
See watcomfg.com for details.

BATH WASTE HALF KIT

COMPLETE BATH WASTE KIT

Complete Bath Wastes Most Tubs up to 16" Deep		Part Number
		971-CA-PVC-CP

Other Finishes:	AP	BS	NP
	BB	BZ	PB
	BN	CB	WH
			WI

Most Tubs up to 24" Deep		Part Number
		981-CA-PVC-CP

Other Finishes:	AP	BS	NP
	BB	BZ	PB
	BN	CB	WH
			WI

Most Tubs up to 36" Deep		Part Number
		991-CA-PVC-CP

Other Finishes:	AP	BS	NP
	BB	BZ	PB
	BN	CB	WH
			WI

Example Product #:

981 — **CA** — **PVC** — **AP** — *******
Series #Tub Closure Material Finish Option

Order the ADA Handle separately



92874-CP

AP	BS	NP
BB	BZ	PB
BN	CB	WH



To Order with the Theft-Resistant Device

Add "-TR" to cable part number.
Example: 938-CA-PVC-BZ-**TR**

ROUGH IN

Most Tubs up to 16" Deep		Part Number
		971-CARI-PVC-CP

Other Finishes:	AP	BS	NP
	BB	BZ	PB
	BN	CB	WH
			WI

Most Tubs up to 24" Deep		Part Number
		981-CARI-PVC-CP

Other Finishes:	AP	BS	NP
	BB	BZ	PB
	BN	CB	WH
			WI

Most Tubs up to 36" Deep		Part Number
		991-CARI-PVC-CP

Other Finishes:	AP	BS	NP
	BB	BZ	PB
	BN	CB	WH
			WI

+PLUS+ Stopper/Face Plate

SF - Stopper/Faceplate
For All Innovator Cable Models
Not a Trim Kit - No Strainer Body

		Part Number
		928-CASF-CP
AP	BS	NP
BB	BZ	PB
BN	CB	WH
		WI

To quickly change the finish of the roughed-in strainer body, order the 928-CASF (above) with the Watco QuickTrim® strainer body cover and o-ring. Simply snaps over the existing strainer body.
Order below.

QuickTrim®

Strainer Body Cover and O-Ring

		Part Number
		928-CASF-CPQ



Other Finishes:

APQ	BSQ	NPQ
BBQ	BZQ	PBQ
BNQ	CBQ	WHQ
		WIQ




WATCO... Always a Step Ahead.™

Innovator® Shower Drain



Innovator Shower Drain Fully-Testable

- Includes Watco Innovator® orange test membrane, testable to 22 P.S.I. or five floors. Simply punch out after testing.
- No test plug, caps or test ball required
- Available in Chrome, Brushed Bronze, Brushed Nickel, Brushed Gold, Oil Rubbed Bronze, White, and Matte Black finishes.




Schedule 40 Fittings

SIMPLY PUNCH OUT AFTER TESTING.
NO MORE TEST BALLS, CAPS OR PLUGS



ABS
Or
PVC




Finish	Part #
PVC	
Chrome	9300-PVC-CP
Brushed Bronze	9300-PVC-BB
Brushed Nickel	9300-PVC-BN
Brushed Gold	9300-PVC-BG
Oil Rubbed Bronze	9300-PVC-BZ
White	9300-PVC-WH
Wrought Iron (Matte Black)	9300-PVC-WI
ABS	
Chrome	9300-ABS-CP
Brushed Bronze	9300-ABS-BB
Brushed Nickel	9300-ABS-BN
Brushed Gold	9300-ABS-BG
Oil Rubbed Bronze	9300-ABS-BZ
White	9300-ABS-WH
Wrought Iron (Matte Black)	9300-ABS-WI
Grid Only	
Chrome	9300G-CP
Brushed Bronze	9300G-BB
Brushed Nickel	9300G-BN
Brushed Gold	9300G-BG
Oil Rubbed Bronze	9300G-BZ
White	9300G-WH
Wrought Iron (Matte Black)	9300G-WI
Shower Drain Rough In	
	930NG-PVC
	930NG-ABS




Item	Part #	Description
1	11117	Shower Protective Cover
2	9300G-	Grid - Multiple Finishes
3	14047	Shower Drain top thread flange
4	11567	Shower Drain Seal
5	11157	Shower Drain Slip Washer
6	11037	Shower Drain Receptor ABS
	14037	Shower Drain Receptor PVC




Chrome (CP)



Matte Black (WI)



Brushed Nickel (BN)



Oil-Rubbed
Bronze (BZ)

WATCO



Innovator® 900 Series Complete

(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi)

900 Innovator®

Complete Bath Wastes


Fits most tubs up to 16" deep

ABS and PVC

See Web XLXS
for ABS Fittings

12 Per Carton

900-PP



#11577 Test Plug
Included with all
900/901 Bath Kits

**WITH OPTIONAL
OVERFLOW COVER**
Fits Kohler's Tea-for-Two tub.



900-__-CP-T42
BN-BZ-CB-NP-PB

Call
Call

COMPLETE BATH WASTE KIT

Most Tubs up to 16" Deep

Part Number

900-LT-PVC-CP	
900-PP-PVC-CP	
900-PF-PVC-CP	
PF: NOT in BO-BS-WH	
900-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI-WH	

Other Finishes:

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

ROUGH IN

900 RI (Rough-IN) Up to 16"

Part Number

900-ZRI-PVC-CP - Chrome
900-BRI-PVC-CP - CP & Finishes
900-PFRI-PVC-CP
PF: NOT in BO-BS-WH
FA: BB-BN-BZ-CB-CP-NP-PB-WI-WH

+PLUS+ Stopper/Face Plate

900- Series SF

Part Number

900-LTSF-0-CP	
900-PPSF-0-CP	
900-PFSF-0-CP	
PF: NOT in BO-BS-WH	
900-FASF-0-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI-WH	

(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi)

920 Innovator®

Chrome Only

**ABS Stopper and Knob
Brass Strainer Body**

ABS and PVC

See Web XLXS
for ABS Fittings

920-PP



COMPLETE BATH WASTE KIT

920 PP Bath Wastes

Part Number

920-PP-PVC-CP

ROUGH IN

920 RI (Rough-IN)

Part Number

921-PPSF-0-CP

+PLUS+ Stopper/Face Plate

921 - Stopper/Faceplate

Part Number

920-BRI-PVC-CP

(Snap-On Overflow Plate • Solvent Weld Assembly • Fine Thread: 16 tpi)

940 Innovator® Plus

Complete Bath Wastes

Fits most tubs up to 16" deep

ABS and PVC - FINE THREAD

See Web XLXS
for ABS Fittings

12 Per Carton

940-PP



Equals... the perfect combination

+PLUS+ Stopper/Face plate

COMPLETE BATH WASTE KIT

Most Tubs up to 16" Deep

Part Number

940-LT-PVC-CP	
940-PP-PVC-CP	
940-PF-PVC-CP	
PF: NOT in BO-BS-WH	
940-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

Other Finishes:

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

940 RI (Rough-IN) Up to 16"

Part Number

940-ZRI-PVC-CP - Chrome
940-BRI-PVC-CP - CP & Finishes
940-PFRI-PVC-CP
PF: NOT in BO-BS-WH
FA: BB-BN-BZ-CB-CP-NP-PB-WI-WH

900- Series SF

Part Number

900-LTSF-0-CP	
900-PPSF-0-CP	
900-PFSF-0-CP	
PF: NOT in BO-BS-WH	
900-FASF-0-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI-WH	



Innovator® 900 Series Half Kit

(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi)



901 Innovator® Bath Waste Half Kits ABS and PVC


See Web XLXS
for ABS Fittings

12 Per Carton



901-PP

ROUGH IN



#11577 Test Plug
Included with all
900/901 Bath Kits

WITH OPTIONAL OVERFLOW COVER

Fits Kohler's Tea-for-Two tub.



900-__-__-CP-T42 Call
BN-BZ-CB-NP-PB..... Call

COMPLETE BATH WASTE HALF KIT

Most Tubs up to 16" Deep	
Part Number	
901-LT-PVC-CP	
901-PP-PVC-CP	
901-PF-PVC-CP	
PF: NOT in BO-BS-WH	
901-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	

Other Finishes:

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

901 RI (Rough-IN)

Part Number

901-ZRI-PVC-CP - Chrome	
901-BRI-PVC-CP - CP & Finish	
901-PFRI-PVC-CP	
PF: NOT in BO-BS-WH	
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	

+PLUS+ Stopper/Face plate

900- Series SF

Part Number

900-LTSF-0-CP	
900-PPSF-0-CP	
900-PFSF-0-CP	
PF: NOT in BO-BS-WH	
900-FASF-0-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	

Square Overflow Faceplate



FinishAdd -SQ

CP/ BN/BZ/WI

(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi)

921 / 951 Innovator®

ABS Stopper and Knob

921 Chrome Only

with Brass Strainer Body

951 Chrome Only

with Zinc Strainer Body

ABS or PVC

COMPLETE BATH WASTE HALF KIT

921/951 PP Half Kits

Part Number

921-PP-PVC-CP	
951-PP-PVC-CP	
951-PP1-PVC-CP	

*PP1= Plastic Pin

See Web XLXS
for ABS Fittings

12 Per Carton

ROUGH IN

+PLUS+ Stopper/Face plate



RI: Rough-In

Part Number

921-BRI-PVC-CP	
901-ZRI-PVC-CP	
901-ZRI-PVC-CP	

921/951 Series

Part Number

921-PPSF-0-CP	
951-PPSF-0-CP	
900SF-PP1-CP	



Innovator® 900 Series Half Kit

(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi)

902 Innovator® Bath Wastes Half Kits NO Testing ABS and PVC



Same as the 901,
but without the
testing features



See Web XLXS
for ABS Fittings

12 Per Carton

Comes with overflow and drain elbows, overflow
plate assembly, and tub closure; no pipe or tee

COMPLETE BATH WASTE HALF KIT

Most Tubs up to 16" Deep	
Part Number	
902-LT-PVC-CP	
902-PP-PVC-CP	
902-PF-PVC-CP	
PF: NOT in BO-BS-WH	
902-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

ROUGH IN

902 RI (Rough-IN) Up to 16"	
Part Number	
902-ZRI-PVC-CP - Chrome	
902-BRI-PVC-CP - CP & Finish	
902-PFRI-PVC-CP	
PF: NOT in BO-BS-WH	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

+PLUS+ Stopper/Face plate

900- Series SF	
Part Number	
900-LTSF-0-CP	
900-PPSF-0-CP	
900-PFSF-0-CP	
PF: NOT in BO-BS-WH	
900-FASF-0-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI-WH	

Other Finishes:

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

(Snap-On Overflow Plate • Solvent Weld Assembly • Fine Thread: 16 tpi)

941 Innovator® Plus Half Kits / Fine Threads ABS or PVC



See Web XLXS
for ABS Fittings

12 Per Carton

COMPLETE BATH WASTE HALF KIT

941: Bath Waste Half Kits	
Part Number	
941-LT-PVC-CP	
941-PP-PVC-CP	
941-PF-PVC-CP	
PF: NOT in BO-BS-WH	
941-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

ROUGH IN

941: RI (Rough-IN)	
Part Number	
941-ZRI-PVC-CP - Chrome	
941-BRI-PVC-CP - CP & Finish	
941-PFRI-PVC-CP	
PF: NOT in BO-BS-WH	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

+PLUS+ Stopper/Face plate

900- Series SF	
Part Number	
900-LTSF-0-CP	
900-PPSF-0-CP	
900-PFSF-0-CP	
PF: NOT in BO-BS-WH	
900-FASF-0-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI-WH	

Other Finishes:

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI



LIFT
AND
TURN



PUSH PULL®



PRESFLO®
ADA



FOOT
ACTUATED
ADA



Innovator® 900 Series Half Kits

(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi)



Innovator®


Half Kits with Adapters

See Web XLXS
for ABS Fittings

915 HUB ADAPTER

918 SPIGOT - PVC ONLY

917 DRAIN TEE



915 Half Kits with Hub Adapter ABS & PVC	
Part Number	
915-LT-PVC-CP	
915-PP-PVC-CP	
915-PF-PVC-CP	
PF: NOT in BO-BS-WH	
915-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	

918 Half Kits with Spigot Adapter - PVC Only	
Part Number	
918-LT-PVC-CP	
918-PP-PVC-CP	
918-PF-PVC-CP	
PF: NOT in BO-BS-WH	
918-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	

917 Half Kits with Direct Drain Tee - ABS & PVC	
Part Number	
917-LT-PVC-CP	
917-PP-PVC-CP	
917-PF-PVC-CP	
PF: NOT in BO-BS-WH	
917-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	

QuickTrim® Kits

Install chrome on the rough-in and easily upgrade to a special finish without removing the strainer body See pages 48-49.

- No reduction in flow rate.
- Produces very little additional height or inside-diameter reduction.
- Uses an o-ring for a tight, snug fit (one for brass strainer bodies and one for zinc strainer bodies).
- Eliminates destroying the integrity of your test and the possibility of cross-threading or damaging the tub when replacing the strainer body.



Innovator® QuickTrim® Kits
Page 48



Innovator® Trim Kits
Pages 50 & 51



Coarse-Thread Tub Closures
Page 54



Replacement Stoppers
Pages 54

Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

Innovator® Drain Series

Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi


900N Innovator® Drain

Complete Bath Wastes

Fits most tubs up to 16" deep

See Web XLXS
for ABS Fittings

PP1 = Plastic Pin
PP2 = Brass Pin



Overflow Elbow Test Membrane
REMOVE AFTER TESTING



Drain Elbow Test Membrane
REMOVE AFTER TESTING

12 Per Carton

Complete Bath Wastes Plastic PIN

Part Number

900N-PP1-PVC-WH	
White knob, stopper, and overflow	
900N-PP1-PVC-BS	
Biscuit knob, stopper, and overflow	
900N-PP1-PVC-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

900NRI (Rough-IN) Up to 16" Fittings - BUILT-In Body

Part Number

900NRI-PVC
900NRI-PVC-BS
900NRI-ABS

+

900NSF-SERIES STOPPER/FACE-PLATE PLASTIC PIN

Part Number

900NSF-PP1-WH	
White knob, stopper, and overflow	
900NSF-PP1-BS	
Biscuit knob, stopper, and overflow	
900NSF-PP1-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

Complete Bath Wastes Brass PIN

Part Number

900N-PP2-PVC-WH	
White knob, stopper, and overflow	
900N-PP2-PVC-BS	
Biscuit knob, stopper, and overflow	
900N-PP2-PVC-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

900NRI (Rough-IN) Up to 16" Fittings - BUILT-In Body

Part Number

900NRI-PVC
900NRI-PVC-BS
900NRI-ABS


+

900NSF-SERIES STOPPER/FACE-PLATE BRASS PIN

Part Number

900NSF-PP2-WH	
White knob, stopper, and overflow	
900NSF-PP2-BS	
Biscuit knob, stopper, and overflow	
900NSF-PP2-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

900N Series - Full Kit



ITEM	PART#	DESCRIPTION
1	11307WH	Plastic PP Knob - White
2	11515	Plastic Pin (11512) & Friction Ring (11504)
3	11290WH	Plastic Stopper - White
4	11507	Stopper Seal 1-1/16 Dia.
5	14013	Innovator® Drain Crossbar, removable
6	14007	Innovator® Drain Elbow-Long (PVC)
7	11007	Innovator® Drain Elbow-Long (White ABS)
8	10691	Innovator® Drain Elbow Rubber Seal
9	10671	Innovator® Drain Elbow Slip Washer
10	11480	Innovator® Drain Elbow Retainer Nut
11	14020	Innovator® Overflow Elbow - Sch 40 PVC
12	11020	Innovator® Overflow Elbow - Sch 40 ABS
13	10675	Overflow Elbow Gasket - Foam
14	11121	Retainer Star Nut for Innovator®
15	01005WH	Innovator® Faceplate - plastic - White
16	14010	Sanitary Tee - Sch 40 PVC
17	14011	Sanitary Tee - Sch 40 ABS
18	SCHPVC-11.75	Schedule 40 PVC Pipe - 1.5" X 11.75"
19	SCHABS-11.75	Schedule 40 ABS Pipe - 1.5" X 11.75"
20	01005CP	Innovator® Faceplate - plastic - Chrome Pl.
21	11307CP	UnNuFit Plastic Knob - Chrome Plated
22	11290CP	PP Stopper Plastic Chrome Plated
23	01053CP	QuickTrim® Plastic Strainer Body Cover
24	11138	QuickTrim® O-Ring - thick

Pricing available on www.watcomfg.com

Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

Innovator® Drain Series

Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi

Innovator® Drain: 901N Half Kits

901N Innovator® Drain

Bath Waste Half Kits

See Web XLXS
for ABS Fittings

PP1 = Plastic Pin
PP2 = Brass Pin




ABS

White ABS
Drain Elbow



PVC



Overflow Elbow Test Membrane
REMOVE AFTER TESTING



Drain Elbow Test Membrane
REMOVE AFTER TESTING

12 Per Carton

HALF KITS PLASTIC PIN

Part Number

901N-PP1-PVC-WH
White knob, stopper, and overflow
901N-PP1-PVC-BS
Biscuit knob, stopper, and overflow
901N-PP1-PVC-CP-QTP
With Plastic QuickTrim® body, thick o-ring

=

901NRI (Rough-IN) Fittings - Built -In Body

Part Number

901NRI-PVC
901NRI-PVC-BS
901NRI-ABS

+

900NSF-SERIES STOPPER/FACEPLATE PLASTIC PIN

Part Number

900NSF-PP1-WH
White knob, stopper, and overflow
900NSF-PP1-BS
Biscuit knob, stopper, and overflow
900NSF-PP1-CP-QTP
With Plastic QuickTrim® body, thick o-ring

HALF KITS BRASS PIN

Part Number

901N-PP2-PVC-WH
White knob, stopper, and overflow
901N-PP2-PVC-BS
Biscuit knob, stopper, and overflow
901N-PP2-PVC-CP-QTP
With Plastic QuickTrim® body, thick o-ring

=

901NRI (Rough-IN) Fittings - Built -In Body

Part Number

901NRI-PVC
901NRI-PVC-BS
901NRI-ABS


+

900NSF-SERIES STOPPER/FACEPLATE BRASS PIN

Part Number

900NSF-PP2-WH
White knob, stopper, and overflow
900NSF-PP2-BS
Biscuit knob, stopper, and overflow
900NSF-PP2-CP-QTP
With Plastic QuickTrim® body, thick o-ring

901N Series-Half Kit



ITEM	PART#	DESCRIPTION
1	11307WH	Plastic PP Knob - White
2	11515	Plastic Pin (11512) & Friction Ring (11504)
3	11290WH	Plastic Stopper - White
4	11507	Stopper Seal 1-1/16 Dia.
5	14013	Innovator® Drain Crossbar, removable
6	14007	Innovator® Drain Elbow-Long (PVC)
6	11007	Innovator® Drain Elbow-Long (White ABS)
7	10691	Innovator® Drain Elbow Rubber Seal
8	10671	Innovator® Drain Elbow Slip Washer
9	11480	Innovator® Drain Elbow Retainer Nut
10	14020	Innovator® Overflow Elbow - Sch 40 PVC
10	11020	Innovator® Overflow Elbow - Sch 40 ABS
11	10675	Overflow Elbow Gasket - Foam
12	11121	Retainer Star Nut for Innovator®
13	01005WH	Innovator® Faceplate - plastic - White
16	01005CP	Innovator® Faceplate - plastic - Chrome Pl.
17	11307CP	UnNuFit Plastic Knob - Chrome Plated
18	11290CP	PP Stopper - Plastic - Chrome Plated
19	01050HP	QuickTrim® Plastic Strainer Body Cover
20	11138	QuickTrim® O-Ring - thick

Pricing available on www.watcomfg.com

Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

Innovator® Drain Series

Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi

Flex916N

Innovator® Drain

Complete Bath Wastes

PVC only

FLEX916N-PP1

PP1 = Plastic Pin

PP2 = Brass Pin



Overflow Elbow Test Membrane
REMOVE AFTER TESTING



Drain Elbow Test Membrane
REMOVE AFTER TESTING

To order the Flex916N or Flex924N
without a Sanitary Tee,
add "-NTEE" to part number.

Example:

FLEX916N-PP-PVC-WH-NTEE

Fits most tubs up to 16" deep

12 Per Carton

FLEX916N BATH WASTES - TUBS TO 16" PLASTIC PIN

Part Number

FLEX916N-PP1-PVC-WH	
White knob, stopper, and overflow	
FLEX916N-PP1-PVC-BS	
Biscuit knob, stopper, and overflow	
FLEX916N-PP1-PVC-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

FLEX916NRI ROUGH-IN FITTINGS - TUBING - BUILT-IN BODY

Part Number

FLEX916NRI-PVC	
FLEX916NRI-PVC-BS	

900NSF-SERIES STOPPER/FACE-PLATE PLASTIC PIN

Part Number

900NSF-PP1-WH	
White knob, stopper, and overflow	
900NSF-PP1-BS	
Biscuit knob, stopper, and overflow	
900NSF-PP1-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

FLEX916N BATH WASTES - TUBS TO 16" BRASS PIN

Part Number

FLEX916N-PP2-PVC-WH	
White knob, stopper, and overflow	
FLEX916N-PP2-PVC-BS	
Biscuit knob, stopper, and overflow	
FLEX916N-PP2-PVC-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

FLEX916NRI ROUGH-IN FITTINGS - TUBING - BUILT-IN BODY

Part Number

FLEX916NRI-PVC	
FLEX916NRI-PVC-BS	

900NSF-SERIES STOPPER/FACE-PLATE BRASS PIN

Part Number

900NSF-PP2-WH	
White knob, stopper, and overflow	
900NSF-PP2-BS	
Biscuit knob, stopper, and overflow	
900NSF-PP2-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

Flex924N Innovator® Drain

Complete Bath Wastes - PVC only

Fits most tubs up to 24" deep

12 PER CARTON

FLEX924N BATH WASTES - TUBS TO 24" PLASTIC PIN

Part Number

FLEX924N-PP1-PVC-WH	
White knob, stopper, and overflow	
FLEX924N-PP1-PVC-BS	
Biscuit knob, stopper, and overflow	
FLEX924N-PP1-PVC-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

FLEX924NRI ROUGH-IN FITTINGS - TUBING - BUILT-IN BODY

Part Number

FLEX924NRI-PVC	
FLEX924NRI-PVC-BS	

900NSF-SERIES STOPPER/FACE-PLATE PLASTIC PIN

Part Number

900NSF-PP1-WH	
White knob, stopper, and overflow	
900NSF-PP1-BS	
Biscuit knob, stopper, and overflow	
900NSF-PP1-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

FLEX924N BATH WASTES - TUBS TO 24" BRASS PIN

Part Number

FLEX924N-PP2-PVC-WH	
White knob, stopper, and overflow	
FLEX924N-PP2-PVC-BS	
Biscuit knob, stopper, and overflow	
FLEX924N-PP2-PVC-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

FLEX924NRI ROUGH-IN FITTINGS - TUBING - BUILT-IN BODY

Part Number

FLEX924NRI-PVC	
FLEX924NRI-PVC-BS	

900NSF-SERIES STOPPER/FACE-PLATE BRASS PIN

Part Number

900NSF-PP2-WH	
White knob, stopper, and overflow	
900NSF-PP2-BS	
Biscuit knob, stopper, and overflow	
900NSF-PP2-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	



WATCO... Always a Step Ahead.™

Schedule 40


Patented and Patents Pending
See watcomfg.com for details.

Innovator® Drain Series

Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi

FLEX916N Series-Full Kit FLEX924N Series-Full Kit


Includes Flexible Pipe



Finish Trim

900NSF-PP1-WH

900NSF-PP1-CP-QT




ITEM	PART#	DESCRIPTION
1	11307WH	Plastic PP Knob - White
2	11515	Plastic Pin (11512) & Friction Ring (11504)
3	11290WH	Plastic Stopper - White
4	11507	Stopper Seal 1-1/16 Dia.
5	14013	Innovator® Drain Crossbar, removable
6	14007	Innovator® Drain Elbow-Long (PVC)
7	11007	Innovator® Drain Elbow-Long (White ABS)
8	10691	Innovator® Drain Elbow Rubber Seal
9	10671	Innovator® Drain Elbow Slip Washer
10	11480	Innovator® Drain Elbow Retainer Nut
11	14020	Innovator® Overflow Elbow - Sch 40 PVC
12	11020	Innovator® Overflow Elbow - Sch 40 ABS
13	10675	Overflow Elbow Gasket - Foam
14	11121	Retainer Star Nut for Innovator®
15	01005WH	Innovator® Faceplate - plastic - White
16	14010	Sanitary Tee - Sch 40 PVC
17	14011	Sanitary Tee - Sch 40 ABS
18	Not Sold Separately	Flex916 Flexible Tubing 1.5" x 16"
19	Not Sold Separately	Flex924 Flexible Tubing 1.5" x 24"
20	SCHPVC-11.75	Schedule 40 PVC Pipe - 1.5" X 11.75"
21	SCHABS-11.75	Schedule 40 ABS Pipe - 1.5" X 11.75"
22	01005CP	Innovator® Faceplate - plastic - Chrome Pl.
23	11307CP	UnNuFit Plastic Knob - Chrome Plated
24	11290CP	PP Stopper - Chrome Plated
25	01050HP	QuickTrim® Plastic Strainer Body Cover
26	11138	QuickTrim® O-Ring - thick

Innovator® Drain Rough-In Kits

Rough-In-Full Kit

(Does Not Include Finish Trim)


FLEX916NRI-PVC • FLEX924NRI-PVC
900NRI-PVC • 900NRI-ABS



Rough-In-Half Kit

(Does Not Include Finish Trim)

901NRI-PVC • 901NRI-ABS



**Innovator® Drain
Replacement Stoppers
on next page.**

Pricing available on www.watcomfg.com

Innovator® Drain Specs

Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

Innovator® Drain Series

Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi

Innovator® Drain

Replacement Stopper Assemblies

Plastic Knob and Stopper

Plastic or Brass Pins



20 Per Carton

REPLACEMENT STOPPERS PLASTIC PIN

Part Number

900NSA-PP1-WH	
900NSA-PP1-BS	
900NSA-PP1-CP	



REPLACEMENT STOPPERS BRASS PIN


Part Number

900NSA-PP2-WH	
900NSA-PP2-BS	
900NSA-PP2-CP	

Stopper Assembly

w/plastic pin

900NSA-PP1-WH 900NSA-PP1-CP



ITEM	PART#	DESCRIPTION
1	11307WH	Plastic PP Knob - White
2	11515	Plastic Pin (11512) & Friction Ring (11504)
3	11290WH	Plastic Stopper - White
4	11507	Stopper Seal 1-1/16 Dia.
5	11307CP	UnNuFit Plastic Knob - Chrome Plated
6	11290CP	PP Stopper - Plastic - Chrome Plated

*Plastic QuickTrim® Kits in
Chrome-CP, White-WH or Biscuit-BS.
For all Watco® Strainers and Innovator® Drains.*

QuickTrim® Kits



*All Plastic Components

PLASTIC QUICKTRIM® KITS

Part Number

900TK-PP1-QTP-CP	
900TK-PP1-QTP-WH	
900TK-PP1-QTP-BS	

Comes With Plastic Strainer Body Cover

Pricing available on www.watcomfg.com



Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

Perfect Fit 400 Series

Adjustable Flange • Solvent Weld Assembly • Fine Thread 16 tpi • Schedule 40 TechNotes: page 74

400 Perfect Fit

Complete Bath Wastes

Fits most tubs up to 16" deep

ABS or PVC

FINE THREAD - 16 tpi

400-LT

See Web XLXS
for ABS Fittings

12 Per Carton



401 Perfect Fit

Bath Waste Half Kits

ABS or PVC

FINE THREAD - 16 tpi



401-PP

Example Product #: 400 — FA — PVC — CP — ***
Series Number Stopper Material Finish Option

Patented Adjustable Flange

This patented, adjustable feature allows a tight-fitting overflow flange on a wide range of tub angles.

The only tool needed is a HAND IT TURNS, not pivots.



12 PER CARTON

400: COMPLETE bath wastes

Fits most tubs up to 16" deep:

Part Number

400-LT-PVC-CP
400-PP-PVC-CP
400-PF-PVC-CP
PF: NOT in BO-BS-WH
400-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

401: COMPLETE bath wastes

Part Number


401-LT-PVC-CP
401-PP-PVC-CP
401-PF-PVC-CP
PF: NOT in BO-BS-WH
401-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

400 Rough-In Measurements



LIFT AND TURN



PUSH PULL®



PRESFLO®
ADA



FOOT
ACTUATED
ADA

400-401

Trim Kits

LT Trim Kit 58080-____
PP Trim Kit: ... 38080-____
PF Trim Kit:..... 38260-____
FA Trim Kit: 68080-____

Tub Closures

LT Tub Closure 58301-____
PP Tub Closure 38301-____
PF Tub Closure 38380-____
FA Tub Closure..... 68301-____

940-941

Trim Kits

LT Trim Kit 958080-____
PP Trim Kit: ... 938080-____
PF Trim Kit:..... 938260-____
FA Trim Kit: 968080-____

Tub Closures

LT Tub Closure 58301-____
PP Tub Closure 38301-____
PF Tub Closure 38380-____
FA Tub Closure..... 68301-____

FINE-THREAD TRIM KITS: PG 51; TUB CLOSURES: 55

THE SECRET TO PERFECT FIT'S PERFECT FIT...



GASKETS




1.5" PANCAKE 90° ELBOWS




1.5" OVERFLOW FLANGE




1.5" DRAIN FLANGE



Standard
Layout



Above-Floor
Layout



Direct-Drain
Layout

Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

600 Series

Solvent Weld Assembly • PVC or ABS • Coarse Thread 11.5 tpi • 1-Hole Faceplate (2-Hole available)

600

Complete Bath Wastes

Fits most tubs up to
16" deep

ABS or PVC

See Web XLXS
for ABS Fittings

12 Per Carton

600-PP



601

Bath Waste Half Kits



600-SF

SF Kits have No
strainer
body.



601-LT

Add -2H for
2 hole OF

Example Product #: ^u600 — ^vPF — ^wPVC — ^xBN — ^y***
Series Number Stopper Material Finish Option

600: COMPLETE BATH WASTES	
Fits most tubs up to 16" deep:	
Part Number	
600-LT-PVC-CP	
600-PP-PVC-CP	
600-PF-PVC-CP	
PF: NOT IN BO-BS-WH	
600-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	

601: BATH WASTE HALF KITS	
Part Number	
601-LT-PVC-CP	
601-PP-PVC-CP	
601-PF-PVC-CP	
PF: NOT IN BO-BS-WH	
601-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

AP
BB
BN
BO

BS
BZ
CB
NP

PB
WH
WI

LT

LIFT AND TURN

PP

PUSH PULL®

PF

PRESFLO®
ADA

FA

FOOT
ACTUATED
ADA


600-601
Trim Kits

LT Trim Kit..... 58290-
PP Trim Kit: ... 38290-
PF Trim Kit: ... 38250-
FA Trim Kit:..... 68290-
CT TRIM KITS: pg 50

Tub Closures

LT Tub Closure 58305-
PP Tub Closure ... 38305-
PF Tub Closure ... 38360-
FA Tub Closure.... 68305-
TC KITS: pg 54

600-601
TEST KITS
See page 57



Pricing available on www.watcomfg.com



Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

600 Series

Solvent Weld Assembly • PVC or ABS • Coarse Thread: 11.5 tpi • Schedule 40 TechNotes: page 78

SLIP LOCK® Trip Lever

600-SL

ABS or PVC



Fits most tubs 16" deep:

See Web XLXS
for ABS Fittings

12 Per Carton

600-SL-PVC-CP

600-SL



Patented

BN	BZ	PB
BO	CB	WH
BS	NP	WI

TRIP LEVER

600-TL / 650-TL

ABS or PVC

Fits most tubs 16" deep:

12 Per Carton

600-TL-PVC-CP

600-TL
650-TL



Patented

BN	BZ	PB
BO	CB	WH
BS	NP	WI

Fits most tubs 24" deep:

10 Per Carton

650-TL-PVC-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

Notice: All Trip-Lever- Type Drains

Make sure
brass linkage
is not kinked.

CORRECT



INCORRECT



For trip-lever type trim and linkage kits,
& faceplate kits, see pages 52-53 and 56.

TURNSTYLE®

600-TS / 650-TS


ABS or PVC

Fits most tubs 16" deep:

12 Per Carton

600-TS-PVC-CP

600-TS
650-TS



NOT



Patented

Fits most tubs 24" deep:

10 Per Carton

650-TS-PVC-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

BN	BZ	PB
BO	CB	WH
BS	NP	WI

620 Bath Wastes Fits most tubs up to 16" deep

621 Half Kits

ABS Stopper and Knob; Brass Strainer Body

620 / 661 BRASS BODY
COMPLETE BATH WASTES

Bath Wastes	620-PP-PVC-CP
Half Kits	621-PP-PVC-CP

See Web XLXS
for ABS Fittings

12 Per Carton

620-PP
661-PP



621-PP
651-PP



661 Bath Wastes Fits most tubs up to 16" deep

651 Half Kits

ABS Stopper and Knob; Zinc Strainer Body

661 / 651 ZINC BODY
BATH WASTE & HALF KIT

Bath Wastes	661-PP-PVC-CP
Half Kits	651-PP-PVC-CP

See Web XLXS
for ABS Fittings

12 Per Carton

Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

600 Series (Cont.)

Solvent Weld Assembly • PVC or ABS • Coarse Thread: 11.5 tpi • Schedule 40 TechNotes: page 74

Example Product #: ^u610 — ^vLT — ^wPVC — ^xAB — ^y***
Series Number Stopper Material Finish Option

See Web XLXS
for ABS Fittings

12 Per Carton

600-Series Quarter Kits with Adapters

610 HUB ADAPTER

Hub Adapters
fit **outside** 1-1/2"
Schedule 40
ABS or PVC piping.



610 QUARTER KITS WITH HUB ADAPTER - ABS & PVC


Part Number

610-LT-PVC-CP	
610-PP-PVC-CP	
610-PF-PVC-CP	
PF: NOT in BO-BS-WH	
610-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	

612 SPIGOT - PVC

Spigot Adapters
fit **inside** 1-1/2"
Schedule 40
PVC piping.



612 QUARTER KITS WITH SPIGOT ADAPTOR - PVC ONLY

Part Number

612-LT-PVC-CP	
612-PP-PVC-CP	
612-PF-PVC-CP	
PF: NOT in BO-BS-WH	
612-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	

614 DRAIN ELBOW



For Drain Elbow
Half Kit, see
Model 601 on
page 25.

614 QUARTER KITS WITH DRAIN ELBOW - ABS & PVC

Part Number

614-LT-PVC-CP	
614-PP-PVC-CP	
614-PF-PVC-CP	
PF: NOT in BO-BS-WH	
614-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	

600-Series Half Kits with Adapters

Add -2H for
2 hole OF

See Web XLXS
for ABS Fittings

12 Per Carton

615 HUB ADAPTER



615 HALF KITS WITH HUB ADAPTER - ABS & PVC

Part Number

615-LT-PVC-CP	
615-PP-PVC-CP	
615-PF-PVC-CP	
PF: NOT in BO-BS-WH	
615-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	

616 SPIGOT - PVC ONLY



616 HALF KITS WITH SPIGOT ADAPTOR - PVC ONLY

Part Number

616-LT-PVC-CP	
616-PP-PVC-CP	
616-PF-PVC-CP	
PF: NOT in BO-BS-WH	
616-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	

617 DIRECT DRAIN TEE



617 HALF KITS WITH DIRECT DRAIN TEE - ABS & PVC

Part Number

617-LT-PVC-CP	
617-PP-PVC-CP	
617-PF-PVC-CP	
PF: NOT in BO-BS-WH	
617-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	



Tubular Plastic

Slip-Joint Assembly • 11.5 tpi • Tubular Plastic TechNotes: page 75

Patented and Patents Pending
See watcomfg.com for details.

500 Series

500 Series: 500 / 550 Bath Wastes - 500 Slip Lock® Trip Lever



LIFT AND TURN

500

Complete Bath Wastes

ABS or PVC

See Web XLXS
for ABS Fittings
12 Per Carton



PUSH PULL®

PF



PRESFLO®

Fits most tubs up to 16" deep:

500-LT-PVC-CP
500-PP-PVC-CP
500-PF-PVC-CP
PF: NOT IN AB-BO-BS-WH
500-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	



FOOT
ACTUATED



ADA

500-550	
Trim Kits	Tub Closures
LT Trim Kit.....58290-__-2H	LT Tub Closure.....58305-__
PP Trim Kit:.....38290-__-2H	PP Tub Closure.....38305-__
PF Trim Kit:.....38250-__-2H	PF Tub Closure.....38360-__
FA Trim Kit:.....68290-__-2H	FA Tub Closure.....68305-__

TRIM KITS: Pgs. 54 – TUB CLOSURES: Pgs. 58



500-PP

550

Complete Bath Wastes

ABS or PVC


See Web XLXS
for ABS Fittings
10 Per Carton

Fits most tubs up to 24" deep:

550-LT-PVC-CP
550-PP-PVC-CP
550-PF-PVC-CP
PF: NOT IN AB-BO-BS-WH
550-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

ROUGHING-IN DIMENSIONS



SLIP LOCK® Trip Lever

500-SL

Complete Bath Wastes

ABS or PVC

See Web XLXS
for ABS Fittings
12 Per Carton

Fits most tubs up to 16" deep:


500-SL-PVC-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI



ADA

ROUGHING-IN DIMENSIONS



Notice: All Trip-Lever- Type Drains

Make sure
brass linkage
is not kinked.

CORRECT



INCORRECT

Trim Kits for SLIP LOCK®
on pages 52-53

Faceplate Kits:
See page 56

Tubular Plastic

Patented and Patents Pending
See watcomfg.com for details.

500 Series

Slip-Joint Assembly • PVC or ABS • Coarse Thread: 11.5 tpi • Tubular Plastic TechNotes: page 78

Complete Bath Wastes QUICK ADJUST® Trip Lever ABS or PVC

500-TQ

See Web XLXS
for ABS Fittings
12 Per Carton

Fits most tubs up to 16" deep:

500-TQ-PVC-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI


550-TQ

See Web XLXS
for ABS Fittings
10 Per Carton

Fits most tubs up to 24" deep:

550-TQ-PVC-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI



Installation:

- A** Establish rough-in length at overflow elbow scale.
- B** Adjust threaded-rod end on the linkage clevis until the number matches the number on the overflow elbow scale.

NOTE:

Typical installation for:
Model 500-TQ (ABS or PVC)

Trim Kits for SLIP LOCK®, Trip Lever, and TURNSTYLE® : See pages 52-53 – Faceplate Kits: See page 56.

Pricing available on www.watcomfg.com

Complete Bath Wastes TURNSTYLE® ABS or PVC

500-TS

See Web XLXS
for ABS Fittings
12 Per Carton

Fits most tubs up to 16" deep:

500-TS-PVC-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI



NOT



550-TS

See Web XLXS
for ABS Fittings
10 Per Carton

Fits most tubs up to 24" deep:

550-TS-PVC-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

*



Tubular Plastic

Patented and Patents Pending
See watcomfg.com for details.

500 Series

Slip-Joint Assembly • PVC or ABS • Coarse Thread: 11.5 tpi • Tubular Plastic TechNotes: page 75

510

Quarter Kit
with
Coarse-Thread
Drain Elbow



510-LT



See Web XLXS
for ABS

12 Per Carton

510-LT-PVC-CP
510-PP-PVC-CP
510-PF-PVC-CP
PF: NOT IN AB-BO-BS-WH
510-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	

515

Polypropylene
2-Hole Direct Drain

Fits most tubs
up to 16" deep



515-LT

See Web XLXS
for ABS

12 Per Carton

515-LT-CP
515-PP-CP
515-PF-CP
PF NOT IN AB-BO-BS-WH
515-FA-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	

595

Innovator® Tubular
PVC & Polypropylene
Direct Drain



595-PP

Overflow Elbow:
Tubular Plastic PVC
Elbow & Drain Tee:
Polypropylene

12 Per Carton

595-LT-PVC-CP
595-PP-PVC-CP
595-PF-PVC-CP
PF: NOT IN BO-BS-WH
595-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP	CB
BB	NP
BN	PB
BO	WH
BS	WI
BZ	

590

Innovator®
Complete Bath
Wastes

ABS or PVC

*PP1 = Plastic Pin

See Web XLXS
for ABS Fittings
12 Per Carton



#11114 TEST CAP &
#11577 TEST PLUG
included with all
590 & 594 Bath Wastes.

590-594

Trim Kits

LT Trim Kit.....	958290-
PP Trim Kit: ...	938290-
PF Trim Kit: ...	938250-
FA Trim Kit:	968290-

Tub Closures

LT Tub Closure....	58305-
PP Tub Closure ...	38305-
PF Tub Closure ...	38360-
FA Tub Closure....	68305-

TRIM KITS: Pgs. 50 – TUB CLOSURES: Pgs. 54

To order the 590-594 without the Test Cap and Plug,
add "-LTK" to end of part number..

590-PP1-PVC-CP
590-LT-PVC-CP
590-PP-PVC-CP
590-PF-PVC-CP
PF: NOT IN BO-BS-WH
590-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

=

590-LTRI-PVC-CP
590-LTRI-PVC-CP
590-PPRI-PVC-CP
590-PFRI-PVC-CP
PF: NOT IN BO-BS-WH
590-FARI-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

+

900SF-PP1-CP
900-LTSF-0-CP
900-PPSF-0-CP
900-PFSF-0-CP
PF: NOT IN BO-BS-WH
900-FASF-0-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

594

Same as the 590 but for
most tubs up to 24" deep.

ABS or PVC

594-LT-PVC-CP	
594-PP-PVC-CP	
594-PF-PVC-CP	
PF: NOT in BO-BS-WH	
594-FA-PVC-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

OTHER FINISHES AVAILABLE:


AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

10 Per Carton

Options for Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.


1.5" Pipe • Coarse Thread: 11.5 tpi • 17-Gauge Pipe and 20-Gauge Pipe available



New York Tee (-NY)

Use Watco's New York Tee as a through-the-floor installation without sacrificing adjustability.

For New York Tee, add "-NY" to product number.





NOTE: These two options cannot be used together on the same bath waste.

Slip 'N Solder® (-U)

- solder two tubes (like copper fittings).
- eliminate an access panel.
- eliminate need for exact lengths.

For Slip "N Solder® unit, add "-U" to product number.



More on Tubular Brass

For Brass TechNotes and extensions, see page 79.

Patented and Patents Pending
See watcomfg.com for details.




Brass Cable

See Page 36.

Brass Condensate Overflow Elbow

See TechNotes
on page 75.



Through-Wall Chicago Code

See Page 36.

Trim Kits & Tub Closures for our brass drains...


QuickTrim® Kits



Innovator®
QuickTrim® Kits
Page 48



Innovator® Trim Kits
Page 50



Coarse-Thread
Tub Closures
Page 54



Replacement
Stoppers
Page 54

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.

501/551 Series


17-Gauge Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 75



501-PP

Brass Assembly Additional Options

No additional charge.



Slip 'N Solder®

To order, add "U" to item number.

OR



Multiple
options
with only
one tee.

New York Tee

To order, add "NY" to item number.

Example Product #: **501** — **PF** — **BRS** — **BZ** — *******
Series Number Stopper Material Finish Option

501 17-Gauge

501s:
12 Per Carton

Fits Most Tubs up to 16" Deep

501-LT-BRS-CP
501-PP-BRS-CP
501-PF-BRS-CP
PF: NOT IN AB-BO-BS-WH
501-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-W

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

551 17-Gauge

551s:
10 Per Carton

Fits Most Tubs up to 24" Deep

551-LT-BRS-CP
551-PP-BRS-CP
551-PF-BRS-CP
PF: NOT IN AB-BO-BS-WH
551-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	



LIFT AND TURN




PUSH PULL®



PRESFLO®
ADA



FOOT
ACTUATED
ADA



501-502 Rough-In Dimensions

501-551-502-552

Trim Kits

LT Trim Kit.....58290-__-2H
PP Trim Kit: ...38290-__-2H
PF Trim Kit: ...38250-__-2H
FA Trim Kit: ...68290-__-2H

TRIM KITS: Pg. 50

Tub Closures

LT Tub Closure58305-__
PP Tub Closure ...38305-__
PF Tub Closure ...38360-__
FA Tub Closure....68305-__

TUB CLOSURES: Pg. 54

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.

502/552 Series


20-Gauge Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 75

502-PP



Brass Assembly Additional Options

No additional charge.



Slip 'N Solder®

To order, add "U" to item number.

OR



Multiple options with only one tee.

New York Tee

To order, add "NY" to item number.

Example Product #: **501** — **PF** — **BRS** — **BZ** — *******
Series Number Stopper Material Finish Option

502 20-Gauge

502s:
12 Per Carton

Fits Most Tubs up to 16" Deep

502-LT-BRS-CP
502-PP-BRS-CP
502-PF-BRS-CP
PF: NOT IN AB-BO-BS-WH
502-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-W

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	


552 20-Gauge

552s:
10 Per Carton

Fits Most Tubs up to 24" Deep

552-LT-BRS-CP
552-PP-BRS-CP
552-PF-BRS-CP
PF: NOT IN AB-BO-BS-WH
552-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI


AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	



551-552 Rough-In Dimensions



QuickTrim® Kits
Page 48



Coarse-Thread Tub Closures
Page 54



Replacement Stoppers
Page 54

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.

Trip Lever Models

17-G & 20-G Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 75

Example Product #: **552** — **TQ** — **BRS** — **BO** — *******
Series Number Stopper Material Finish Option

QUICK ADJUST® ADA

501-TQ 17-Gauge

Fits Most Tubs up to 16" Deep

501-TQ-BRS-CP

BN	CB	WH
BO	NP	WI
BS	PB	
BZ		

501s/502s:
12 Per Carton

502-TQ 20-Gauge

Fits Most Tubs up to 16" Deep

502-TQ-BRS-CP

BN	CB	WH
BO	NP	WI
BS	PB	
BZ		

QUICK ADJUST® ADA

551-TQ 17-Gauge

Fits Most Tubs up to 24" Deep

551-TQ-BRS-CP

BN	CB	WH
BO	NP	WI
BS	PB	
BZ		


551s/552s:
10 Per Carton

552-TQ 20-Gauge

Fits Most Tubs up to 24" Deep

552-TQ-BRS-CP

BN	CB	WH
BO	NP	WI
BS	PB	
BZ		



Installation:

- Establish rough-in length at overflow elbow scale.
- Adjust threaded-rod end on the linkage clevis until the number matches the number on the overflow elbow scale.

NOTE:

Typical installation for:
Model 500-TQ (ABS or PVC)
Model 501-TQ (17ga Brass)
Model 502-TQ (20ga Brass)

Trim Kits for SLIP LOCK®, Trip Lever, and TURNSTYLE® : See pages 52-53 – Faceplate Kits: See page 56.

Trip Lever Bath Wastes require through-the-floor installation.

Pricing available on www.watcomfg.com

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.

TURNSTYLE® - Direct Drain

17-G & 20-G Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 75

Example Product #: ^u552 — ^vTS — ^wBRS — ^xBO — ^y***
Series Number Stopper Material Finish Option

TURNSTYLE®

NOT
ADA

501-TS 17-Gauge

Fits Most Tubs up to 16" Deep

501-TS-BRS-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

501s/502s:
12 Per Carton

502-TS 20-Gauge

Fits Most Tubs up to 16" Deep

502-TS-BRS-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

TURNSTYLE®

NOT
ADA

551-TS 17-Gauge

Fits Most Tubs up to 24" Deep

551-TS-BRS-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

551s/552s:
10 Per Carton

552-TS 20-Gauge

Fits Most Tubs up to 24" Deep

552-TS-BRS-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

NOT
ADA

Trim Kits for SLIP LOCK®, Trip Lever, and TURNSTYLE® : See pages 52-53 — Faceplate Kits: See page 56.



511

17-Gauge

Tub Closure with
18.125" Extension

12 Per Carton

511-LT-BRS-CP	
511-PP-BRS-CP	
511-PF-BRS-CP	
PF: NOT IN BO-BS-WH	
511-FA-BRS-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	



512

17-Gauge

2-Hole
Direct Drain
Fits Most Tubs
up to 16" Deep

Slip 'N Solder®
Available Add -U

12 Per Carton

512-LT-BRS-CP	
512-PP-BRS-CP	
512-PF-BRS-CP	
PF: NOT IN BO-BS-WH	
512-FA-BRS-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

512 Trim Kits same as 501's

TRIM KITS: Pg. 50 — TUB CLOSURES: Pg. 54

593

17-Gauge

Innovator® Direct
Drain Fits Most Tubs
up to 16" Deep

Slip 'N Solder®
Available Add -U



12 Per Carton

#11114 TEST CAP & #11575 TEST PLUG
included in all 593 Bath Wastes.

593-LT-BRS-CP	
593-PP-BRS-CP	
593-PF-BRS-CP	
PF: NOT IN BO-BS-WH	
593-FA-BRS-CP	
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

593 Trim Kits same as 501's

TRIM KITS: Pg. 50— TUB CLOSURES: Pg. 54

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.

17g Brass Innovator®


17-Gauge Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 75



591-PP

Brass Assembly Additional Options

No additional charge.



Slip 'N Solder®

To order, add "U" to item number.

OR



Multiple
options
with only
one tee.

New York Tee

To order, add "NY" to item number.

Example Product #: **591** — **PP** — **BRS** — **BN** — *******
Series Number Stopper Material Finish Option

591 17-Gauge

591s:
12 Per Carton

Fits Most Tubs up to 16" Deep

591-LT-BRS-CP
591-PP-BRS-CP
591-PF-BRS-CP
PF: NOT IN BO-BS-WH
591-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	

598 17-Gauge

598s:
12 Per Carton

Fits Most Tubs up to 24" Deep

598-LT-BRS-CP
598-PP-BRS-CP
598-PF-BRS-CP
PF: NOT IN BO-BS-WH
598-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI


AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	



LIFT AND TURN




PUSH PULL®



PRESFLO®
ADA



FOOT
ACTUATED
ADA



591-592
Rough-In Dimensions

591-592-598-599

Trim Kits

Tub Closures

LT Trim Kit.....	958290-__
PP Trim Kit: ...	938290-__
PF Trim Kit: ...	938250-__
FA Trim Kit:....	968290-__

LT Tub Closure	58305-__
PP Tub Closure ...	38305-__
PF Tub Closure ...	38360-__
FA Tub Closure....	68305-__

TRIM KITS: Pg. 50 – TUB CLOSURES: Pg. 54

#11114 TEST CAP & #11577 TEST PLUG
included with all 591 & 598 Bath Wastes.



To order without the Test Cap and Plug,
add "-LTK" to end of part number.



WATCO... Always a Step Ahead.™

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.

20g Brass Innovator®


20-Gauge Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 75



592-PP

Brass Assembly Additional Options

No additional charge.



Slip 'N Solder®

To order, add "U" to item number.

OR



Multiple options with only one tee.

New York Tee

To order, add "NY" to item number.

Example Product #: **592** — **LTR** — **BRS** — **CP** — *******
Series Number Stopper Material Finish Option

592 20-Gauge

592s:
12 Per Carton

Fits Most Tubs up to 16" Deep

592-LT-BRS-CP
592-PP-BRS-CP
592-PF-BRS-CP
PF: NOT IN BO-BS-WH
592-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	


599 20-Gauge

599s:
12 Per Carton

Fits Most Tubs up to 24" Deep

599-LT-BRS-CP
599-PP-BRS-CP
599-PF-BRS-CP
PF: NOT IN BO-BS-WH
599-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI

AP	BS	PB
BB	BZ	WH
BN	CB	WI
BO	NP	



Innovator® QuickTrim® Kits
Page 48



Coarse-Thread Tub Closures
Page 54



Replacement Stoppers
Page 54



#11114 TEST CAP & #11577 TEST PLUG
included with all 592 & 599 Bath Wastes.



Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.

Cable (Non-Testable)

20-Gauge Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions, see page 75.

528 Cable 20-Gauge

Fits Most Tubs up to 16" Deep


528-CA-BRS-CP

BB 335.00	BZ	PB
BN	CB	WH
BO	NP	WI
BS		

528s:
12 Per Carton

Add -17G for 17-gauge.

538-CA-BRS-BZ



528 Series
Rough-In
Measurements

538 Cable 20-Gauge

Fits Most Tubs up to 24" Deep

538-CA-BRS-CP

BB 351.60	BZ	PB
BN	CB	WH
BO	NP	WI
BS		

538s:
10 Per Carton

Add -17G for 17-gauge.

528-CA Overflow length plus drain length
cannot exceed 28 inches.

Overflow Length = 20 inches
Drain Length = 8 inches

538-CA Overflow length plus drain length
cannot exceed 38 inches.

Overflow Length = 28 inches
Drain Length = 10 inches

For Slip "N Solder" unit,
add suffix "U" to product number.

Cable Trim Kits: Page 49

Chicago-Code

1.5" 17-Gauge Brass Pipe • Coarse Thread: 11.5

567 Chicago-Code 17-Gauge

Fits Most Tubs up to 16" Deep

Call for Finish s -BN -BZ -NP -PB


567-LT-BRS-CP

567-PP-BRS-CP

567-PF-BRS-CP

567-FA-BRS-CP

567s:
12 Per Carton



567-LT-BRS-CP
Rough-In Dimensions

For Slip "N Solder" unit,
add suffix "U" to product number.

ADA
PRESFLO®
FOOT ACTUATED

568 Chicago-Code 17-Gauge

Fits Most Tubs up to 24" Deep

Call for Finish s -BN -BZ -NP -PB


568-LT-BRS-CP

568-PP-BRS-CP

568-PF-BRS-CP

568-FA-BRS-CP

568s:
10 Per Carton



568-LT-BRS-CP
Rough-In Dimensions

ADA
PRESFLO®
FOOT ACTUATED

Trim Kits: Pages 50 / Tub Closures: Pages 54



Lavatory Drains

1.25" 17-Gauge Brass Pipe • Fine Thread: 18 tpi

Patented and Patents Pending
See watcomfg.com for details.

20 Per Carton

Lavatory Drains: 800 / 801 / 700



800-PP

800 With Overflow

800-PP-BRS-CP

800-PF-BRS-CP

AP	CB
BB	NP
BN	PB
BZ	WI

Push Pull® and PresFlo®
stoppers are available in both
the 800 and 801 models.



801-PF

801 Without Overflow

801-PP-BRS-CP



801-PF-BRS-CP

AP	CB
BB	NP
BN	PB
BZ	WI

FOR OUTSIDE THREADS
ON 801's,
ADD "OT" TO NUMBER.
EXAMPLE: 801-PP-BRS-BN-OT



801-PP
801-PF-OT



700 - ABS With Overflow

ABS PLASTIC WITH
OVERFLOW;
FINE THREAD

700-PP-ABS-CP

20 Per Carton



800/801 SPECIAL DRAIN TUBES

Please use the following codes when ordering
lav drains with an upgraded drain tube:

12	12" Chrome Lav Tube
PT7	7" Plated Lav Tube
PT12	12" Plated Lav Tube

BN-BZ-CB-NP-PB only.

Lavatory Drains

IdealLav™



One piece drop tube for easy installation

Removable, replaceable grid strainer

Internal stopper seals below the grid

Fits standard sinks with overflow

Tube available in Tubular PVC or solid Brass - Chrome Plated

Grid Strainer can be purchased separately

1 ¼" Tubular x 8 ½" Long

No Popup add -NPU to SKU

Dual use unit with ball add -BL to SKU



Tubular PVC

IdealLav™ Standard Products

Solid Brass - Chrome Plated

Product	Tube Material	Grid Strainer Mat'l.	Trim Finish	Part #
Lav w/Grid Strainer-Plastic	Tubular PVC	ABS Plastic	Chrome	715-P-CP
Lav w/Grid Strainer-Plastic	Tubular PVC	ABS Plastic	Brushed Nickel	715-P-BN
Lav w/Grid Strainer-Plastic	Tubular PVC	ABS Plastic	Rubbed Bronze	715-P-BZ
Lav w/Grid Strainer-Plastic	Tubular PVC	ABS Plastic	Wrought Iron	715-P-WI
Lav w/Grid Strainer-Brass	Tubular PVC	Brass	Chrome	715-B-CP
Lav w/Grid Strainer-Brass	Tubular PVC	Brass	Brushed Nickel	715-B-BN
Lav w/Grid Strainer-Brass	Tubular PVC	Brass	Rubbed Bronze	715-B-BZ
Lav w/Grid Strainer-Plastic	Chrome Plated Brass	ABS Plastic	Chrome	815-P-CP
Lav w/Grid Strainer-Plastic	Chrome Plated Brass	ABS Plastic	Brushed Nickel	815-P-BN
Lav w/Grid Strainer-Plastic	Chrome Plated Brass	ABS Plastic	Rubbed Bronze	815-P-BZ
Lav w/Grid Strainer-Brass	Chrome Plated Brass	Brass	Chrome	815-B-CP
Lav w/Grid Strainer-Brass	Chrome Plated Brass	Brass	Brushed Nickel	815-B-BN
Lav w/Grid Strainer-Brass	Chrome Plated Brass	Brass	Rubbed Bronze	815-B-BZ
Lav w/Grid Strainer-Brass	Chrome Plated Brass	Brass	Wrought Iron	815-B-WI

Replacement Grid Strainers

Material	Finish	Part #
Plastic	Chrome	01056-CP
Plastic	Brushed Nickel	01056-BN
Plastic	Rubbed Bronze	01056-BZ
Plastic	Wrought Iron	01056-WI
Brass	Chrome	01057-CP
Brass	Brushed Nickel	01057-BN
Brass	Rubbed Bronze	01057-BZ
Brass	Wrought Iron	01057-WI

Available in
Wrought Iron

Lavatory Drains

Patented and Patents Pending
See <https://www.watcomfg.com/Watco/patents/> for details.

IdealLav™

Features



Includes




Replaceable Grid Strainer



Available in ABS or Solid Brass
Finishes:
Chrome Plated (CP)
Brushed Nickel (BN)
Rubbed Bronze (BZ)
Fits both PVC & Brass Tubes

Parts List



Item	Part #	Description
1	01054CP	IdealLav Brass Trim-CP
	01054BN	IdealLav Brass Trim-BN
	01054BZ	IdealLav Brass Trim-BZ
	01055CP	IdealLav Plastic Trim-CP
	01055BN	IdealLav Plastic Trim-BN
	01055BZ	IdealLav Plastic Trim-BN
2	11137	IdealLav Trim O-Ring
3	11135	IdealLav Stopper O-Ring
4	11151	IdealLav Stopper
5	10655CP	IdealLav Tube Brass
	10069	IdealLav Tube PVC
6	11506	IdealLav Outer Seal
7	10698	IdealLav Slip Washer
8	41581	IdealLav Large Nut Plastic
	41579	IdealLav Large Nut Metal
9	41052CP	IdealLav Lift Knob/Rod-CP
	41052BN	IdealLav Lift Knob/Rod-BN
	41052BZ	IdealLav Lift Knob/Rod-BZ
10	41048	IdealLav Thumb Screw
11	41049	IdealLav Clevis
12	41051	IdealLav Rod Clip
13	41046CP	IdealLav Pivot Ball Nut-CP
14	41045	IdealLav Rod Ball Assembly
15	41053	IdealLav Ball (NPU)

Universal NuFit® Trim Kits & Tub Closures

NOTE: For carded trim kits, place "-C" at end of item number.

INNOVATOR FACEPLATE - Trim Kit with Grid

10 Per Carton

 948700-PP-CP-G PP Trim Kit with Grid and Silicone Packet	 3/8-5/16 948700-PP-CP-G-47 PP Trim Kit with Grid, Silicone & #11547 Pin	 948700-PP-CP-G-2P PP Trim Kit with Grid, Silicone, #47 & #51 Pins	 948700-PP-CP-G-3P PP Trim Kit with Grid, Silicone & All 3 Pins
948700-PP-CP-G 948700-PP-BB-G 948700-PP-BN-G 948700-PP-BS-G 948700-PP-BZ-G 948700-PP-CB-G 948700-PP-NP-G 948700-PP-PB-G 948700-PP-WH-G 948700-PP-WI-G	948700-PP-CP-G-47 948700-PP-BB-G-47 948700-PP-BN-G-47 948700-PP-BS-G-47 948700-PP-BZ-G-47 948700-PP-CB-G-47 948700-PP-NP-G-47 948700-PP-PB-G-47 948700-PP-WH-G-47 948700-PP-WI-G-47	948700-PP-CP-G-2P 948700-PP-BB-G-2P 948700-PP-BN-G-2P 948700-PP-BS-G-2P 948700-PP-BZ-G-2P 948700-PP-CB-G-2P 948700-PP-NP-G-2P 948700-PP-PB-G-2P 948700-PP-WH-G-2P 948700-PP-WI-G-2P	948700-PP-CP-G-3P 948700-PP-BB-G-3P 948700-PP-BN-G-3P 948700-PP-BS-G-3P 948700-PP-BZ-G-3P 948700-PP-CB-G-3P 948700-PP-NP-G-3P 948700-PP-PB-G-3P 948700-PP-WH-G-3P 948700-PP-WI-G-3P

1-HOLE FACEPLATE: (For 2-Hole, add "-2H" to part number)

 48700-PP-CP-G PP Trim Kit with Grid and Silicone Packet	 3/8-5/16 48700-PP-CP-G-47 PP Trim Kit with Grid, Silicone & #11547 Pin	 48700-PP-CP-G-2P PP Trim Kit with Grid, Silicone, #47 & #51 Pins	 48700-PP-CP-G-3P PP Trim Kit with Grid, Silicone & All 3 Pins
48700-PP-CP-G 48700-PP-BB-G 48700-PP-BN-G 48700-PP-BS-G 48700-PP-BZ-G 48700-PP-CB-G 48700-PP-NP-G 48700-PP-PB-G 48700-PP-WH-G 48700-PP-WI-G	48700-PP-CP-G-47 48700-PP-BB-G-47 48700-PP-BN-G-47 48700-PP-BS-G-47 48700-PP-BZ-G-47 48700-PP-CB-G-47 48700-PP-NP-G-47 48700-PP-PB-G-47 48700-PP-WH-G-47 48700-PP-WI-G-47	48700-PP-CP-G-2P 48700-PP-BB-G-2P 48700-PP-BN-G-2P 48700-PP-BS-G-2P 48700-PP-BZ-G-2P 48700-PP-CB-G-2P 48700-PP-NP-G-2P 48700-PP-PB-G-2P 48700-PP-WH-G-2P 48700-PP-WI-G-2P	48700-PP-CP-G-3P 48700-PP-BB-G-3P 48700-PP-BN-G-3P 48700-PP-BS-G-3P 48700-PP-BZ-G-3P 48700-PP-CB-G-3P 48700-PP-NP-G-3P 48700-PP-PB-G-3P 48700-PP-WH-G-3P 48700-PP-WI-G-3P

TUB CLOSURES - with Grid

20 Per Carton

 48750-PP-CP-G PP Tub Closure with Grid and Silicone Packet	 3/8-5/16 48750-PP-CP-G-47 PP Tub Closure with Grid, Silicone & #11547 Pin	 48750-PP-CP-G-2P PP Tub Closure with Grid, Silicone, #47 & #51 Pins	 48750-PP-CP-G-3P PP Tub Closure with Grid, Silicone & All 3 Pins
48750-PP-CP-G 48750-PP-BB-G 48750-PP-BN-G 48750-PP-BS-G 48750-PP-BZ-G 48750-PP-CB-G 48750-PP-NP-G 48750-PP-PB-G 48750-PP-WH-G 48750-PP-WI-G	48750-PP-CP-G-47 48750-PP-BB-G-47 48750-PP-BN-G-47 48750-PP-BS-G-47 48750-PP-BZ-G-47 48750-PP-CB-G-47 48750-PP-NP-G-47 48750-PP-PB-G-47 48750-PP-WH-G-47 48750-PP-WI-G-47	48750-PP-CP-G-2P 48750-PP-BB-G-2P 48750-PP-BN-G-2P 48750-PP-BS-G-2P 48750-PP-BZ-G-2P 48750-PP-CB-G-2P 48750-PP-NP-G-2P 48750-PP-PB-G-2P 48750-PP-WH-G-2P 48750-PP-WI-G-2P	48750-PP-CP-G-3P 48750-PP-BB-G-3P 48750-PP-BN-G-3P 48750-PP-BS-G-3P 48750-PP-BZ-G-3P 48750-PP-CB-G-3P 48750-PP-NP-G-3P 48750-PP-PB-G-3P 48750-PP-WH-G-3P 48750-PP-WI-G-3P

Pricing available on www.watcomfg.com



Universal NuFit® Trim Kits & Tub Closures

NOTE: For carded trim kits, place "-C" at end of item number.

Universal NuFit® Trim Kits & Tub Closures

Pricing available on www.watcomfg.com

INNOVATOR FACEPLATE - Trim Kit without Grid

10 Per Carton



948700-PP-CP
PP Trim Kit without Grid
and Silicone Packet

948700-PP-CP
948700-PP-BB
948700-PP-BN
948700-PP-BS
948700-PP-BZ
948700-PP-CB
948700-PP-NP
948700-PP-PB
948700-PP-WH
948700-PP-WI



948700-PP-CP-47
PP Trim Kit without Grid,
Silicone & #11547 Pin

948700-PP-CP-47
948700-PP-BB-47
948700-PP-BN-47
948700-PP-BS-47
948700-PP-BZ-47
948700-PP-CB-47
948700-PP-NP-47
948700-PP-PB-47
948700-PP-WH-47
948700-PP-WI-47



948700-PP-CP-2P
PP Trim Kit without Grid,
Silicone, #47 & #51 Pins

948700-PP-CP-2P
948700-PP-BB-2P
948700-PP-BN-2P
948700-PP-BS-2P
948700-PP-BZ-2P
948700-PP-CB-2P
948700-PP-NP-2P
948700-PP-PB-2P
948700-PP-WH-2P
948700-PP-WI-2P



948700-PP-CP-3P
PP Trim Kit without Grid,
Silicone & All 3 Pins

948700-PP-CP-3P
948700-PP-BB-3P
948700-PP-BN-3P
948700-PP-BS-3P
948700-PP-BZ-3P
948700-PP-CB-3P
948700-PP-NP-3P
948700-PP-PB-3P
948700-PP-WH-3P
948700-PP-WI-3P

1-HOLE FACEPLATE: (For 2-Hole, add "-2H" to part number)



48700-PP-CP
PP Trim Kit without Grid
and Silicone Packet

48700-PP-CP
48700-PP-BB
48700-PP-BN
48700-PP-BS
48700-PP-BZ
48700-PP-CB
48700-PP-NP
48700-PP-PB
48700-PP-WH
48700-PP-WI



48700-PP-CP-47
PP Trim Kit without Grid,
Silicone & #11547 Pin

48700-PP-CP-47
48700-PP-BB-47
48700-PP-BN-47
48700-PP-BS-47
48700-PP-BZ-47
48700-PP-CB-47
48700-PP-NP-47
48700-PP-PB-47
48700-PP-WH-47
48700-PP-WI-47



48700-PP-CP-2P
PP Trim Kit without Grid,
Silicone, #47 & #51 Pins

48700-PP-CP-2P
48700-PP-BB-2P
48700-PP-BN-2P
48700-PP-BS-2P
48700-PP-BZ-2P
48700-PP-CB-2P
48700-PP-NP-2P
48700-PP-PB-2P
48700-PP-WH-2P
48700-PP-WI-2P



48700-PP-CP-3P
PP Trim Kit without Grid,
Silicone & All 3 Pins

48700-PP-CP-3P
48700-PP-BB-3P
48700-PP-BN-3P
48700-PP-BS-3P
48700-PP-BZ-3P
48700-PP-CB-3P
48700-PP-NP-3P
48700-PP-PB-3P
48700-PP-WH-3P
48700-PP-WI-3P

TUB CLOSURES - without Grid

20 Per Carton



48750-PP-CP
PP Tub Closure w/o Grid
and Silicone Packet

48750-PP-CP
48750-PP-BB
48750-PP-BN
48750-PP-BS
48750-PP-BZ
48750-PP-CB
48750-PP-NP
48750-PP-PB
48750-PP-WH
48750-PP-WI



48750-PP-CP-47
PP Tub Closure w/o Grid,
Silicone & #11547 Pin

48750-PP-CP-47
48750-PP-BB-47
48750-PP-BN-47
48750-PP-BS-47
48750-PP-BZ-47
48750-PP-CB-47
48750-PP-NP-47
48750-PP-PB-47
48750-PP-WH-47
48750-PP-WI-47



48750-PP-CP-2P
PP Tub Closure w/o Grid,
Silicone, #47 & #51 Pins

48750-PP-CP-2P
48750-PP-BB-2P
48750-PP-BN-2P
48750-PP-BS-2P
48750-PP-BZ-2P
48750-PP-CB-2P
48750-PP-NP-2P
48750-PP-PB-2P
48750-PP-WH-2P
48750-PP-WI-2P



48750-PP-CP-3P
PP Tub Closure w/o Grid,
Silicone & All 3 Pins

48750-PP-CP-3P
48750-PP-BB-3P
48750-PP-BN-3P
48750-PP-BS-3P
48750-PP-BZ-3P
48750-PP-CB-3P
48750-PP-NP-3P
48750-PP-PB-3P
48750-PP-WH-3P
48750-PP-WI-3P

Universal NuFit® Trim Kits & Tub Closures

NOTE: For carded trim kits, place "-C" at end of item number.

INNOVATOR FACEPLATE - FA Trim Kit with Grid			10 Per Carton
 948700-FA-CP-G FA Trim Kit with Grid and Silicone Packet	 948700-FA-CP-G-47 FA Trim Kit with Grid, Silicone & #11547 Pin	 948700-FA-CP-G-2P FA Trim Kit with Grid, Silicone, #47 & #51 Pins	 948700-FA-CP-G-3P FA Trim Kit with Grid, Silicone & All 3 Pins
948700-FA-CP-G 948700-FA-AB-G 948700-FA-BN-G 948700-FA-BZ-G 948700-FA-CB-G 948700-FA-PB-G 948700-FA-WH-G 948700-FA-WI-G	948700-FA-CP-G-47 948700-FA-AB-G-47 948700-FA-BN-G-47 948700-FA-BZ-G-47 948700-FA-CB-G-47 948700-FA-PB-G-47 948700-FA-WH-G-47 948700-FA-WI-G-47	948700-FA-CP-G-2P 948700-FA-AB-G-2P 948700-FA-BN-G-2P 948700-FA-BZ-G-2P 948700-FA-CB-G-2P 948700-FA-PB-G-2P 948700-FA-WH-G-2P 948700-FA-WI-G-2P	948700-FA-CP-G-3P 948700-FA-AB-G-3P 948700-FA-BN-G-3P 948700-FA-BZ-G-3P 948700-FA-CB-G-3P 948700-FA-PB-G-3P 948700-FA-WH-G-3P 948700-FA-WI-G-3P

1-HOLE : (For 2-Hole, add "-2H" to part number)			
 48700-FA-CP-G FA Trim Kit with Grid and Silicone Packet	 48700-FA-CP-G-47 FA Trim Kit with Grid, Silicone & #11547 Pin	 48700-FA-CP-G-2P FA Trim Kit with Grid, Silicone, #47 & #51 Pins	 48700-FA-CP-G-3P FA Trim Kit with Grid, Silicone & All 3 Pins
48700-FA-CP-G 48700-FA-AB-G 48700-FA-BN-G 48700-FA-BZ-G 48700-FA-CB-G 48700-FA-PB-G 48700-FA-WH-G 48700-FA-WI-G	48700-FA-CP-G-47 48700-FA-AB-G-47 48700-FA-BN-G-47 48700-FA-BZ-G-47 48700-FA-CB-G-47 48700-FA-PB-G-47 48700-FA-WH-G-47 48700-FA-WI-G-47	48700-FA-CP-G-2P 48700-FA-AB-G-2P 48700-FA-BN-G-2P 48700-FA-BZ-G-2P 48700-FA-CB-G-2P 48700-FA-PB-G-2P 48700-FA-WH-G-2P 48700-FA-WI-G-2P	48700-FA-CP-G-3P 48700-FA-AB-G-3P 48700-FA-BN-G-3P 48700-FA-BZ-G-3P 48700-FA-CB-G-3P 48700-FA-PB-G-3P 48700-FA-WH-G-3P 48700-FA-WI-G-3P

TUB CLOSURES - FA with Grid			20 Per Carton
 48750-FA-CP-G FA Tub Closure with Grid and Silicone Packet	 48750-FA-CP-G-47 FA Tub Closure with Grid, Silicone & #11547 Pin	 48750-FA-CP-G-2P FA Tub Closure with Grid, Silicone, #47 & #51 Pins	 48750-FA-CP-G-3P FA Tub Closure with Grid, Silicone & All 3 Pins
48750-FA-CP-G 48750-FA-AB-G 48750-FA-BN-G 48750-FA-BZ-G 48750-FA-CB-G 48750-FA-PB-G 48750-FA-WH-G 48750-FA-WI-G	48750-FA-CP-G-47 48750-FA-AB-G-47 48750-FA-BN-G-47 48750-FA-BZ-G-47 48750-FA-CB-G-47 48750-FA-PB-G-47 48750-FA-WH-G-47 48750-FA-WI-G-47	48750-FA-CP-G-2P 48750-FA-AB-G-2P 48750-FA-BN-G-2P 48750-FA-BZ-G-2P 48750-FA-CB-G-2P 48750-FA-PB-G-2P 48750-FA-WH-G-2P 48750-FA-WI-G-2P	48750-FA-CP-G-3P 48750-FA-AB-G-3P 48750-FA-BN-G-3P 48750-FA-BZ-G-3P 48750-FA-CB-G-3P 48750-FA-PB-G-3P 48750-FA-WH-G-3P 48750-FA-WI-G-3P

Push Pull® Stopper

REPLACEMENT STOPPER: Push Pull®



487SA-PP-CP
487SA-PP-BB
487SA-PP-BN
487SA-PP-BS
487SA-PP-BZ

487SA-PP-CB
487SA-PP-NP
487SA-PP-PB
487SA-PP-WH

**FA Replacement Stopper
NOT Available.**

2-Hole Faceplate



Add -2H

Additional Options: (Add to Part Number)



-47
#11547 Pin
3/8-5/16
Brass Pin



-54
#11554 Pin
1/4-20
Brass Pin



-51
#11551 Pin
#10-24
Brass Pin



-NS
**Silicone
Packet**



-2P
#47 & #51
Brass Pins



-2P2
#47 & #54
Brass Pins



-3P
All 3
Brass Pins



-WB
**Watco
Bonding
Strip**

Trim Kits

Patented and Patents Pending
See watcomfg.com for details.

NOTE: For carded trim kits,
place "-C" at end of item number.

NuFit® Kits


NuFit®

NuFit® kits and tub closures easily and quickly install over existing strainer bodies, requiring only the provided silicone adhesive.

NuFit®-Innovator®

Converts conventional overflow and drain to Innovator® snap-on overflow plate and NuFit® strainer body. Includes one each of #11121 Star Retainer Nut, #11641 Adapter Bar, Innovator® Overflow Plate, NuFit® body, stopper assembly, and silicone adhesive.

PRESFLO® TRIM KITS




948100-CP

Metal Stopper ADD call

OTHER PF	AP	CB
FINISHES:	BN	PB
	BZ	WI


PUSH PULL® TRIM KITS



948500-CP

OTHER LT	BN	PB
FINISHES:	BS	WH
	BZ	

LIFT AND TURN TRIM KITS




948400-CP

OTHER LT	BN	CB
FINISHES:	BZ	PB





10 Per Carton

See next page for additional NuFit® models.



Convert an existing 1-hole or 2-hole faceplate to the Innovator® snap-on faceplate.

INSTRUCTIONS FOR CONVERTING AN EXISTING 1-HOLE OR 2-HOLE OVERFLOW PLATE TO A NEW WATCO SNAP-ON INNOVATOR® OVERFLOW PLATE



1. Remove old 1-hole Overflow Plate. Save old screw and re-use.
2. Thread screw all the way into the Adapter Bar.
3. Center and hold the Retainer Star Nut, with prongs pointing out, onto the overflow opening.
4. Thread the screw, with adapter bar, into the Overflow Ell screw hole.
5. Snug the Adapter Bar up to the Retainer Star Nut. **DO NOT OVER TIGHTEN.**
6. Snap on the new Innovator Overflow Plate with the overflow opening facing down.

1. Remove old 2-hole Overflow Plate. Save old screws and re-use.
2. Center and hold the Retainer Star Nut, with prongs pointing out, and Adapter Bar onto overflow opening in position shown.
3. Pass the 2 screws through the end slots of the Adapter Bar and thread into the Overflow Ell screw holes.
4. Snug the Adapter Bar up to the Retainer Star Nut. **DO NOT OVER TIGHTEN.**
5. Snap on the new Innovator Overflow Plate with the overflow opening facing down.

©2013 Watco Manufacturing Co. 1220 South Powell Road, Independence, MO 64057 816.796.3900 www.watcomfg.com




18900 0613



AVAILABLE IN 2-HOLE: Add "2H" to part number. (Example: 48100-CP-2H)

PRESFLO®



#48100 Trim Kit

Brass body, plastic stopper assembly, metal overflow plate, adapter bar, screw, suction cup, and silicone adhesive.



For metal stopper, add "-MS".

10 Per Carton

48100-CP

Metal Stopper ADD Call

AP	CB
BN	PB
BZ	WI



#48200 Tub Closure

Brass body, plastic stopper assembly, suction cup, and silicone adhesive.



For metal stopper, add "-MS".

20 Per Carton

48200-CP

Metal Stopper Call

AP	CB
BN	PB
BZ	WI

NuFIT® PRESFLO® FEATURES

Does not need crossbars in old body.

Requires minimum 1.490" I.D. opening
Flange covers maximum of 2.875" O.D.
Depth clearance needed = .850"

PUSH PULL®



#48500 Trim Kit

Brass body, brass stopper assembly, 3/8" and 5/16" brass pins, metal overflow plate, adapter bar, screw, and silicone adhesive. Old strainer body must have crossbars.

10 Per Carton

48500-CP

BN	PB
BS	WH
BZ	



#48600 Tub Closure

Brass body, brass stopper assembly, 3/8" and 5/16" brass pins, and silicone adhesive. Old strainer body must have crossbars.

20 Per Carton

48600-CP


BN	PB
BS	WH
BZ	

NuFIT® PUSH PULL® FEATURES

Old body **MUST** have crossbars.

Requires minimum 1.410" I.D. opening
Flange covers maximum of 2.875" O.D.
Depth clearance needed = .860"

LIFT AND TURN



#48400 Trim Kit

Brass body, brass stopper assembly, metal overflow plate, adapter bar, screw, and silicone adhesive. Has crossbars in body.

10 Per Carton

48400-CP

BN	CB
BZ	PB

LIFT AND TURN REPLACEMENT STOPPER

See #38812 on page 58.



#48300 Tub Closure

Brass body, brass stopper assembly, and silicone adhesive. Comes with crossbars in strainer body.

20 Per Carton

48300-CP

BN	CB
BZ	PB

NuFIT® LIFT AND TURN FEATURES

Does **NOT** need crossbars in old body.

Requires minimum 1.390" I.D. opening
Flange covers maximum of 2.875" O.D.
Depth clearance needed = .390"

Trim Kits

Patented and Patents Pending
See watcomfg.com for details.

NOTE: For carded trim kits,
place "-C" at end of item number.

QuickTrim® Kits

QuickTrim® Kits

Install chrome on the rough-in and easily upgrade to a special finish without removing the strainer body

- Sturdy stainless steel looks as good as the original strainer body.
- No reduction in flow rate.
- Produces very little additional height or inside-diameter reduction.
- Uses an o-ring for a tight, snug fit (one for brass strainer bodies and one for zinc strainer bodies).
- Eliminates destroying the integrity of your test.
- Eliminates labor required to remove and replace the strainer body.
- Eliminates the possibility of cross-threading or damaging the tub when replacing the strainer body, or of the drain fitting moving out of line due to being stressed during installation (can require cutting open the sheetrock to repair).

Designed for use on Watco's coarse-thread (1.865" - 11.5) strainer bodies: brass body #01016 and zinc body #11492

Will NOT work with PRESFLO® stoppers.

Strainer Body Covers

Existing stopper is to be used and existing strainer body must have good crossbars.

91050-CP

20 Per Carton

AP
BB
BN

BO
BS
BZ

CB
NP
PB

WH
WI

Tub Closures

Existing strainer body must have good crossbars.

Brass Knob & Stopper

Lift and Turn 91615-CP

PUSH PULL® 91610-CP

Foot Actuated 91618-CP

FA only in BB-BN-BZ-CB-CP-NP-PB-WI

AP
BB
BG

BN
BO
BS

BZ
CB
NP

PB
WH
WI

20 Per Carton

Innovator® QuickTrim®

Lift and Turn 959290-CP

PUSH PULL® 939290-CP

Foot Actuated 969290-CP

FA only in BB-BN-BZ-CB-CP-NP-PB-WI

10 Per Carton

AP
BB
BG

BN
BO
BS

BZ
CB
NP

PB
WH
WI

TO ADD STAR RETAINER NUT & ADAPTER BAR,
ADD "-11" TO PART NUMBER.

EXAMPLE: 959290-CP-11.

1-Hole Overflow

QuickTrim®

2-Hole Overflow plate,
add "2H" to item number.

Lift and Turn 59290-CP

PUSH PULL® 39290-CP

Foot Actuated 69290-CP

FA only in BB-BN-BZ-CB-CP-NP-PB-WI

10 Per Carton

AP
BB
BN

BO
BS
BZ

CB
NP
PB

WH
WI

Universal Innovator® QuickTrim®

Innovator® faceplate, strainer body cover, two o-rings, PUSH PULL® stopper assembly with 3/8" and 5/16" pins, adapter bar, retainer star nut, and silicone adhesive.

U939290-CP

10 Per Carton

AP
BB
BN

BO
BS
BZ

CB
NP
PB

WH
WI

Universal 1-Hole QuickTrim®

10 Per Carton

1-hole faceplate and faceplate screw, strainer body cover, two o-rings, PUSH PULL® stopper assembly with 3/8" and 5/16" pins, adapter bar, and silicone adhesive.

U39290-CP

AP
BB
BN

BO
BS
BZ

CB
NP
PB

WH
WI

FOR 2-HOLE OVERFLOW PLATE, ADD "2H" TO ITEM NUMBER.

Trim Kits

NOTE: For carded trim kits, place "-C" at end of item number.

Cable

528 Brass Cable Trim Kit

Trim Only

Overflow plate and overflow plate locking screw, TurnStyle® overflow mount without prongs, full-cover stopper with washer, and cable strainer body.



52800-CP

52800

BN	BZ	PB
BO	CB	WH
BS	NP	WI

10 Per Carton

Conversion Kit

Conversion kit with a short stopper converts a cable drain stopper to a Lift and Turn stopper assembly.



48301-CP

48301

BN	BZ	PB
BO	CB	WH
BS	NP	WI

20 Per Carton

Innovator Cable® Innovator CableFlex®

92999

Fits all Innovator Cable® and CableFlex® models.

Strainer body, core guide, cable faceplate, screw, stopper assembly, and overflow elbow retainer nut.



Innovator Cable® Trim Kits

92999-CP

AP	BS	NP
BB	BZ	PB
BN	CB	WH
		WI

Innovator Cable® Trim Kits with ADA Handle

92999-CPAD

APAD	BSAD	NPAD
BBAD	BZAD	PBAD
BNAD	CBAD	WHAD

10 Per Carton

92888

Fits all Innovator Cable® and CableFlex® models.

Stopper assembly, cable faceplate, screw, strainer body cover, o-ring, and cable overflow retainer nut cover.



No need to replace strainer body.

Innovator Cable® Trim Kits with QuickTrim® body cover

92888-CP

AP	BS	NP
BB	BZ	PB
BN	CB	WH
		WI

Innovator Cable® Trim Kits with ADA Handle and QuickTrim® body cover

92888-CPAD

APAD	BSAD	NPAD
BBAD	BZAD	PBAD
BNAD	CBAD	WHAD

10 Per Carton

Repair Kit

For all Innovator Cable® models

#92900

(See drawing on page 58 for what is included in Repair Kit.)

Trim Kits

11.5- & 12-Thread Bodies - Coarse Thread

Patented/Patent Pending

NOTE: For carded trim kits, place "-C" at end of item number.

11.5-Thread Innovator® (Coarse Thread)

WITH SNAP-ON
OVERFLOW PLATE

10 Per Carton

Change trim finishes on Innovator® bath wastes.

Thread size: 1.865" O.D. - 11.5 tpi x 1.25" depthFlange: 2-7/8"

Trade designation 1-1/2" x 11.5 Coarse Thread

Lift and Turn 958290-CP
 PUSH PULL® 938290-CP
 PRESFLO® 938250-CP
 PF NOT in BO-BS-WH
 Foot Actuated 968290-CP
 FA:BB-BN-BZ-CB-CP-NP-PB-WI

Includes:
 Innovator® OF Plate,
 11.5 tpi Body, and
 Stopper Assembly

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

11.5-Thread

1-Hole OF Plate

2-Hole Overflow
 plate, add "2H" to
 item number.



10 Per Carton

Thread size: 1.865" O.D. x 11.5 tpi - 1.25" depthFlange: 2-7/8"

Trade designation 1-1/2" x 11.5 - Coarse Thread

Lift and Turn 58290-CP
 PUSH PULL® 38290-CP
 PRESFLO® 38250-CP
 PF NOT in BO-BS-WH
 Foot Actuated 68290-CP
 FA:BB-BN-BZ-CB-CP-NP-PB-WI

Includes:
 1-Hole OF Plate,
 1 OF Plate Screw,
 11.5 tpi Body,
 Stopper Assembly,
 Adapter Bar

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

Above trim kits with 38105 bushing, converts to 2.11" O.D. - 16 tpi

Lift and Turn 58390-CP
 PUSH PULL® 38390-CP
 PRESFLO® 38280-CP
 PF NOT in BO-BS-WH
 Foot Actuated 68390-CP
 FA:BB-BN-BZ-CB-CP-NP-PB-WI

*Fits Kohler 7150
 bath wastes*

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

WIDE FLANGE Strainer Bodies

Thread size: 1.865" O.D. - 11.5 tpi - 1.25" depthFlange: 3.00"

Trade designation 1-1/2" x 11.5 - Coarse Thread

Lift and Turn 58296-CP
 PUSH PULL® 38296-CP
 Foot Actuated 68296-CP

Includes:
 1-Hole OF Plate,
 1 OF Plate Screw,
 11.5 tpi Body with
 3.00" Flange,
 Stopper Assembly,
 Adapter Bar

OTHER FINISH AVAILABLE: PB...

Above trim kits with 38105 bushing and WIDE FLANGE
Converts to 2.11" O.D. - 16 tpi

Flange: 3.00"

Lift and Turn	58390W-CP	PB
PUSH PULL®	38390W-CP	PB
Foot Actuated	68390W-CP	PB


12-Thread (Coarse Thread)

Thread size: 1.75" O.D. - 12 tpi x 1.25" depthFlange: 2-7/8"

Lift and Turn 58433-CP
 PUSH PULL® 38433-CP
 Foot Actuated 68433-CP

*1-Hole OF Plate,
 1 OF Plate Screw,
 12 tpi Body,
 Stopper Assembly,
 Adapter Bar*

AVAILABLE ONLY IN CHROME

TRIM KITS TO CONVERT OLD OVERFLOW TO WATCO'S
INNOVATOR® SNAP-ON OVERFLOW PLATEOptional
#38105
Bushing

SEE PAGES 50 OR 60 FOR INSTRUCTIONS.

Convert 1- or 2-hole overflow plate to Innovator® snap-on overflow.

Thread size: 1.865" O.D. - 11.5 tpi x 1.25" depthFlange: 2-7/8"

Lift and Turn 91100-LT-CP
 PUSH PULL® 91100-PP-CP
 PRESFLO® 91100-PF-CP
 PF NOT in BO-BS-WH
 Foot Actuated 91100-FA-CP
 FA:BB-BN-BZ-CB-CP-NP-PB-WI

Includes:
 Retainer Star Nut,
 Overflow Plate,
 Adapter Bar,
 11.5 tpi Body,
 Stopper Assembly

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

Above trim kits with 38105 Bushing, converts to 2.11" O.D. - 16 tpi

Lift and Turn 91105-LT-CP
 PUSH PULL® 91105-PP-CP
 PRESFLO® 91105-PF-CP
 PF NOT in BO-BS-WH
 Foot Actuated 91105-FA-CP
 FA:BB-BN-BZ-CB-CP-NP-PB-WI

*Fits Kohler 7150
 bath wastes.*

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	



Trim Kits

Patented and Patents Pending
See watcomfg.com for details.

14- & 16-Thread Bodies - Fine Thread

NOTE: For carded trim kits, place "-C" at end of item number.

Innovator® 16-Thread (Fine Thread)

**For the Innovator® Plus
940/941 Series only**

**WITH SNAP-ON
OVERFLOW PLATE**



Change trim finishes on Innovator® Plus bath wastes.

Thread size: 1.625" O.D. - 16 tpi x 1.25" depth

Flange: 2-7/8"

Trade designation 1-3/8" x 16 - Fine Thread

Lift and Turn 958080-CP

PUSH PULL® 938080-CP

PRESFLO® 938260-CP

PF NOT in BO-BS-WH

Foot Actuated 968080-CP

FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Includes:

Innovator® OF Plate,
16 tpi Body,
Stopper Assembly

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

Convert 1- or 2-Hole to Snap-On Overflow

Thread size: 1.625" O.D. - 16 tpi x 1.25" depth

Flange: 2-7/8"

Lift and Turn 91600-LT-CP

PUSH PULL® 91600-PP-CP

PRESFLO® 91600-PF-CP

PF NOT in AB-BO-BS-WH

Foot Actuated 91600-FA-CP

FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Includes:

Retainer Star Nut,
Overflow Plate,
Adapter Bar,
16 tpi Body,
Stopper Assembly

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

Above trim kits with 38101 bushing converts to 1.865" O.D. - 11.5 tpi

Lift and Turn 958190-CP

PUSH PULL® 938190-CP

PRESFLO® 938270-CP

PF NOT in BO-BS-WH

Foot Actuated 968190-CP

FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Includes:

Retainer Star Nut,
Overflow Plate,
Adapter Bar,
16 tpi Body,
Stopper Assembly,
38101 Bushing

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

14-Thread (Fine Thread) - 1-Hole OF

Change trim finishes on 1-Hole bath wastes.

Thread size: 1.625" O.D. - 14 tpi x 1.25" depth

Flange: 2-7/8"

Trade designation 1-3/8" x 14

Lift and Turn 58490-CP

PUSH PULL® 38490-CP

Foot Actuated 68490-CP

FA: BN-BZ-CB-CP-PB-WH

Includes:

1-Hole OF Plate,
Screw, 14 tpi Body,
Stopper Assembly,
Adapter Bar

BN	BZ	PB
BO	CB	WH

16-Thread (Fine Thread) 1-Hole OF

**Change trim finishes on
1-Hole bath wastes.**

2-Hole Overflow
plate, add "2H" to
item number.



Thread size: 1.625" O.D. - 16 tpi x 1.25" depth

Flange: 2-7/8"

Trade designation 1-3/8" x 16 - Fine Thread

Lift and Turn 58080-CP

PUSH PULL® 38080-CP

PRESFLO® 38260-CP

PF NOT in BO-BS-WH

Foot Actuated 68080-CP

FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Includes:

1-Hole OF Plate,
1 OF Plate Screw,
16-tpi Body,
Stopper Assembly,
Adapter Bar

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

Above trim kits with 38101 bushing converts to 1.865" O.D. - 11.5 tpi

Lift and Turn 58190-CP

PUSH PULL® 38190-CP

PRESFLO® 38270-CP

PF NOT in BO-BS-WH

Foot Actuated 68190-CP

FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Includes:

1-Hole OF Plate,
1 OF Plate Screw,
16-tpi Body,
Stopper Assembly,
Adapter Bar,
38101 Bushing

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

Bushing Body Trim Kit & #38112 Bushing

Thread size: 1.375" O.D. - 16 tpi x 1.5" depth with

Flange: 2-7/8"

38112 bushing, converts to 1.625" O.D. - 14 tpi

Lift and Turn 51612-CP

PUSH PULL® 38212-CP



#38112 Bushing

BN	BZ	PB
BO	CB	WH

16-Thread: 1" body depth (Fine Thread)

Thread size: 1.625" O.D. - 16 tpi x 1" depth

Flange: 2-7/8"

PUSH PULL® 38090-CP

OTHER FINISHES: AB | BO | PB | WH

With 38104 bushing converts to 1.9" O.D. - 14 tpi

PUSH PULL® 38194-CP



Thread size: 1-11/16" O.D. - 16 tpi x 1" depth

Flange: 2-7/8"

Trade designation 1-11/16"

PUSH PULL® 38420-CP

Chrome only.

Trim Kits

*NOTE: for carded trim kits,
Place "-C" at end of item number.*

Dome Strainer Cover Kits

Dome Strainer Cover and Bushing Trim Kit

38101 Bushing converts to 11.5 tpi

1-Hole Overflow Plate,
Overflow Plate Screw,
Adapter Bar, Dome Strainer
Cover, Strainer Cover Plate
Screw, #11490CP 16-tpi
trip lever strainer body, and
#38101 bushing



38661-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

Dome Strainer Cover and Screw

Covers existing trip-lever-
type strainer body. One
each of the Dome Strainer
Cover and Strainer Cover
Plate Screw.



18660-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

Dome Strainer Cover and Screw, Strainer Body, NO Bushing

Coarse-Thread 11.5 tpi

18662-CP

Fine-Thread 16 tpi

18663-CP

Dome Strainer Cover, Strainer
Cover Plate Screw, trip lever
strainer body, NO bushing.




BN	BZ	PB
BO	CB	WH
BS	NP	WI

Dome Strainer Cover and Screw, 16-tpi Body, and Bushing

38101 Bushing converts to 11.5 tpi

Dome Strainer Cover, Strainer
Cover Plate Screw, #11490CP
16-tpi trip lever strainer body,
and the #38101 bushing.



18661-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

TRIM ONLY TRIP LEVER & SLIPLOCK®

For either plastic or
brass bath wastes

One trip lever faceplate assembly,
two overflow plate screws, one
cotter pin, one strainer body dome
cover and screw.



38702-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

LINKAGE ONLY (TRIP LEVER)

#10950 Trip Lever Quick
Adjust® Clevis, #10952
TL Linkage Nut, #10953
Eye Bolt, #10954 5-1/4"
Double-Loop Wire,
#10930 Cotter Pin
annealed, and appropriate
Drop Cylinder.

38660-BRS

38660-BRS

38660-ABS

38660-PVC



TRIP LEVER WITH LINKAGE & DROP

Faceplate, Linkage, and
Drop Cylinder

10770-PVC

Fits up to 16" Trip Lever models.

Trip lever faceplate assembly (QUICK
ADJUST® clevis), trip lever linkage parts, 5.25" double-
loop wire, and drop cylinder. NO screws
included.



PLASTIC	LIST	BRASS	LIST
---------	------	-------	------

10770*-__-CP

10770-BRS-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

BN	BZ	PB
BO	CB	WH
BS	NP	WI

**Indicate if drop cylinder is ABS or PVC.*

TRIP LEVER WITH LINKAGE, WIRES & DROP

Faceplate, Linkage, Drop Cylinder,
Extra Double-Loop Wires

Fits up to 24" Trip Lever models.

Trip lever faceplate assembly (QUICK
ADJUST® clevis), Trip Lever linkage parts,
standard 5.25" double-loop wire plus
four additional wires, and a drop cylinder.
NO screws included.



10771-PVC

PLASTIC	LIST	BRASS	LIST
---------	------	-------	------

10771*-__-CP

10771-BRS-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

BN	BZ	PB
BO	CB	WH
BS	NP	WI

**Indicate if drop cylinder is ABS or PVC.*

Trim Kits

Trip Lever • SLIP LOCK® • TURNSTYLE®

TRIP LEVER ALL TRIM, LINKAGE & DROP

20 Per Carton

Fits up to 16" Trip Lever models.

Trip lever faceplate assembly (QUICK ADJUST® clevis), Trip Lever linkage parts, 5.25" double-loop wire, drop cylinder, overflow plate screws, and strainer cover plate and screw.



PLASTIC	LIST	BRASS	LIST
---------	------	-------	------

38770-*__-CP

38770-BRS-CP

BN	BZ	PB	BN	BZ	PB
BO	CB	WH	BO	CB	WH
BS	NP	WI	BS	NP	WI

*Indicate if drop cylinder is ABS or PVC.

ALL TRIM, LINKAGE, DROP & EXTRA WIRES

12 Per Carton

Fits up to 24" Trip Lever models.

Trip lever faceplate assembly (QUICK ADJUST® clevis), Trip Lever linkage parts, 5.25" double-loop wire plus four additional wires, drop cylinder, overflow plate screws, and strainer cover plate and screw.



PLASTIC	LIST	BRASS	LIST
---------	------	-------	------

38771-*__-CP

38771-BRS-CP

BN	BZ	PB	BN	BZ	PB
BO	CB	WH	BO	CB	WH
BS	NP	WI	BS	NP	WI

*Indicate if drop cylinder is ABS or PVC.

SLIP LOCK® TRIP LEVER

20 Per Carton



ADA

38170
38180

Change trim finishes and linkage on SLIP LOCK® bath wastes.

NO DROP CYLINDER.


Thread size: 1.625" O.D. - 16 tpi x 1.25" depth

Flange: 2-7/8"

38170-CP

Thread size: 1.865" O.D. - 11.5 tpi x 1.25" depth

Flange: 2-7/8"

38180-CP

OTHER FINISHES AVAILABLE:	BN BO BS	BZ CB	NP PB	WH WI
---------------------------	----------------	----------	----------	----------

39100


20 Per Carton


Same as above but NO STRAINER BODY.

39100-CP

BN	BZ	PB
BO	CB	WH
BS	NP	WI

TURNSTYLE® TRIM & LINKAGE


TURNSTYLE® Assembly only

20200-CP



For models up to 16"

20 Per Carton

39500-CP

BN	NP
BO	PB
BS	WH
BZ	WI
CB	



For models up to 24"

12 Per Carton

39551-CP

BN	NP
BO	PB
BS	WH
BZ	WI
CB	

Tub Closures

NOTE: For carded trim kits, place "-C" at end of item number.


Coarse-Thread Bodies



LIFT AND TURN



PUSH PULL®



PRESFLO®
ADA



FOOT ACTUATED
ADA

20 Per Carton

11.5 THREADS PER INCH (Coarse-Thread)

1.865" O.D. - 11.5 tpi x 1.25" depth Flange: 2-7/8"

11.5-Thread Strainer Body and Stopper Assembly
Trade designation 1-1/2" x 11.5

Lift and Turn	58305-CP
PUSH PULL®	38305-CP
PRESFLO®	38360-CP
PF NOT in BO-BS-WH	
Foot Actuated	68305-CP
FA:BB-BN-BZ-CB-CP-NP-PB-WI	

Other Finishes:

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

WITH 38105 BUSHING

Converts to 2.11" - 16

Lift and Turn	58329-CP
PUSH PULL®	38329-CP
PRESFLO®	38370-CP
PF NOT in BO-BS-WH	
Foot Actuated	68329-CP
FA:BB-BN-BZ-CB-CP-NP-PB-WI	

Other Finishes:

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

11.5 THREADS PER INCH (Cont.)

1.865" O.D. - 11.5 tpi x 1.25" depth Flange: 2-7/8"

ABS plastic knob and stopper; trade designation 1-1/2" x 11.5

PUSH PULL® Zinc Strainer Body	38651-CP
PUSH PULL® Brass Strainer Body	38921-CP

Available only in Chrome Plated

1.865" O.D. - 11.5 tpi x 1.25" depth WIDE Flange: 3"

Wide-Flange strainer body with stopper assembly

Lift and Turn	58306-CP	PB
PUSH PULL®	38306-CP	PB
Foot Actuated	68306-CP	PB

12 THREADS PER INCH (Coarse-Thread)

1.750" O.D. - 12 tpi x 1.25" depth Flange: 2-7/8"

Lift and Turn	58333-CP
PUSH PULL®	38333-CP
Foot Actuated	68333-CP

Available only in Chrome Plated

20 Per Carton

Replacement Stoppers

LIFT AND TURN - 3/8" PIN ONLY



Standard Length 38810-CP

Other Finishes Available:

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

Brass knob and stopper

NuFit; short pin 38812-CP

BN BZ PB

FOOT ACTUATED - 3/8" OR 5/16" PIN



3/8" Pin 38412-CP

Other Finishes Available:

BN	CB	PB	WI
BZ	NP	WH	

ABS Plastic

5/16" Pin 38410-CP

Replacement Seal 11519

PUSH PULL® - WITH 3/8" & 5/16" PINS



Brass Knob/Stopper 38516-CP

Other Finishes Available:

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

#38516-CP
Brass knob and stopper

ABS Knob/Stopper 38530-CP

Available only in Chrome

PUSH PULL® - WITH ONE PIN



3/8" Pin: Brass Knob/Stopper 38610-CP

5/16" Pin: Brass Knob/Stopper 38710-CP

1/4" Pin: Brass Knob/Stopper 38540-CP

Other Finishes Available:

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

#38610-
#38710-
#38540-

Brass knob and stopper

3/8" Pin: ABS Knob/Stopper 38520-CP

Universal NuFit® PP Replacement Stopper:


See pages 45 or 47



Tub Closures

NOTE: For carded trim kits, place "-C" at end of item number.

Fine-Thread Bodies



20 Per Carton

*Tub Closures with
Adapter Bushings also available.
(Page 58-59)*

14 THREADS PER INCH (Fine-Thread)

1.625" O.D. - 14 tpi x 1.25" depth Flange: 2-7/8"

Stopper assembly and 14-tpi Strainer Body
Trade designation 1-3/8" x 14

Lift and Turn	58309-CP
PUSH PULL®	38309-CP
Foot Actuated	68309-CP
FA: BN-BZ-CB-CP-PB	

Other	BN	BZ	PB
Finishes:	BO	CB	WH

1.625" O.D. - 14 tpi x 1.25" depth WIDE Flange: 3.0"

Stopper Assembly and 14-tpi, Wide-Flange Strainer Body

Lift and Turn	58308-CP	PB
PUSH PULL®	38308-CP	PB
Foot Actuated	68308-CP	PB

16 THREADS PER INCH (Fine-Thread)

1.625" O.D. - 16 tpi x 1.0" depth Flange: 2-7/8"

PUSH PULL® Body Depth: 1"

Tub Closure without bushing	38325-CP
With 38101 bushing: to 1.865" O.D. x 11.5	38312-CP
With 38102 bushing: to 1.8" O.D. x 14	38313-CP

Other	BO	PB	WH
Finishes:			

1.625" O.D. - 16 tpi x 1.25" depth WIDE Flange: 3.0"

Stopper Assembly and 16-tpi, Wide-Flange Strainer Body

Lift and Turn	58307-CP	PB
PUSH PULL®	38307-CP	PB
Foot Actuated	68307-CP	PB

1.375" O.D. - 16 tpi x 1.50" depth Flange: 2-7/8"

Bushing Strainer Body and Stopper Assembly
Trade designation 1-3/8" x 16 (See page 56 for adapter bushings.)

Lift and Turn	58220-CP
PUSH PULL®	38220-CP

Other	BN	BZ	PB
Finishes:	BO	CB	WH

16 THREADS PER INCH (Cont.)

1.625" O.D. - 16 tpi x 1.25" depth Flange: 2-7/8"

Stopper assembly and 16-tpi Strainer Body
Trade designation 1-3/8" x 16

Lift and Turn	58301-CP
PUSH PULL®	38301-CP
PRESFLO®	38380-CP
PF NOT in BO-BS-WH	
Foot Actuated	68301-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

Other	AP	BO	CB	WH
Finishes:	BB	BS	NP	WI
	BN	BZ	PB	

WITH 38101 BUSHING Converts to 1.865" - 11.5

Lift and Turn	58319-CP
PUSH PULL®	38319-CP
PRESFLO®	38219-CP
PF NOT in BO-BS-WH	
Foot Actuated	68319-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

Other	AP	BO	CB	WH
Finishes:	BB	BS	NP	WI
	BN	BZ	PB	

WITH 38102 BUSHING Converts to 1.8" - 14

Lift and Turn	58350-CP
PRESFLO®	38350-CP
PF NOT in BO-BS-WH	

Other	AP	BO	CB	WH
Finishes:	BB	BS	NP	WI
	BN	BZ	PB	

WITH 38103 BUSHING Converts to 1.802" - 16

Lift and Turn	58321-CP
PUSH PULL®	38321-CP
PRESFLO®	38385-CP
PF NOT in BO-BS-WH	
Foot Actuated	68321-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WI	

Other	AP	BO	CB	WH
Finishes:	BB	BS	NP	WI
	BN	BZ	PB	

WITH 38104 BUSHING Converts to 1.9" - 14

Lift and Turn	58317-CP
PUSH PULL®	38317-CP
PRESFLO®	38375-CP
PF NOT in BO-BS-WH	
Foot Actuated	68317-CP

Other	AP	BO	CB	WH
Finishes:	BB	BS	NP	WI
	BN	BZ	PB	

Faceplate Kits

NOTE: For carded trim kits, place "-C" at end of item number.

1-Hole Faceplate Kits



Includes one #01002 faceplate and one #01024 faceplate screw.

- Faceplate Diameter - 3 3/8"



18001-CP

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	


10 Per Carton

Same Kit but with Adapter Bar



Includes one #01002 faceplate, one #01024 faceplate screw, and one #11641 adapter bar.

- Faceplate Diameter - 3 3/8"



18003-CP

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

10 Per Carton

2-Hole Faceplate Kits



Includes one #01003 faceplate and two #01024 faceplate screws.

- Faceplate Diameter - 3 3/8"



18002-CP

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

10 Per Carton

Innovator® Faceplate Kits



Converts 1-or 2-hole faceplate to the Innovator® faceplate. Includes faceplate, retainer star nut, and adapter bar.

- Faceplate Diameter - 3 1/8"

18009-CP

AP	BO	CB	WH
BB	BS	NP	WI
BN	BZ	PB	

10 Per Carton

See below for conversion instructions.

Trip Lever Faceplate Kits



Includes one #10700 trip lever faceplate assembly, two #01024 faceplate screws, and one #10930 cotter pin.

- Faceplate Diameter - 3 1/8"

18702-CP

BB	BS	NP	WH
BN	BZ	PB	WI
BO	CB		


10 Per Carton

Square innovator Faceplate kit:







To Order: 18008-(finish)
Example: 18008-WI = Square innovator Faceplate Kit in Wrought Iron Finish

Finish	CP	BN	BZ	WI (Matte Black)
--------	----	----	----	------------------



With Overflow Plate Kit #18009 (above), convert an existing 1-hole or 2-hole faceplate to the Innovator® snap-on faceplate.

INSTRUCTIONS FOR CONVERTING AN EXISTING 1-HOLE OR 2-HOLE OVERFLOW PLATE TO A NEW WATCO SNAP-ON INNOVATOR® OVERFLOW PLATE



1. Remove old 1-hole Overflow Plate. Save old screw and re-use.
2. Thread screw all the way into the Adapter Bar.
3. Center and hold the Retainer Star Nut, with prongs pointing out, onto the overflow opening.
4. Thread the screw, with adapter bar, into the Overflow Ell screw hole.
5. Snug the Adapter Bar up to the Retainer Star Nut. DO NOT OVER TIGHTEN.
6. Snap on the new Innovator Overflow Plate with the overflow opening facing down.

1. Remove old 2-hole Overflow Plate. Save old screws and re-use.
2. Center and hold the Retainer Star Nut, with prongs pointing out, and Adapter Bar onto overflow opening in position shown.
3. Pass the 2 screws through the end slots of the Adapter Bar and thread into the Overflow Ell screw holes.
4. Snug the Adapter Bar up to the Retainer Star Nut. DO NOT OVER TIGHTEN.
5. Snap on the new Innovator Overflow Plate with the overflow opening facing down.



18900 0613

©2013 Watco Manufacturing Co. 1220 South Powell Road, Independence, MO 64057 816.796.3900 www.watcomfg.com



WATCO... Always a Step Ahead.™

Parts

Bushing Adapters & Accessories

BRASS ADAPTER BUSHINGS



38100BUSH

Bushing Display Board
with Bushings #38101 - #38116

PROD#	COLOR	CONVERTS: O.D. Body Threads to O.D. Bushing Threads
38101	Green	converts from 1.625" - 16 to 1.865" - 11.5
38102	Blue	converts from 1.625" - 16 to 1.8" - 14
38103	Red	converts from 1.625" - 16 to 1.802" - 16
38104	Orange	converts from 1.625" - 16 to 1.9" - 14
38105	Purple	converts from 1.865" - 11.5 to 2.11" - 16
38106	Pink	converts from 1.865" - 11.5 to 2.35" - 11.5
38107	Lt Blue	converts from 1.625" - 16 to 1.735" - 16
38108	Lt Green	converts from 1.625" - 16 to 1.865" - 16 (.5" Height)
38109	Brown	converts from 1.625" - 16 to 1.75" - 12
38110	Silver	converts from 1.625" - 16 to 1.865" - 14
38111*	White	converts from 1.375" - 16 to 1.625" - 16
38112*	Yellow	converts from 1.375" - 16 to 1.625" - 14
38113*	Black & White	converts from 1.375" - 16 to 1.813" - 14
38114*	Black	converts from 1.375" - 16 to 1.75" - 12
38115	Red & Blue	converts from 1.865" - 11.5 to 2.00" - 16
38116*	Orange & Purple	converts from 1.375" - 16 to 1.6615" - 18

* Fits the 01033__ bushing strainer body on page 31-37

11114



11577



11587



11594

11577



Test Cap and Test Plugs

Part

Test Cap for Innovator® Schedule 40 series	11114
Green Test Plug with "O"-Ring-Type Washer	11577
3/8" Test Plug, metal threads	11587
Test Kit for 600 Series bath wastes, plastic	11565
Includes one #11577 and one #11594 test plug (listed individually below).	
1/4" Test Plug	11594
3/8" Test Plug	11577



10121

Strainer Body Removal Tool

Fits standard strainer bodies and the Innovator® Drain crossbars.



11111-set

Color Sample Set


SCHEDULE 40 CONDENSATE ADAPTER




SCH40CD-ABS
SCH40CD-PVC

To include adapter with bath waste, add "-CD" to part number.
Example: 900-FA-PVC-BN-CD

STRAINER BODY MEASURING KIT



11573
6" DIAL CALIPER (4-Way Measure)



11574
thread-gauge Set

11579
Set of both the
#11573 and #11574

Spec Sheets

Innovator® Testable Cable

Innovator CableFlex® • Innovator Cable®

970/980/990-CA

928/938/948-CA

(Same as 970/980/990 except Part #14 is flexible tubing.)


928-CA (Tubs up to 16" deep):Flexible PVC Tubing: 1.5" x 11.75"
21" Cable (#18)**938-CA (Tubs up to 24" deep):**Flexible PVC Tubing: 1.5" x 20.25"
34" Cable (#18)**948-CA (Tubs up to 36" deep):**Flexible PVC Tubing: 1.5" x 32.0"
48" Cable (#18)

Innovator Cable® Half Kits:

971/981/991-CA

Parts #1 thru #13 and #17 thru #27

Optional Features:

#27 92874-__*.ADA Handle
#28 01076Theft-Resistant DeviceRepair Kit
#92900Parts #4 thru #10
and #17

ITEM	PART#	DESCRIPTION	ITEM	PART#	DESCRIPTION
1	01032_*	Cable Faceplate Screw, 1/4-20x1-3/4 with Screw Guide #01081	15	14011	1-1/2" Schedule 40 Sanitary Tee, ABS.
2	01019_*	Cable Faceplate	15	14010	1-1/2" Schedule 40 Sanitary Tee, PVC.
3	01047_*	Cable Overflow Elbow Retainer Nut			970: SCHABS-4.625.Sch 40 Pipe, ABS, 1.5" x 4.625"
4	01037	Cable Adapter/Drive Shaft Screw, #8x5/8			970: SCHPVC-4.625 Sch 40 Pipe, PVC, 1.5" x 4.625"
5	01071	Cable Faceplate Adapter - Thin	16		980: SCHABS-11.75 Sch 40 Pipe, ABS, 1.5" x 11.75"
6	01072	Cable Faceplate Adapter - Medium			980: SCHPVC-11.75 Sch 40 Pipe, PVC, 1.5" x 11.75"
7	01073	Cable Faceplate Adapter - Thick			990: SCHABS-11.75 Sch 40 Pipe, ABS, 1.5" x 11.75"
8	20145	Cable Drive Shaft			990: SCHPVC-11.75 Sch 40 Pipe, PVC, 1.5" x 11.75"
9	01036	Cable Retainer/Overflow Ell Screw #8x7/8	17	20151-54	Cable Core.
10	20146	Cable Retainer	18	20161	Cable Conduit.
11	10694	Overflow Elbow Gasket Half Height		11016	1-1/2" Schedule 40 Cable Drain Elbow, ABS.
12	10675	Overflow Elbow Gasket	19	14016	1-1/2" Schedule 40 Cable Drain Elbow, PVC.
13	11029	1-1/2" Schedule 40 Cable OF Elbow, ABS	20	10696	Drain Elbow Gasket.
	14029	1-1/2" Schedule 40 Cable OF Elbow, PVC	21	01016_*	Strainer Body, Brass, 1.865" - 11.5x1.25".
		970: SCHABS-11.75 Sch 40 Pipe, ABS, 15" x 11.75"	22	20147	Cable Core Guide
		970: SCHPVC-11.75 Sch 40 Pipe, PVC, 15" x 11.75"	23	92867-__*	Cable Stopper Assembly – includes:
		980: SCHABS-20.25 Sch 40 Pipe, ABS, 15" x 20.25"	24	20069	Stopper Adjusting Screw
14		980: SCHPVC-20.25 Sch 40 Pipe, PVC, 15" x 20.25"	25	11526	Cable Stopper Seal, 1-1/16" .
		990: SCHABS-32 Sch 40 Pipe, ABS, 15" x 32.00"	26	11577	Test Plug with O-Ring-Type Gasket
		990: SCHPVC-32 Sch 40 Pipe, PVC, 15" x 32.00"			OPTIONAL:
			27	92874-__*	ADA Handle and Handle Set Screw.
			28	01076	Cable Theft-Resistant Device

* CP s shown please indicate desired finish when ordering.



WatcoFlex® PP Parts List (Flexible; Coarse Thread)

Flexible tubing NOT sold separately.

1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01016CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
6	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
	11027	Direct Drain Tee, 11.5 tpi, Sch. 40 ABS
	11020	Innovator® Overflow Elbow, Sch. 40 ABS
7	OR	
	14027	Direct Drain Tee, 11.5 tpi, Sch. 40 PVC
	14020	Innovator® Overflow Elbow, Sch. 40 PVC
8	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
9	11121	Retainer Star Nut
10	01004CP	Faceplate for Innovator®
11	11577	Test Plug with O-Ring-type Gasket

Flex916/924 Innovator® PP Parts List (Flexible; Coarse Thread)

Flexible tubing NOT sold separately.

1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01016CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
6	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
7	14008	Drain Elbow, 11.5 tpi, Schedule 40, PVC
8	SCHPVC-4.625	
9	14010	Sanitary Tee, Schedule 40, PVC
10		Flex916: Flexible Tubing, 1.5" x 16.0"
		Flex924: Flexible Tubing, 1.5" x 24.0"
		#10 FACTORY-WELDED TO #11:
11	14020	Innovator® Overflow Ell, Schedule 40, PVC
12	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
13	11121	Retainer Star Nut
14	01005CP	Faceplate for Innovator®
15	11577	Test Plug with O-Ring-type Gasket

OPTIONAL TUB CLOSURES FOR COARSE-THREAD BATH WASTES (FINE-THREAD ON PAGE 5)


PUSH PULL® Coarse Thread	LIFT & TURN Coarse Thread	PRESFLO® Coarse Thread	FOOTACTUATED Coarse Thread
01010CP 01010 11584 01013CP 01013 11507 01016CP 01016	01010CP 01010 11079 11088 11290CP 01013 11507 11492CP 01016	11145CP 11145 11132 11060CP 11060 96039: Suction Cup for removing stopper	38412CP 38412 11492CP 01016

* Please indicate desired finish when ordering.

Spec Sheets


Schedule 40

400-PP Parts List (Schedule 40; Fine Thread)




1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01022CP	Strainer Body, Brass, 1.625" - 16 - 1.25"
6	10693	Drain Flange Gasket, Perfect Fit®
7	11022	Drain Flange, Perfect Fit®, ABS
	14022	Drain Flange, Perfect Fit®, PVC
8	11023	Drain/Overflow Elbow, Perfect Fit®, ABS
	14023	Drain/Overflow Elbow, Perfect Fit®, PVC
9	SCHABS-4.625	Pipe, Schedule 40 ABS, 1.5" x 4.625"
	SCHPVC-4.625	Pipe, Schedule 40 PVC, 1.5" x 4.625"
10	14011	Sanitary Tee, Schedule 40 ABS
	14010	Sanitary Tee, Schedule 40 PVC
	SCHABS-11.75	Pipe, Schedule 40 ABS, 1.5" x 11.75"
	SCHPVC-11.75	Pipe, Schedule 40 PVC, 1.5" x 11.75"
12	11023	Drain/Overflow Elbow, Perfect Fit®, ABS
	14023	Drain/Overflow Elbow, Perfect Fit®, PVC
13	11021	Overflow Flange, Perfect Fit®, ABS
	14021	Overflow Flange, Perfect Fit®, PVC
14	10694	Overflow Flange Gasket, Perfect Fit®
15	01002CP	1-Hole Faceplate, Metal
16	01024CP	Faceplate Screw, 2.25"

600-FA Parts List (Schedule 40; Coarse Thread)



1	38412CP	Foot Actuated Stopper, 3/8" pin, ABS plastic
	11492CP	Strainer Body, Zinc, 1.865"-11.5 x 1.25"
2	01016CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
3	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
	11008	Drain Ell, Schedule 40 ABS
4	14008	Drain Elbow, 11.5 tpi, Schedule 40, PVC
	SCHABS-4.625	Pipe, Schedule 40 ABS, 1.5" x 4.625"
	SCHPVC-4.625	Pipe, Schedule 40 PVC, 1.5" x 4.625"
5	14011	Sanitary Tee, Schedule 40 ABS
	14010	Sanitary Tee, Schedule 40 PVC
	SCHABS-11.75	Pipe, Schedule 40 ABS, 1.5" x 11.75"
	SCHPVC-11.75	Pipe, Schedule 40 PVC, 1.5" x 11.75"
6	11009	1-Hole Overflow Ell, Schedule 40 ABS
	14009	1-Hole Overflow Ell, Schedule 40 PVC
7	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
8	01002CP	1-Hole Faceplate, Brass
9	01024CP	Faceplate Screw, 2.25"

600-TS Parts List (Schedule 40; Coarse Thread)




Part #13 (20200-CP) consists of:

10920		TL Clevis for TS
10932		TS Brass Hex Nut 6-32
10934		TS SS Mach. Screw 6-32
10952		TL Linkage Nut
10953		Top Linkage Eye Bolt
20020CP		TS OF Mount w/Prongs
20041		TS Turning Pin
20042		TS Turning Pin Sleeve
20043		Cable Stop

20200-CP
See page 53.

1	01040CP	Strainer Cover Plate Screw
2	01006CP	Strainer Cover Plate
3	11495CP	Strainer Body, Metal, 1.865\" - 11.5 - 1.25"
4	10696	Drain Ell Gasket, 1.90\" I.D., 2.75\" O.D., gray
5	11008	Drain Ell, Schedule 40, ABS
	14008	Drain Elbow, 11.5 tpi, Schedule 40, PVC
6	SCHABS-4.625	Pipe, Schedule 40 ABS, 1.5\" x 4.625"
	SCHPVC-4.625	Pipe, Schedule 40 PVC, 1.5\" x 4.625"
7	11017	Tee with Seat, Schedule 40 ABS
	14017	Tee with Seat, Schedule 40 PVC
8	SCHABS-12	Pipe, Schedule 40 ABS, 1.5\" x 12.0"
	SCHPVC-12	Pipe, Schedule 40 PVC, 1.5\" x 12.0"
9	10096	2-Hole Overflow Ell, Schedule 40, ABS
	10098	2-Hole Overflow Ell, Schedule 40, PVC
10	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8\" Foam
11	11531	Retainer Plate for Schedule 40
12	11540	Retainer Plate Screw
13	20200-CP	TURNSTYLE® Assembly
14	10954	5.25\" Double-Loop Wire
15	11005	Drop Cylinder, ABS
	14005	Drop Cylinder, PVC
16	01024CP	Overflow Plate Screw, 2.25"
17	20030CP	Cable Faceplate, Brass
18	20140	Cable Faceplate Locking Screw

900-PP Parts List (Schedule 40; Coarse Thread)




See optional stopper
assemblies on
page 59.

1	01010CP	Knob, Brass
2	11584	PP 3/8\" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16\" dia.
5	01016CP	Strainer Body, Brass, 1.865\"-11.5 x 1.25"
6	10696	Drain Ell Gasket, 1.90\" I.D., 2.75\" O.D., gray
7	11008	Drain Ell, Schedule 40 ABS
	14008	Drain Elbow, 11.5 tpi, Schedule 40, PVC
8	SCHABS-4.625	Pipe, Schedule 40 ABS, 1.5\" x 4.625"
	SCHPVC-4.625	Pipe, Schedule 40 PVC, 1.5\" x 4.625"
9	14011	Sanitary Tee, Schedule 40 ABS
	14010	Sanitary Tee, Schedule 40 PVC
10	SCHABS-11.75	Pipe, Schedule 40 ABS, 1.5\" x 11.75"
	SCHPVC-11.75	Pipe, Schedule 40 PVC, 1.5\" x 11.75"
11	11020	Innovator® Overflow Ell, Schedule 40 ABS
	14020	Innovator® Overflow Ell, Schedule 40 PVC
12	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8\" Foam
13	11121	Retainer Star Nut
14	01005CP	Faceplate for Innovator®
15	11577	Test Plug w/O-Ring-type Gasket

Spec Sheets

Schedule 40

940-PP Parts List (Schedule 40; Fine Thread)




1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01022CP	Strainer Body, Brass, 1.625" - 16 - 1.25"
6	10693	Drain Flange Gasket, Perfect Fit®
7	11022	Drain Flange, Perfect Fit®, ABS
	14022	Drain Flange, Perfect Fit®, PVC
8	11023	Drain/Overflow Elbow, Perfect Fit®, ABS
	14023	Drain/Overflow Elbow, Perfect Fit®, PVC
9	SCHABS-4.625	Pipe, Schedule 40 ABS, 1.5" x 4.625"
	SCHPVC-4.625	Pipe, Schedule 40 PVC, 1.5" x 4.625"
10	14011	Sanitary Tee, Schedule 40 ABS
	14010	Sanitary Tee, Schedule 40 PVC
11	SCHABS-11.75	Pipe, Schedule 40 ABS, 1.5" x 11.75"
	SCHPVC-11.75	Pipe, Schedule 40 PVC, 1.5" x 11.75"
12	11020	Innovator® Overflow Ell, Schedule 40 ABS
	14020	Innovator® Overflow Ell, Schedule 40 PVC
13	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8"
14	11121	Retainer Star Nut
15	01005CP	Faceplate for Innovator®
16	11577	Test Plug w/O-Ring-type Gasket

Spec Sheets


Tubular Plastic

500-PF Parts List (Tubular Plastic; Coarse Thread)




1	11145CP	PF Stopper, Plastic, CT
2	11132	O-Ring, PresFlo® Seal, CT
3	11060CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
4	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
5	11028	Drain Ell, Coarse-Thread Tubular, ABS
	14028	Drain Ell, Coarse-Thread Tubular, PVC
6	11580	Slip Joint Nut, ABS
	11581	Slip Joint Nut, PVC
7	11583	Slip Joint Polywasher
8	11000	Tee, Tubular ABS
	14000	Tee, Tubular PVC
9	11003	Overflow Ell, Tubular ABS
	14003	Overflow Ell, Tubular PVC
10	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
11	11530	Retainer Plate
12	11540	Retainer Plate Screw
13	01003CP	2-Hole Faceplate, Metal
14	01024CP	Faceplate Screw, 2.25"
15	96039	Suction Cup for removing stopper

500-TQ Parts List (Tubular Plastic; Coarse Thread)



1	01040CP	Strainer Cover Plate Screw
2	01006CP	Strainer Cover Plate
3	11495CP	Strainer Body, Zinc, 1.865" - 11.5 - 1.25"
4	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
5	11028	Drain Ell, Coarse-Thread Tubular, ABS
	14028	Drain Ell, Coarse-Thread Tubular, PVC
6	11580	Slip Joint Nut, ABS
	11581	Slip Joint Nut, PVC
7	11583	Slip Joint Polywasher
8	11000	Tee, Tubular ABS
	14000	Tee, Tubular PVC
9	N/A	QUICK ADJUST® Label
10	11003	Overflow Ell, Tubular ABS
	14003	Overflow Ell, Tubular PVC
11	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
12	11530	Retainer Plate
13	11540	Retainer Plate Screw
14	10700CP	Trip Lever Faceplate Assembly
15	10930	Cotter Pin
16	10950	Trip Lever Quick Adjust® "Q" Clevis
17	10953	Top Linkage Eye BoLT
18	10954	5.25" Double-Loop Wire
19	11005	Drop Cylinder, ABS
	14005	Drop Cylinder, PVC
20	10952	Trip Lever Linkage Nut
21	01024CP	Screw, Overflow Plate, 2.25"

500-TS Parts List (Tubular Plastic; Coarse Thread)



1	01040CP	Strainer Plate Screw
2	01006CP	Strainer Cover Plate
3	11495CP	Strainer Body, Zinc, 1.865" - 11.5 - 1.25"
4	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
5	11028	Drain Ell, Coarse-Thread Tubular, ABS
	14028	Drain Ell, Coarse-Thread Tubular, PVC
6	11580	Slip Joint Nut, ABS
	11581	Slip Joint Nut, PVC
7	11583	Slip Joint Polywasher
8	11000	Tee, Tubular, ABS
	14000	Tee, Tubular, PVC
9	11003	Overflow Ell, Tubular, ABS
	14003	Overflow Ell, Tubular, PVC
10	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
11	11530	Retainer Plate
12	11540	Retainer Plate Screw
13	20200-CP	TURNSTYLE® Assembly
14	10954	5.25" Double-Loop Wire
15	11005	Drop Cylinder, ABS
	14005	Drop Cylinder, PVC
16	01024CP	Overflow Plate Screw, 2.25"
17	20030CP	Cable Faceplate, Brass
18	20140	Cable Faceplate Locking Screw


Part #13 (20200-CP) consists of:

10920	 TL Clevis for TS	20020CP	 TS OF Mount w/Prongs
10932	 TS Brass Hex Nut 6-32	20041	 TS Turning Pin
10934	 TS SS Mach. Screw 6-32	20042	 TS Turning Pin Sleeve
10952	 TL Linkage Nut	20043	 Cable Stop
10953	 Top Linkage Eye Bolt	20200-CP	See page 53.

Spec Sheets

Tubular Plastic

590-PP Parts List (Tubular Plastic; Coarse Thread)




1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01016CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
6	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
7	11028	Drain Ell, Coarse-Thread Tubular, ABS
	14028	Drain Ell, Coarse-Thread Tubular, PVC
8	11580	Slip Joint Nut, ABS
	11581	Slip Joint Nut, PVC
9	11583	Slip Joint Polywasher
10	11000	Tee, Tubular ABS
	14000	Tee, Tubular PVC
11	11019	Innovator® Overflow Ell, Tubular ABS
	14019	Innovator® Overflow Ell, Tubular PVC
12	10694	(2) Overflow Flange Gasket, Foam...ea.
13	11121	Retainer Star Nut
14	01005CP	Innovator® Faceplate
15	11114	Innovator® Test Cap
16	11577	Test Plug w/O-Ring-type Gasket

Spec Sheets


Tubular Brass

501- & 502-PF Parts List (Brass; Coarse Thread)




1	11145CP	PRESFLO® Stopper, Plastic, 1.5", for CT
2	11132	PRESFLO® Seal, for CT
3	11060CP	Strainer Body, Brass 1.865" - 11.5 - 1.25"
4	96039	Suction Cup for removing PRESFLO® stopper
5	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
6	44006	Drain Ell, Brass, 1.865" - 11.5
7	17GA-4.75	Drain Ell Tube, Brass (17 Gauge), 4.75"
	20GA-4.75	Drain Ell Tube, Brass (20 Gauge), 4.75"
8	41580	Brass Slip Nut
9	11583	Slip Joint Polywasher
10	17GA-3.5	Tail Piece (17 Gauge), 3.5"
	20GA-3.5	Tail Piece (20 Gauge), 3.5"
11	44001	Brass Tee
12	17GA-9.625	Overflow Ell Tube (17 Gauge), 9.625"
	20GA-9.625	Overflow Ell Tube (20 Gauge), 9.625"
13	44003	Brass Overflow Ell
14	40675	Overflow Ell Washer for Brass
15	11530	Retainer Plate
16	41540	Brass Screw for Brass Retainer Plate
17	01003CP	2-Hole Faceplate, Metal
18	01024CP	Faceplate Screw

501- & 502-TQ & Trip Lever Parts List (Brass; Coarse Thread)



1	01040CP	Strainer Cover Plate Screw
2	01006CP	Strainer Cover Plate
3	11495CP	Strainer Body, Zinc, 1.625" - 11.5 - 1.25"
4	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
5	44006	Brass Drain Ell, 1.865" - 11.5
6	17GA-4.75	Drain Ell Tube, Brass (17 Gauge), 4.75"
7	41580	Brass Slip Nut
8	11583	Slip Joint Polywasher
9	17GA-3.5	Tail Piece (17 Gauge), 3.5"
10	20GA-3.5	Tail Piece (20 Gauge), 3.5"
11	44001	Brass Tee
12	17GA-9.625	Overflow Ell Tube (17 Gauge), 9.625"
13	20GA-9.625	Overflow Ell Tube (20 Gauge), 9.625"
14	44003	Overflow Ell, Brass
15	40675	Overflow Ell Washer for Brass
16	11530	Retainer Plate
17	41540	Brass Screw for Brass Retainer Plate
18	10700CP	TL Faceplate Assembly
19	10930	Cotter Pin (Not shown-behind Face plate)
20	10950	Quick Adjust "Q" Clevis
21	10953	Top Linkage Eye BoLT
22	10954	5.25" Double-Loop Wire
23	41005	Brass Drop Cylinder for Brass
24	10952	TL Linkage Nut
25	01024CP	Screw, Overflow Plate, 2.25"

591-PP Parts List (Brass; Coarse Thread)



1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01016CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
6	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
7	44006	Drain Ell, Brass
8	17GA-4.75	Drain Ell Tube, Brass (17 Gauge), 4.75"
9	20GA-4.75	Drain Ell Tube, Brass (20 Gauge), 4.75"
10	41580	Brass Slip Nut
11	11583	Slip Joint Polywasher
12	17GA-3.5	Tail Piece (17 Gauge), 3.5"
13	20GA-3.5	Tail Piece (20 Gauge), 3.5"
14	44001	Brass Tee
15	17GA-9.625	Overflow Ell Tube (17 Gauge), 9.625"
16	20GA-9.625	Overflow Ell Tube (20 Gauge), 9.625"
17	44005	Overflow Ell, Brass for Innovator®
18	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
19	11121	Retainer Star Nut
20	01005CP	Innovator® Faceplate
21	11114	Innovator® Overflow Ell Test Cap
22	11577	Test Plug with O-Ring-type Gasket

Terms and Conditions Policies and Miscellaneous Information

Selling Policy: Possession of our list or jobber discount sheet is not an offer to sell. All orders are subject to acceptance by the home office in Independence, Missouri.

Taxes and Government Regulations: Sales or manufacturer's tax imposed under any existing or future statutes shall be added to of the merchandise effective at the time shipment is made.

Cash Discount: 3% 15 days from date of invoice or 2% 10th prox. Net EOM.

Freight Allowance: All goods sold F.O.B. Independence, Missouri. For shipments in the continental United States and Canada, full freight will be allowed on orders of \$2,500 list or more. See Mobile Home & RV Supplies list sheet for exceptions. We reserve the right to ship the most economical way.

Foreign Shipments (including Alaska & Hawaii) will be allowed full freight, according to the conditions listed above, only to the embarkation point in the continental United States.

Shipping Policy: It will be our policy to ship all orders for standard items within two working days after we receive the order. This policy will be followed unless delays are caused by circumstances beyond our control.

Claims, Shortages and Damage: Any claims for shortages or goods damaged in transit must be made within 10 days after receipt of merchandise. All claims should be made to the delivering carrier by the consignee.

Prices, Designs and Quotations: Prices, designs and dimensions of products are subject to change without notice. Quotations, unless otherwise stated, are for immediate acceptance, and s quoted are based on the seller's standard tolerances of materials. We reserve the right to invoice all merchandise at prices in effect at the time of shipment.

Cancellations: Orders covering special merchandise are not subject to cancellation without our written permission. Purchaser subject to expense incurred by cancellation of special orders.

Limited Warranty: All Watco bath wastes and accessories carry a limited five-year (5) warranty against defects in material and workmanship.

Watco will repair, replace, or issue credit (at our option) for defective goods that are returned for inspection and found defective. WE WILL NOT BE RESPONSIBLE FOR ANY LABOR CHARGES OR ANY LOSS, INJURY OR DAMAGES WHATSOEVER, INCLUDING INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Returned Merchandise: Written permission must be obtained from a WATCO representative prior to the return of ANY material. Return of non-defective material with Chrome finish is subject to a minimum 25% restocking charge, plus re-boxing charges. Other finishes and special lengths are subject to a minimum of 50% restocking charge, plus re-boxing charges. Defective material is subject to the limited warranty stated above. Credit will NOT be issued for material received at Watco in non-resalable condition or obsolete merchandise.

New Packaging for Carded Items



**Available for most
Trim Kits and Tub Closures**



**To order,
place a "C"
at end of
part number.**

**Example:
48701-PP-BZ-2P-C**




TechNotes

SCHEDULE 40 OPTIONS			
2-Hole Overflow Elbow and Faceplate		2H	
Add Adapter Bar and Star Nut		11	
Condensate Adapter included on bath waste		CD	
Drain Extension, ABS	D(length)	per inch:	
Drain Extension, PVC	D(length)	per inch:	
(Advise length from center line of drain elbow to center line of tee.)			
Innovator® Sch40 Drains without any testing		LMT	
Innovator® Overflow Thread Extender		OEX	
Factory-installed. (Extends overflow elbow from 11/4" to 13/4")			
No Tee		NTEE	
No Tee or Pipe		13	
Overflow Extension, ABS	EX(length)	per inch:	
Overflow Extension, PVC	EX(length)	per inch:	
(Advise length from center line of overflow elbow to center line of tee.)			
"PUSH" etched both sides of PRESFLO® disk		E	
Sanitary Tee added to a Half Kit		T	
Test Cap (#11114), no membrane (Innovator®)		TC	
Test Kit (600's) using 2-hole overflow elbow with adapter bar,			
Test Kit (for 600 Series), plastic,		T6	
includes #11575 and #11594 test plugs			


TUBULAR PLASTIC OPTIONS	
Brass Drop Cylinder (Plastic Trip Levers only)	BD
Condensate Drain (Tubular Plastic)	CD
Drain Extension	D(length)
(Advise length from center line of drain elbow to center line of tee.)	
Innovator® Drains without any testing	LTK
Overflow Extension	EX(length)
(Advise length from center line of overflow elbow to center line of tee.)	
"PUSH" etched both sides of PRESFLO® disk	E
Removable Tailpiece (Non-Trip Lever)	RT2
Removable Tailpiece (Trip Lever only) and	
"O"-Ring Seal	RT1

QUICK ADJUST® Bath Wastes

QUICK ADJUST® Installation




A Establish rough-in length at overflow elbow scale.



B Adjust threaded-rod end on the linkage clevis until the number matches the number on the overflow elbow scale.


NOTE:
 Typical installation for:
 Model 500-TQ (ABS or PVC)
 Model 501-TQ (17ga Brass)
 Model 502-TQ (20ga Brass)





PRESFLO® Bath Wastes

How PRESFLO® Works



A rounded channel [1] is included in the upper part of the strainer body which is compatible with the rounded edges [2] of the PRESFLO® stopper. When the stopper edge is pressed to open, the rounded edges on both sides fit into the rounded channel in the strainer body, forming an operating axis. This happens no matter where you press down on the circular stopper edge.



Closed portion.



Press any edge to open.



Stopper disc, with Buna-N-Seal, in open position.



Press top edge toward side to close.



To remove the PRESFLO® stopper from the strainer body, attach the furnished suction cup and pull straight up.



Tubular Brass options		
Brass Ferrules (Includes 2)		F
Brass Half Ferrules (Includes 2)		HF
Condensate Drain (Brass Tubular)		CD2
Condensate Drain for Innovator Brass		CD3
Extension - Drain, 17 Gauge D(length)	D(length)	per inch:
Extension - Drain, 20 Gauge D(length)	D(length)	per inch:
(Advise length from center line of drain elbow to center line of tee.)		
Extension - Overflow, 17 Gauge	EX(length)	per inch:
Extension - Overflow, 20 Gauge	EX(length)	per inch:
(Advise length from center line of overflow elbow to center line of tee.)		
Extension - Tailpiece, 17 Gauge	TX(length)	per inch:
Extension - Tailpiece, 20 Gauge	TX(length)	per inch:
Innovator® Drains without any testing		LTK
"PUSH" etched both sides of PRESFLO® disk		E

Understanding

RI's and SF's...

A Complete Bath Waste is made up of both the RI (Rough-In) and the SF (Stopper/Faceplate).





Purchase a Complete Bath Waste if installation will be completed in one operation.

A Rough-In (RI) has all the bath waste parts that go behind and below the tub AND has the Strainer Body. It does NOT have the faceplate or stopper assembly.

Purchase a Rough-In (RI) when the faceplate and stopper will be installed later.

A Stopper/Faceplate (SF) is NOT a trim kit. It usually contains only the stopper and faceplate and is to be installed after installation of the roughed-in part of the bath waste has been completed.

Purchase a Stopper/Faceplate (SF) to complete Rough-In.



Removing Stoppers from Strainer Bodies

Lift and Turn & PUSH PULL® Stoppers:

1. Close stopper.
2. With cloth protecting knob and stopper, use pliers/wrench to turn knob counter-clockwise to unscrew from stopper.
3. Using flat-head screw driver in slot in top of exposed brass pin, turn pin counter-clockwise to remove pin from crossbars in strainer body.

Standard Foot Actuated Stoppers:

1. Remove flat cap of stopper by turning it counter-clockwise.
2. Use flat-head screwdriver to unscrew pin from crossbars in strainer body. DO NOT DISASSEMBLE REST OF STOPPER.

Universal NuFit® Foot Actuated Stoppers:

DO NOT REMOVE FOOT ACTUATED STOPPER FROM BODY OF PRODUCT. CONTACT THE FACTORY.

Converting from Coarse-Thread Trip Lever Bath Wastes to:

Lift and Turn Stopper: Kit 58290-___ pg 50.

Push Pull® Stopper: Kit 38290-___ pg 50.

PresFlo® Stopper: Kit 38250-___ pg 50.

Foot Actuated Stopper: Kit 68290-___ pg 50.



WATCO... Always a Step Ahead.™

Call WATCO Representative for assistance.

Representative Questions?

Call Watco For Assistance

1-800-821-8576

Sales@watcomfg.com



WATCO MANUFACTURING COMPANY, LLC

1220 South Powell Road • Independence, MO 64057-2724

PHONE: 816-796-3900 • 800-821-8576 • FAX: 816-796-0875 • 800-399-2826

EMAIL: watcosales@watcomfg.com • WEBSITE: www.watcomfg.com