

ApolloPress 45° elbow (P x P)



group: 806 category: fittingen product line: Apollo ApolloPress

The ApolloPress® 806 Small Diameter Press 45° Elbow features a lead free dezincification resistant copper body and an EPDM o-ring. ApolloPress® products are manufactured utilizing proven ASTM materials and standards.

- Lead Free Construction
- Leak Before Press® Technology

applications

potable water, heating, cooling,
compressed air, vacuum, steam,
sprinkler

segments

industry , fire protection , utility

approvals

IAPMO/ANSI/CAN Z1117 , ICC
LC1002 , CRN , FM , UL , ULC ,
NSF/ANSI 372 , NSF/ANSI 61

assortment

item code	size	weight	dimensions	packaging	gtin + upc
10077670	1/2"	0.09 lb	1.52x2.14x0.95 "	-	00683264776708
10077682	1/2"	0.09 lb	-	-	00683264776821
10075062	3/4"	0.16 lb	1.91x2.62x1.24 "	-	00683264750623
10077672	3/4"	0.16 lb	-	-	00683264776722
10077674	1"	0.16 lb	-	-	00191988101572
10075090	1 1/4"	0.34 lb	2.69x3.62x1.75 "	-	00683264750906
10075092	1 1/2"	0.59 lb	3.16x4.20x2.09 "	-	00683264750920
10077654	1 1/2"	0.59 lb	-	-	00191988107796
10075094	2"	0.92 lb	3.73x5.13x2.58 "	-	00683264750944
10077656	2"	0.92 lb	-	-	00191988107833

specifications - product Info

article	ApolloPress 45° elbow (P x P)
article number with gtin	806
manufacturer	Aalberts integrated piping systems Americas, Inc. (Apollo)
weight	0.92 lb

specifications - characteristics

color	copper
materials	copper (CW024A (UNS C12200))
finishing	none
shape	Elbow, 45°
connection type	press (V)
sealing	EPDM

specifications - technical

max operating pressure liquid	300 psi
min. medium temperature	32 °F
max medium temperature	250 °F


specifications - general

product group	fittings (accessories (fittings))
ETIM class	EC003024 Fitting with 2 connections
brand	Apollo
series	ApolloPress
product type	806
unsps	40172812

dimensions

item code	size	d1	DN1	l1	z1	slw1	d2	DN2	l2	z2	radius	angle
10077670	1/2"	0.64	-	1.06	0.26	4.39	0.64	-	1.06	0.26	0.75	-
10077682	1/2"	0.62	-	1.16	0.34	3.95	0.62	-	1.22	0.40	0.75	-
10075062	3/4"	0.88	-	1.34	0.43	-	0.88	-	1.34	0.43	1.05	-
10077672	3/4"	0.88	-	1.27	0.38	3.16	0.88	-	1.38	0.46	1.05	-
10077674	1"	1.12	-	1.46	0.53	3.28	1.12	-	1.47	0.52	1.35	-
10075090	1 1/4"	1.40	-	1.80	0.69	-	1.40	-	1.80	0.69	1.65	-
10075092	1 1/2"	1.64	-	2.24	0.81	-	1.64	-	2.24	0.81	1.95	-
10077654	1 1/2"	1.62	-	2.12	1.10	3.06	1.62	-	2.07	1.02	1.95	-
10075094	2"	2.12	-	2.64	1.06	-	2.12	-	2.64	1.06	2.55	-
10077656	2"	2.12	-	2.36	0.75	3.09	2.12	-	2.36	0.75	2.55	-

item code	size
10077670	1/2"
10077682	1/2"
10075062	3/4"
10077672	3/4"
10077674	1"
10075090	1 1/4"
10075092	1 1/2"
10077654	1 1/2"
10075094	2"
10077656	2"



downloads

⬇ 806 - jpg

⬇ ApolloPress Catalog - pdf

⬇ Diagram - png

⬇ ApolloPress Brochure - pdf