

DAS 8930

36" Built-In Ventilation Hood with WiFi

Features:

- LED strip for bright, even light distribution
- Stainless steel canopy
- 10-ply grease filters for efficient filtration
- Retractable white LED controls
- WiFi connected


MATERIAL

11878590




SPECIFICATIONS	
Overall Unit Dimensions	33 ⁷ / ₈ " (861 mm) W x 12 ⁷ / ₈ " (327 mm) H x 12 ¹ / ₁₆ " (307 mm) D
Niche	
Minimum Cabinet Niche Opening	33 ¹⁵ / ₁₆ " (862 mm) W x 13 ⁷ / ₁₆ " (340 mm) H x 12 ³ / ₁₆ " (310 mm) D
Electrical	
Electrical Requirements	120V, 60Hz, 15 Amps
Power Cord	NEMA 5-15 plug, 2.5 ft (0.75 m)
Shipping	
Shipping Weight	46.3 lbs (21 kg)
Shipping Dimensions	38 ³ / ₈ " (975 mm) W x 15 ³ / ₄ " (400 mm) H x 20 ¹ / ₂ " (520 mm) D

PRODUCT DIMENSIONS



NICHE DIMENSIONS



The drawing is not to scale

- ① The mounting brackets are designed for cabinets with sides that are between $\frac{5}{8}$ " and $\frac{3}{4}$ " (16 and 19 mm) thick.
- ② The ducting can also be connected at the back.
- ③ Cut-out for vented mode or recirculation mode with DUU 150 conversion kit
- ④ The upper cabinet can be fitted with a partition after installation. Slots for the grease filters and charcoal filters (for recirculation mode) must remain accessible.

DISTANCE BETWEEN COOKTOP AND VENTILATION HOOD (S)

Distance between cooktop and ventilation hood (S)

Provided a larger distance is not given by the manufacturer of the cooktop, follow the minimum distances between a cooktop and the bottom of the hood.

Please also observe the information contained in the "IMPORTANT SAFETY INSTRUCTIONS" section of the manual.

Cooking appliance	Minimum distance S	
	Miele appliance	Non-Miele appliance
Electric Cooktops	24" (610 mm)	
Electric Barbeques and Fryers	26" (660 mm)	
Multiburner Gas Cooktops ≤ 43,000 BTU/hr (12.6 kW), no burner > 15,000 BTU/hr (4.5 kW).	26" (660 mm)	30" (760 mm)
Multiburner Gas Cooktops ≤ 73,800 BTU/hr (21.6 kW), no burner > 16,500 BTU/hr (4.8 kW)	30" (760 mm)	
Multiburner Gas Cooktops > 73,800 BTU/hr (21.6 kW), or one of the burners > 16,500 BTU/hr (4.8 kW)	Not possible	
Single Burner Gas Cooktops ≤ 20,500 BTU/hr (6 kW)	26" (660 mm)	30" (760 mm)
Single Burner Gas Cooktops > 20,500 BTU/hr (6 kW) ≤ 27,600 BTU/hr (8.1 kW)	30" (760 mm)	
Single Burner Gas Cooktops > 27,600 BTU/hr (8.1 kW)	Not possible	