



THE COMPLETE PEX PLUMBING SYSTEM



RELIABLE. PROVEN. READY FOR YOUR NEXT PROJECT.

At Jones Stephens, we're proud to deliver a PEX plumbing system built around what installers value most: a complete offering, reliable performance, and quality they can trust.

Made of crosslinked polyethylene, Jones Stephens PEX is designed to be quiet, corrosion-resistant, and energy-saving. Its inherent flexibility allows for faster installations with fewer fittings, reducing both labor time and potential leak points.

Stock up with confidence, knowing that our PEX products go through rigorous, independent testing to ensure durability and performance. The pipe and fittings are certified to key industry standards, including ASTM, AWWA, NSF, and cUPC.

We are so confident in our product that the Jones Stephens PEX system is backed by a 25-year limited warranty, providing long-term peace of mind.

MAKE PEX YOUR GREATEST FLEX

Our strategically sourced and expertly manufactured PEX-A and PEX-B pipe is ideal for all new construction and repair jobs, meeting the highest industry standards, certifications, and compliance requirements. Jones Stephens PEX pipe is manufactured of crosslinked polyethylene and is available in coils and straight lengths, up to 2 inches in diameter, and in red, white, and blue.

Our robust offering of pipe, fittings, and accessories delivers flexibility, durability, and a solution designed for even the most complex of projects.



TABLE OF CONTENTS

PEX-A Pipe4
 PEX-A Potable Water Pipe 4-5
 PEX-A Oxygen Barrier Pipe 6

PEX-B Pipe.....7
 PEX-B Potable Water Pipe 7-9

Expansion Fittings 10
 F1960 Brass Fittings 10-14
 F1960 Ball Valves 14
 F1960 Poly Fittings. 14-17
 Expansion Rings 17

Crimp Fittings 18
 F1807 Copper Fittings. 18
 F1807 Brass Fittings 18-22
 F1807 Ball Valves 23
 F2159 Poly Fittings. 23-24
 Crimp Rings and Clamps 25

PEX Tools..... 26

PEX Plus..... 27



**WATCH THE PEX PLUMBING SYSTEM
IN ACTION.**

PEX-A PIPE

PEX-A is easy to install and has superior flexibility, which makes it desirable for plumbing installations. Due to its thermal memory, PEX-A bends easily and may require fewer fittings.

Finish installations with a secure connection by utilizing F1960 expansion style fittings and rings.



PEX-A Potable Water Pipe

Blue Straight Lengths



Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
F76805	1/2" x 20' Blue Pipe, Pack of 25 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	16
F76809	3/4" x 20' Blue Pipe, Pack of 15 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	16
F76813	1" x 20' Blue Pipe, Pack of 10 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10



Red Straight Lengths

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
F76794	1/2" x 20' Red Pipe, Pack of 25 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	16
F76798	3/4" x 20' Red Pipe, Pack of 15 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	16
F76802	1" x 20' Red Pipe, Pack of 10 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10



White Straight Lengths

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
F76781	1/2" x 20' White Pipe, Pack of 25 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	16
F76786	3/4" x 20' White Pipe, Pack of 15 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	16
F76790	1" x 20' White Pipe, Pack of 10 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10
F76074	1-1/4" x 20' White Pipe, Pack of 5 Straight Lengths	1.375"	±0.005"	0.153"	±0.015"	10
F76075	1-1/2" x 20' White Pipe, Pack of 5 Straight Lengths	1.625"	±0.006"	0.181"	±0.019"	10
F76076	2" x 20' White Pipe, Pack of 5 Straight Lengths	2.125"	±0.006"	0.236"	±0.024"	10



Blue Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
F76806	1/2" x 100' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	32
F76807	1/2" x 300' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	23
F76808	1/2" x 1000' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	8
F76810	3/4" x 100' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	24
F76811	3/4" x 300' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	14
F76812	3/4" x 500' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	9
F76814	1" x 100' Blue Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	23
F76815	1" x 300' Blue Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	8

Red Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
F76795	1/2" x 100' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	32
F76796	1/2" x 300' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	23
F76797	1/2" x 1000' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	8
F76799	3/4" x 100' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	24
F76800	3/4" x 300' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	14
F76801	3/4" x 500' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	9
F76803	1" x 100' Red Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	23
F76804	1" x 300' Red Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	8

White Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
F76782	1/2" x 100' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	32
F76783	1/2" x 300' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	23
F76784	1/2" x 500' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	15
F76785	1/2" x 1000' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	8
F76787	3/4" x 100' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	24
F76788	3/4" x 300' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	14
F76789	3/4" x 500' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	9
F76791	1" x 100' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	23
F76792	1" x 300' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	8
F76793	1" x 500' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	6
F76077	1-1/4" x 100' White Pipe, Coil	1.375"	±0.005"	0.153"	±0.015"	12
F76080	1-1/4" x 300' White Pipe, Coil	1.375"	±0.005"	0.153"	±0.015"	4
F76078	1-1/2" x 100' White Pipe, Coil	1.625"	±0.006"	0.181"	±0.019"	9
F76081	1-1/2" x 300' White Pipe, Coil	1.625"	±0.006"	0.181"	±0.019"	4
F76079	2" x 100' White Pipe, Coil	2.125"	±0.006"	0.236"	±0.024"	4
F76082	2" x 300' White Pipe, Coil	2.125"	±0.006"	0.236"	±0.024"	5

PEX-A Oxygen Barrier Pipe



White Straight Lengths

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
F76817	1/2" x 20' White Pipe, Pack of 25 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	16
F76822	5/8" x 20' White Pipe, Pack of 15 Straight Lengths	0.750"	±0.004"	0.083"	±0.010"	22
F76083	3/4" x 20' White Pipe, Pack of 15 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	16
F76914	1" x 20' White Pipe, Pack of 10 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10
F76013	1-1/4" x 20' White Pipe, Pack of 5 Straight Lengths	1.375"	±0.005"	0.161"	±0.015"	10
F76014	1-1/2" x 20' White Pipe, Pack of 5 Straight Lengths	1.625"	±0.006"	0.191"	±0.019"	10
F76015	2" x 20' White Pipe, Pack of 5 Straight Lengths	2.125"	±0.006"	0.248"	±0.024"	10



White Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
F76818	1/2" x 100' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	32
F76819	1/2" x 300' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	23
F76820	1/2" x 500' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	15
F76821	1/2" x 1000' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	8
F76823	5/8" x 100' White Pipe, Coil	0.750"	±0.004"	0.083"	±0.010"	29
F76824	5/8" x 300' White Pipe, Coil	0.750"	±0.004"	0.083"	±0.010"	17
F76825	5/8" x 400' White Pipe, Coil	0.750"	±0.004"	0.083"	±0.010"	16
F76826	5/8" x 1000' White Pipe, Coil	0.750"	±0.004"	0.083"	±0.010"	6
F76827	3/4" x 100' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	24
F76828	3/4" x 300' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	14
F76829	3/4" x 500' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	9
F76830	3/4" x 1000' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	4
F76915	1" x 100' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	12
F76916	1" x 300' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	5
F76016	1-1/4" x 100' White Pipe, Coil	1.375"	±0.005"	0.161"	±0.015"	12
F76017	1-1/2" x 100' White Pipe, Coil	1.625"	±0.006"	0.191"	±0.019"	9
F76018	2" x 100' White Pipe, Coil	2.125"	±0.006"	0.248"	±0.024"	4

PEX-B PIPE

PEX-B is a reliable, easy-to-install piping system that is manufactured using the Silane/Moisture Cure method. While it still provides great flexibility, the bend radius may be smaller in tight spaces, requiring additional fittings.

Finish installations with a secure connection by using F1807/F2159 crimp fittings and crimp rings or clamps.



PEX-B Potable Water Pipe

Blue Straight Lengths



Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
C76945	1/2" x 10' Blue Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
C76935	1/2" x 20' Blue Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
C76947	3/4" x 10' Blue Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
C76939	3/4" x 20' Blue Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
C76943	1" x 20' Blue Pipe, Pack of 15 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10

Red Straight Lengths



Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
C76944	1/2" x 10' Red Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
C76936	1/2" x 20' Red Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
C76946	3/4" x 10' Red Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
C76940	3/4" x 20' Red Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
C76941	1" x 20' Red Pipe, Pack of 15 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10

White Straight Lengths



Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
C76933	1/2" x 10' White Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
C76934	1/2" x 20' White Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
C76937	3/4" x 10' White Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
C76938	3/4" x 20' White Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
C76942	1" x 20' White Pipe, Pack of 15 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10
C76950	1-1/4" x 20' White Pipe, Pack of 5 Straight Lengths	1.375"	±0.005"	0.153"	±0.015"	15
C76953	1-1/2" x 20' White Pipe, Pack of 5 Straight Lengths	1.625"	±0.006"	0.181"	±0.019"	10
C76956	2" x 20' White Pipe, Pack of 5 Straight Lengths	2.125"	±0.006"	0.236"	±0.024"	5



Blue Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
C76904	1/2" x 100' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	104
C76907	1/2" x 300' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	26
C76910	1/2" x 500' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	17
C76901	1/2" x 1000' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	7
C76916	3/4" x 100' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	56
C76919	3/4" x 300' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	12
C76922	3/4" x 500' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	7
C76913	3/4" x 1000' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	4
C76925	1" x 100' Blue Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	15
C76928	1" x 300' Blue Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	9
C76931	1" x 500' Blue Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	10

Red Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
C76905	1/2" x 100' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	104
C76908	1/2" x 300' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	26
C76911	1/2" x 500' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	17
C76902	1/2" x 1000' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	7
C76917	3/4" x 100' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	56
C76920	3/4" x 300' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	12
C76923	3/4" x 500' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	7
C76914	3/4" x 1000' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	4
C76926	1" x 100' Red Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	15
C76929	1" x 300' Red Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	9
C76932	1" x 500' Red Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	10

White Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
C76903	1/2" x 100' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	104
C76906	1/2" x 300' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	26
C76909	1/2" x 500' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	17
C76900	1/2" x 1000' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	7
C76915	3/4" x 100' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	56
C76918	3/4" x 300' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	12
C76921	3/4" x 500' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	7
C76912	3/4" x 1000' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	4
C76924	1" x 100' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	15
C76927	1" x 300' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	9
C76930	1" x 500' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	10
C76948	1-1/4" x 100' White Pipe, Coil	1.375"	±0.005"	0.153"	±0.015"	10
C76949	1-1/4" x 300' White Pipe, Coil	1.375"	±0.005"	0.153"	±0.015"	5
C76951	1-1/2" x 100' White Pipe, Coil	1.625"	±0.006"	0.181"	±0.019"	8
C76952	1-1/2" x 300' White Pipe, Coil	1.625"	±0.006"	0.181"	±0.019"	5
C76954	2" x 100' White Pipe, Coil	2.125"	±0.006"	0.236"	±0.024"	5
C76955	2" x 300' White Pipe, Coil	2.125"	±0.006"	0.236"	±0.024"	3



EXPANSION FITTINGS

Jones Stephens offers a full range of F1960 expansion fittings in both brass and poly options. Our vast assortment of fittings includes everything from tees and elbows to manifolds and expansion rings. The durable construction makes them a dependable and leak-free plumbing connection.

All fittings are sold in carton quantities only.



F1960 Brass Fittings

Adapters-Copper Press



Part Code	Description	A	B	CTN/MSTR
F76092	1/2" F1960 x Brass PEX Copper Press Adapter	0.50"	0.50"	30/240
F76093	3/4" F1960 x Brass PEX Copper Press Adapter	0.75"	0.75"	20/160
F76094	1" F1960 x Brass PEX Copper Press Adapter	1.00"	1.00"	12/96
F76095	1-1/4" F1960 x Brass PEX Copper Press Adapter	1.25"	1.25"	12/48
F76096	1-1/2" F1960 x Brass PEX Copper Press Adapter	1.50"	1.50"	4/32
F76097	2" F1960 x Brass PEX Copper Press Adapter	2.00"	2.00"	5/20



Adapters-Female Sweat

Part Code	Description	A	B	CTN/MSTR
F76842	1/2" F1960 Female Sweat Brass PEX Adapter	0.50"	0.50"	25/100
F76843	1/2" F1960 x 3/4" Female Sweat Brass PEX Adapter	0.50"	0.75"	25/100
F76846	3/4" F1960 Female Sweat Brass PEX Adapter	0.75"	0.75"	25/100
F76845	3/4" F1960 x 1/2" Female Sweat Brass PEX Adapter	0.75"	0.50"	25/50
F76844	3/4" F1960 x 1" Female Brass PEX Sweat Adapter	0.75"	1.00"	10/100
F76841	1" F1960 Female Sweat Brass PEX Adapter	1.00"	1.00"	10/100
F76168	1-1/4" F1960 Female Sweat Brass PEX Adapter	1.25"	1.25"	8/96
F76169	1-1/2" F1960 Female Sweat Brass PEX Adapter	1.50"	1.50"	12/48
F76170	2" F1960 Female Sweat Brass PEX Adapter	2.00"	2.00"	6/24

Adapters-Male Sweat



Part Code	Description	A	B	CTN/MSTR
F76836	1/2" F1960 Male Sweat Brass PEX Adapter	0.50"	0.50"	25/100
F76837	1/2" F1960 x 3/4" Male Sweat Brass PEX Adapter	0.50"	0.75"	25/100
F76840	3/4" F1960 Male Sweat Brass PEX Adapter	0.75"	0.75"	25/100
F76839	3/4" F1960 x 1/2" Male Sweat Brass PEX Adapter	0.75"	0.50"	25/100
F76838	3/4" F1960 x 1" Male Sweat Brass PEX Adapter	0.75"	1.00"	10/100
F76835	1" F1960 Male Sweat Brass PEX Adapter	1.00"	1.00"	10/100
F76089	1-1/4" F1960 Male Sweat Brass PEX Adapter	1.25"	1.25"	8/96
F76090	1-1/2" F1960 Male Sweat Brass PEX Adapter	1.50"	1.50"	12/48
F76091	2" F1960 Male Sweat Brass PEX Adapter	2.00"	2.00"	6/24



Adapters-FIP

Part Code	Description	A	B	CTN/MSTR
F76859	1/2" F1960 x FIP Brass PEX Adapter	0.50"	0.50"	25/100
F76860	1/2" F1960 x 3/4" FIP Brass PEX Adapter	0.50"	0.75"	25/100
F76861	3/4" F1960 x 1" FIP Brass PEX Adapter	0.75"	1.00"	10/100
F76862	3/4" F1960 x FIP Brass PEX Adapter	0.75"	0.75"	25/100
F76858	1" F1960 x FIP Brass PEX Adapter	1.00"	1.00"	10/50
F76171	1-1/4" F1960 x FIP Brass PEX Adapter	1.25"	1.25"	6/72
F76172	1-1/2" F1960 x FIP Brass PEX Adapter	1.50"	1.50"	6/48
F76173	2" F1960 x FIP Brass PEX Adapter	2.00"	2.00"	6/36



Adapters-MIP

Part Code	Description	A	B	CTN/MSTR
F76850	1/2" F1960 x 3/4" MIP Brass PEX Adapter	0.50"	0.75"	25/100
F76849	1/2" F1960 x MIP Brass PEX Adapter	0.50"	0.50"	25/100
F76851	3/4" F1960 x 1" MIP Brass PEX Adapter	0.75"	1.00"	10/100
F76852	3/4" F1960 x MIP Brass PEX Adapter	0.75"	0.75"	25/100
F76848	1" F1960 x 3/4" MIP Brass PEX Adapter	1.00"	0.75"	10/100
F76847	1" F1960 x MIP Brass PEX Adapter	1.00"	1.00"	10/100
F76165	1-1/4" F1960 x MIP Brass PEX Adapter	1.25"	1.25"	6/72
F76166	1-1/2" F1960 x MIP Brass PEX Adapter	1.50"	1.50"	6/48
F76167	2" F1960 x MIP Brass PEX Adapter	2.00"	2.00"	6/24

Couplings




Part Code	Description	A	B	CTN/MSTR
F76854	1/2" F1960 Brass PEX Coupling	0.50"	0.50"	25/50
F76855	1/2" x 3/4" F1960 Brass PEX Coupling	0.50"	0.75"	25/50
F76891	5/8" F1960 Brass PEX Coupling	0.62"	0.62"	30/120
F76857	3/4" F1960 Brass PEX Coupling	0.75"	0.75"	25/50
F76856	3/4" x 1" F1960 Brass PEX Coupling	0.75"	1.00"	10/50
F76853	1" F1960 Brass PEX Coupling	1.00"	1.00"	10/100

Elbows-90°



Part Code	Description	A	B	CTN/MSTR
F76870	1/2" F1960 Brass PEX 90° Elbow	0.50"	0.50"	25/100
F76871	3/4" F1960 Brass PEX 90° Elbow	0.75"	0.75"	25/100
F76872	1" F1960 Brass PEX 90° Elbow	1.00"	1.00"	10/100

Elbows-Drop Ear



Part Code	Description	A	B	CTN/MSTR
F76833	1/2" F1960 x FIP Brass PEX 90° Drop Ear Elbow	0.50"	0.50"	25/100
F76834	3/4" F1960 x FIP Brass PEX 90° Drop Ear Elbow	0.75"	0.75"	4/100

Elbow-MIP



Part Code	Description	A	B	CTN/MSTR
F76831	1/2" F1960 x MIP Brass PEX 90° Elbow	0.50"	0.50"	25/100

Elbow-Sweat



Part Code	Description	A	B	CTN/MSTR
F76884	3/4" F1960 x Female Sweat Brass PEX 90° Elbow	0.75"	0.75"	10/50

Plugs



Part Code	Description	A	CTN/MSTR
F76900	1/2" F1960 Brass PEX Plug	0.50"	25/600
F76901	3/4" F1960 Brass PEX Plug	0.75"	25/350
F76902	1" F1960 Brass PEX Plug	1.00"	10/200

Tees-Equal



Part Code	Description	A	B	C	CTN/MSTR
F76866	1/2" F1960 Brass PEX Tee	0.50"	0.50"	0.50"	25/100
F76868	3/4" F1960 Brass PEX Tee	0.75"	0.75"	0.75"	25/100
F76904	1" F1960 Brass PEX Tee	1.00"	1.00"	1.00"	10/60



Tees-Reducing


Part Code	Description	A	B	C	CTN/MSTR
F76905	1/2" x 1/2" x 3/4" F1960 Brass PEX Reducing Tee	0.50"	0.50"	0.75"	25/150
F76906	3/4" x 1/2" x 1/2" F1960 Brass PEX Reducing Tee	0.75"	0.50"	0.50"	25/150
F76913	3/4" x 1/2" x 3/4" F1960 Brass PEX Reducing Tee	0.75"	0.50"	0.75"	25/150
F76867	3/4" x 3/4" x 1/2" F1960 Brass PEX Reducing Tee	0.75"	0.75"	0.50"	25/100
F76869	3/4" x 3/4" x 1" F1960 Brass PEX Reducing Tee	0.75"	0.75"	1.00"	10/100
F76896	1" x 1/2" x 1" F1960 Brass PEX Reducing Tee	1.00"	0.50"	1.00"	10/80
F76903	1" x 3/4" x 1/2" F1960 Brass PEX Reducing Tee	1.00"	0.75"	0.50"	10/100
F76898	1" x 3/4" x 3/4" F1960 Brass PEX Reducing Tee	1.00"	0.75"	0.75"	10/100
F76897	1" x 3/4" x 1" F1960 Brass PEX Reducing Tee	1.00"	0.75"	1.00"	10/80
F76894	1" x 1" x 1/2" F1960 Brass PEX Reducing Tee	1.00"	1.00"	0.50"	10/100
F76895	1" x 1" x 3/4" F1960 Brass PEX Reducing Tee	1.00"	1.00"	0.75"	10/80

F1960 Ball Valves

Ball Valves



Part Code	Description	A	B	CTN/MSTR
B65050LF	1/2" F1960 Brass PEX Ball Valve	0.50"	0.50"	10/100
B65075LF	3/4" F1960 Brass PEX Ball Valve	0.75"	0.75"	10/100
B65100LF	1" F1960 Brass PEX Ball Valve	1.00"	1.00"	6/48
B65125LF	1-1/4" F1960 Brass PEX Ball Valve	1.25"	1.25"	6/24
B65150LF	1-1/2" F1960 Brass PEX Ball Valve	1.50"	1.50"	4/16
B65200LF	2" F1960 Brass PEX Ball Valve	2.00"	2.00"	2/8



Ball Valves with Drain

Part Code	Description	A	B	CTN/MSTR
B65050LFD	1/2" F1960 Brass PEX Ball Valve with Drop Ear and Drain	0.50	0.50	10/100
B65075LFD	3/4" F1960 Brass PEX Ball Valve with Drop Ear and Drain	0.75	0.75	10/100
B65100LFD	1" F1960 Brass PEX Ball Valve with Drop Ear and Drain	1.00	1.00	6/48

F1960 Poly Fittings

Elbows-45°



Part Code	Description	A	B	CTN/MSTR
F76024	1-1/2" F1960 Poly PEX 45° Elbow	1.50"	1.50"	10/40
F76025	2" F1960 Poly PEX 45° Elbow	2.00"	2.00"	5/20



Elbows-90°

Part Code	Description	A	B	CTN/MSTR
F76751	1/2" F1960 Poly PEX 90° Elbow	0.50"	0.50"	25/600
F76752	3/4" F1960 Poly PEX 90° Elbow	0.75"	0.75"	25/200
F76753	1" F1960 Poly PEX 90° Elbow	1.00"	1.00"	10/100
F76021	1-1/4" F1960 Poly PEX 90° Elbow	1.25"	1.25"	10/70
F76022	1-1/2" F1960 Poly PEX 90° Elbow	1.50"	1.50"	10/40
F76023	2" F1960 Poly PEX 90° Elbow	2.00"	2.00"	10/20



Adapter w/ Swivel

Part Code	Description	A	CTN/MSTR
F76780	1/2" F1960 Poly PEX Swivel Faucet Adapter	0.50"	25/400



Couplings

Part Code	Description	A	B	CTN/MSTR
F76754	1/2" F1960 Poly PEX Coupling	0.50"	0.50"	25/1000
F76755	3/4" F1960 Poly PEX Coupling	0.75"	0.75"	25/500
F76756	3/4" x 1/2" F1960 Poly PEX Coupling	0.75"	0.50"	25/400
F76779	1" F1960 Poly PEX Coupling	1.00"	1.00"	10/250
F76758	1" x 3/4" F1960 Poly PEX Coupling	1.00"	0.75"	25/300
F76026	1-1/4" F1960 Poly PEX Coupling	1.25"	1.25"	10/160
F76029	1-1/4" x 1" F1960 Poly PEX Coupling	1.25"	1.00"	10/170
F76030	1-1/4" x 3/4" F1960 Poly PEX Coupling	1.25"	0.75"	10/190
F76027	1-1/2" F1960 Poly PEX Coupling	1.50"	1.50"	10/100
F76032	1-1/2" x 1" F1960 Poly PEX Coupling	1.50"	1.00"	10/120
F76031	1-1/2" x 1-1/4" F1960 Poly PEX Coupling	1.50"	1.25"	10/110
F76033	1-1/2" x 3/4" F1960 Poly PEX Coupling	1.50"	0.75"	10/140
F76028	2" F1960 Poly PEX Coupling	2.00"	2.00"	10/40
F76034	2" x 1-1/2" F1960 Poly PEX Coupling	2.00"	1.50"	10/40



Manifolds-Open End

Part Code	Description	A	B	CTN/MSTR
F76001	3/4" F1960 Poly PEX Manifold, 2-Port	0.75"	0.50"	10/140
F76002	3/4" F1960 Poly PEX Manifold, 3-Port	0.75"	0.50"	10/100
F76006	3/4" F1960 Poly PEX Manifold, 4-Port	0.75"	0.50"	10/100
F76007	3/4" F1960 Poly PEX Manifold, 6-Port	0.75"	0.50"	10/70



Manifolds-Closed End

Part Code	Description	A	B	CTN/MSTR
F76005	3/4" F1960 Poly PEX Manifold, 3-Port	0.75"	0.50"	10/140
F76004	3/4" F1960 Poly PEX Manifold, 4-Port	0.75"	0.50"	10/100
F76003	3/4" F1960 Poly PEX Manifold, 6-Port	0.75"	0.50"	10/60
F76009	1" F1960 Poly PEX Manifold, 4-Port	1.00"	0.50"	10/70
F76008	1" F1960 Poly PEX Manifold, 6-Port	1.00"	0.50"	10/60



Plugs

Part Code	Description	A	CTN/MSTR
F76768	1/2" F1960 Poly PEX Plug	0.50"	25/1500
F76769	3/4" F1960 Poly PEX Plug	0.75"	25/1000
F76771	1" F1960 Poly PEX Plug	1.00"	10/300
F76068	1-1/4" F1960 Poly PEX Plug	1.25"	10/280
F76069	1-1/2" F1960 Poly PEX Plug	1.50"	10/180
F76070	2" F1960 Poly PEX Plug	2.00"	10/80



Tees-Equal

Part Code	Description	A	B	C	CTN/MSTR
F76762	1/2" F1960 Poly PEX Tee	0.50"	0.50"	0.50"	25/400
F76763	3/4" F1960 Poly PEX Tee	0.75"	0.75"	0.75"	25/200
F76773	1" F1960 Poly PEX Tee	1.00"	1.00"	1.00"	10/100
F76035	1-1/4" F1960 Poly PEX Tee	1.25"	1.25"	1.25"	10/40
F76036	1-1/2" F1960 Poly PEX Tee	1.50"	1.50"	1.50"	10/20
F76037	2" F1960 Poly PEX Tee	2.00"	2.00"	2.00"	5/10



Tees-Reducing

Part Code	Description	A	B	C	CTN/MSTR
F76764	1/2" x 1/2" x 3/4" F1960 Poly PEX Reducing Tee	0.50"	0.50"	0.75"	25/250
F76765	3/4" x 1/2" x 1/2" F1960 Poly PEX Reducing Tee	0.75"	0.50"	0.50"	25/300
F76766	3/4" x 1/2" x 3/4" F1960 Poly PEX Reducing Tee	0.75"	0.50"	0.75"	25/250
F76767	3/4" x 3/4" x 1/2" F1960 Poly PEX Reducing Tee	0.75"	0.75"	0.50"	25/100
F76774	3/4" x 3/4" x 1" F1960 Poly PEX Reducing Tee	0.75"	0.75"	1.00"	10/100
F76772	1" x 3/4" x 3/4" F1960 Poly PEX Reducing Tee	1.00"	0.75"	0.75"	10/100
F76776	1" x 3/4" x 1" F1960 Poly PEX Reducing Tee	1.00"	0.75"	1.00"	10/100
F76770	1" x 1" x 1/2" F1960 Poly PEX Reducing Tee	1.00"	1.00"	0.50"	10/100
F76775	1" x 1" x 3/4" F1960 Poly PEX Reducing Tee	1.00"	1.00"	0.75"	10/100
F76045	1-1/4" x 3/4" x 1-1/4" F1960 Poly PEX Reducing Tee	1.25"	0.75"	1.25"	10/40
F76044	1-1/4" x 1" x 3/4" F1960 Poly PEX Reducing Tee	1.25"	1.00"	0.75"	10/60
F76043	1-1/4" x 1" x 1" F1960 Poly PEX Reducing Tee	1.25"	1.00"	1.00"	10/50
F76042	1-1/4" x 1-1/4" x 1/2" F1960 Poly PEX Reducing Tee	1.25"	1.25"	0.50"	10/70
F76041	1-1/4" x 1-1/4" x 3/4" F1960 Poly PEX Reducing Tee	1.25"	1.25"	0.75"	10/60
F76040	1-1/4" x 1-1/4" x 1" F1960 Poly PEX Reducing Tee	1.25"	1.25"	1.00"	10/50



Tees-Reducing cont'd

Part Code	Description	A	B	C	CTN/MSTR
F76056	1-1/2" x 3/4" x 1-1/2" F1960 Poly PEX Reducing Tee	1.50"	0.75"	1.50"	10/30
F76055	1-1/2" x 1" x 3/4" F1960 Poly PEX Reducing Tee	1.50"	1.00"	0.75"	10/50
F76054	1-1/2" x 1" x 1" F1960 Poly PEX Reducing Tee	1.50"	1.00"	1.00"	10/40
F76053	1-1/2" x 1" x 1-1/2" F1960 Poly PEX Reducing Tee	1.50"	1.00"	1.50"	10/30
F76052	1-1/2" x 1-1/4" x 3/4" F1960 Poly PEX Reducing Tee	1.50"	1.25"	0.75"	10/40
F76051	1-1/2" x 1-1/4" x 1" F1960 Poly PEX Reducing Tee	1.50"	1.25"	1.00"	10/40
F76050	1-1/2" x 1-1/4" x 1-1/4" F1960 Poly PEX Reducing Tee	1.50"	1.25"	1.25"	10/30
F76049	1-1/2" x 1-1/2" x 1/2" F1960 Poly PEX Reducing Tee	1.50"	1.50"	0.50"	10/50
F76048	1-1/2" x 1-1/2" x 3/4" F1960 Poly PEX Reducing Tee	1.50"	1.50"	0.75"	10/40
F76047	1-1/2" x 1-1/2" x 1" F1960 Poly PEX Reducing Tee	1.50"	1.50"	1.00"	10/30
F76046	1-1/2" x 1-1/2" x 1-1/4" F1960 Poly PEX Reducing Tee	1.50"	1.50"	1.25"	10/30
F76066	2" x 1-1/2" x 3/4" F1960 Poly PEX Reducing Tee	2.00"	1.50"	0.75"	10/20
F76065	2" x 1-1/2" x 1" F1960 Poly PEX Reducing Tee	2.00"	1.50"	1.00"	10/20
F76064	2" x 1-1/2" x 1-1/4" F1960 Poly PEX Reducing Tee	2.00"	1.50"	1.25"	5/15
F76063	2" x 1-1/2" x 1-1/2" F1960 Poly PEX Reducing Tee	2.00"	1.50"	1.50"	5/15
F76062	2" x 1-1/2" x 2" F1960 Poly PEX Reducing Tee	2.00"	1.50"	2.00"	10/10
F76061	2" x 2" x 1/2" F1960 Poly PEX Reducing Tee	2.00"	2.00"	0.50"	20/20
F76060	2" x 2" x 3/4" F1960 Poly PEX Reducing Tee	2.00"	2.00"	0.75"	10/20
F76059	2" x 2" x 1" F1960 Poly PEX Reducing Tee	2.00"	2.00"	1.00"	5/20
F76058	2" x 2" x 1-1/4" F1960 Poly PEX Reducing Tee	2.00"	2.00"	1.25"	5/15
F76057	2" x 2" x 1-1/2" F1960 Poly PEX Reducing Tee	2.00"	2.00"	1.50"	5/15

Expansion Rings

Expansion Rings



Part Code	Description	CTN/MSTR
F76909	1/2" F1960 PEX Expansion Ring with Stop	50/4000
F76910	5/8" F1960 PEX Expansion Ring with Stop	50/3000
F76911	3/4" F1960 PEX Expansion Ring with Stop	40/2000
F76912	1" F1960 PEX Expansion Ring with Stop	25/1000
F76071	1-1/4" F1960 PEX Expansion Ring with Stop	20/500
F76072	1-1/2" F1960 PEX Expansion Ring with Stop	8/360
F76073	2" F1960 PEX Expansion Ring with Stop	5/150

CRIMP FITTINGS

Jones Stephens provides a comprehensive selection of F1807 and F2159 crimp fittings in both brass and poly. This extensive line includes essential components like tees, elbows, and manifolds, along with copper rings and stainless-steel clamps. These high-performance parts guarantee a secure and permanent seal for every installation.

All fittings are sold in carton quantities only.



F1807 Copper Fittings

Adapters-Female Copper Sweat



Part Code	Description	A	B	CTN/MSTR
C76024	1/2" F1807 Copper PEX Female Sweat Adapter	0.50"	0.50"	90/900
C76025	3/4" F1807 Copper PEX Female Sweat Adapter	0.75"	0.75"	50/400
C76026	1" F1807 Copper PEX Female Sweat Adapter	1.00"	1.00"	30/180

Adapters-Male Copper Sweat



Part Code	Description	A	B	CTN/MSTR
C76031	1/2" F1807 Copper PEX Male Sweat Adapter	0.50"	0.50"	100/1200
C76032	3/4" F1807 Copper PEX Male Sweat Adapter	0.75"	0.75"	50/400
C76033	1" F1807 Copper PEX Male Sweat Adapter	1.00"	1.00"	25/150

F1807 Brass Fittings

Adapters-Female Sweat



Part Code	Description	A	B	CTN/MSTR
C76027LF	1/2" F1807 Brass PEX Female Sweat Adapter	0.50"	0.50"	50/1000
C76029LF	1/2" F1807 x 3/4" Female Brass PEX Sweat Adapter	0.50"	0.75"	50/250
C76028LF	3/4" F1807 Brass PEX Female Sweat Adapter	0.75"	0.75"	25/400
C76030LF	1" F1807 Brass PEX Female Sweat Adapter	1.00"	1.00"	25/200
C76112LF	1-1/4" F1807 Brass PEX Female Sweat Adapter	1.25"	1.25"	5/100
C76127LF	1-1/2" F1807 Brass PEX Female Sweat Adapter	1.50"	1.50"	5/50
C76146LF	2" F1807 Brass PEX Female Sweat Adapter	2.00"	2.00"	5/50



Adapters-Male Sweat

Part Code	Description	A	B	CTN/MSTR
C76047LF	3/8" F1807 x 1/2" Male Brass PEX Sweat Adapter	0.37"	0.50"	50/500
C76048LF	1/2" F1807 Brass PEX Male Sweat Adapter	0.50"	0.50"	100/1000
C76049LF	1/2" F1807 x 3/4" Male Brass PEX Sweat Adapter	0.50"	0.75"	25/100
C76050LF	3/4" F1807 Brass PEX Male Sweat Adapter	0.75"	0.75"	50/400
C76051LF	1" F1807 Brass PEX Male Sweat Adapter	1.00"	1.00"	25/100
C76111LF	1-1/4" F1807 Brass PEX Male Sweat Adapter	1.25"	1.25"	5/100
C76126LF	1-1/2" F1807 Brass PEX Male Sweat Adapter	1.50"	1.50"	5/50
C76147LF	2" F1807 Brass PEX Male Sweat Adapter	2.00"	2.00"	5/50



Adapters-FIP

Part Code	Description	A	B	CTN/MSTR
C76041LF	1/2" F1807 x FIP Brass PEX Adapter	0.50"	0.50"	50/250
C76042LF	1/2" F1807 x 3/4" FIP Brass PEX Adapter	0.50"	0.75"	25/250
C76043LF	3/4" F1807 x FIP Brass PEX Adapter	0.75"	0.75"	25/200
C76044LF	1" F1807 x FIP Brass PEX Adapter	1.00"	1.00"	25/125
C76115LF	1-1/4" F1807 x FIP Brass PEX Adapter	1.25"	1.25"	5/50
C76129LF	1-1/2" F1807 x FIP Brass PEX Adapter	1.50"	1.50"	1/25
C76149LF	2" F1807 x FIP Brass PEX Adapter	2.00"	2.00"	1/20



Adapters-MIP

Part Code	Description	A	B	CTN/MSTR
C76034LF	1/2" F1807 x MIP Brass PEX Adapter	0.50"	0.50"	25/400
C76035LF	1/2" F1807 x 3/4" MIP Brass PEX Adapter	0.50"	0.75"	25/200
C76082LF	3/4" F1807 x 1/2" MIP Brass PEX Adapter	0.75"	0.50"	50/250
C76036LF	3/4" F1807 x MIP Brass PEX Adapter	0.75"	0.75"	50/250
C76038LF	1" F1807 x 3/4" MIP Brass PEX Adapter	1.00"	0.75"	25/200
C76037LF	1" F1807 x MIP Brass PEX Adapter	1.00"	1.00"	25/150
C76113LF	1-1/4" F1807 x 1" MIP Brass PEX Adapter	1.25"	1.00"	5/100
C76114LF	1-1/4" F1807 x MIP Brass PEX Adapter	1.25"	1.25"	5/50
C76128LF	1-1/2" F1807 x MIP Brass PEX Adapter	1.50"	1.50"	5/50
C76148LF	2" F1807 x MIP Brass PEX Adapter	2.00"	2.00"	1/20



Adapters-PEX to Poly

Part Code	Description	A	B	CTN/MSTR
C76100LF	1/2" F1807 Brass PEX to Poly Adapter	0.50"	0.50"	25/500
C76101LF	3/4" F1807 Brass PEX to Poly Adapter	0.75"	0.75"	25/300



Couplings


Part Code	Description	A	B	CTN/MSTR
C76001LF	1/2" F1807 Brass PEX Coupling	0.50"	0.50"	100/1000
C76002LF	3/4" F1807 Brass PEX Coupling	0.75"	0.75"	50/500
C76004LF	3/4" x 1/2" F1807 Brass PEX Coupling	0.50"	0.75"	50/500
C76003LF	1" F1807 Brass PEX Coupling	1.00"	1.00"	25/300
C76005LF	1" x 3/4" F1807 Brass PEX Coupling	0.75"	1.00"	50/400
C76116LF	1-1/4" x 3/4" F1807 Brass PEX Coupling	0.75"	1.25"	10/200
C76117LF	1-1/4" x 1" F1807 Brass PEX Coupling	1.00"	1.25"	10/200
C76118LF	1-1/4" F1807 Brass PEX Coupling	1.25"	1.25"	5/150
C76130LF	1-1/2" x 3/4" F1807 Brass PEX Coupling	0.75"	1.50"	10/100
C76131LF	1-1/2" x 1" F1807 Brass PEX Coupling	1.00"	1.50"	10/100
C76132LF	1-1/2" X 1-1/4" F1807 Brass PEX Coupling	1.25"	1.50"	5/100
C76133LF	1-1/2" F1807 Brass PEX Coupling	1.50"	1.50"	5/100
C76150LF	2" x 1" F1807 Brass PEX Coupling	1.00"	2.00"	1/50
C76151LF	2" X 1-1/4" F1807 Brass PEX Coupling	1.25"	2.00"	1/50
C76152LF	2" X 1-1/2" F1807 Brass PEX Coupling	1.50"	2.00"	1/50
C76153LF	2" F1807 Brass PEX Coupling	2.00"	2.00"	1/50



Plugs

Part Code	Description	A	CTN/MSTR
C76065LF	1/2" F1807 Brass PEX Plug	0.50"	100/1000
C76066LF	3/4" F1807 Brass PEX Plug	0.75"	100/800
C76067LF	1" F1807 Brass PEX Plug	1.00"	50/500
C76125LF	1-1/4" F1807 Brass PEX Plug	1.25"	10/200
C76145LF	1-1/2" F1807 Brass PEX Plug	1.50"	10/100
C76164LF	2" F1807 Brass PEX Plug	2.00"	1/50

Elbows-Drop Ear



Part Code	Description	A	B	CTN/MSTR
C76080LF	1/2" F1807 x FIP Brass PEX 90° Drop Ear Elbow, 2 Ears	0.50"	0.50"	25/200
C76079LF	1/2" F1807 x FIP Brass PEX 90° Drop Ear Elbow, 3 Ears	0.50"	0.50"	25/200
C76081LF	3/4" F1807 x 1/2" FIP Brass PEX 90° Drop Ear Elbow, 3 Ears	0.75"	0.50"	25/200
C76090LF	3/4" F1807 x FIP Brass PEX 90° Drop Ear Elbow, 3 Ears	0.75"	0.75"	5/50

Elbows-45°



Part Code	Description	A	B	CTN/MSTR
C76134LF	1-1/2" F1807 Brass PEX 45° Elbow	1.50"	1.50"	5/50
C76154LF	2" F1807 Brass PEX 45° Elbow	2.00"	2.00"	1/25

Elbows-90°



Part Code	Description	A	B	CTN/MSTR
C76008LF	1/2" F1807 Brass PEX 90° Elbow	0.50"	0.50"	100/800
C76091LF	3/4" x 1/2" F1807 Brass PEX 90° Elbow	0.75"	0.50"	50/200
C76009LF	3/4" F1807 Brass PEX 90° Elbow	0.75"	0.75"	50/250
C76010LF	1" F1807 Brass PEX 90° Elbow	1.00"	1.00"	25/100
C76119LF	1-1/4" F1807 Brass PEX 90° Elbow	1.25"	1.25"	10/100
C76135LF	1-1/2" F1807 Brass PEX 90° Elbow	1.50"	1.50"	5/50
C76155LF	2" F1807 Brass PEX 90° Elbow	2.00"	2.00"	1/25

Elbow-FIP with Swivel



Part Code	Description	A	CTN/MSTR
C76060LF	1/2" F1807 x FIP Brass PEX 90° Elbow with Poly Swivel Nut	0.50"	50/200

Elbow-MIP



Part Code	Description	A	B	CTN/MSTR
C76013LF	1/2" F1807 x MIP Brass PEX 90° Elbow	0.50"	0.50"	25/200

Tees-Equal



Part Code	Description	A	B	C	CTN/MSTR
C76014LF	1/2" F1807 Brass PEX Tee	0.50"	0.50"	0.50"	50/500
C76015LF	3/4" F1807 Brass PEX Tee	0.75"	0.75"	0.75"	50/300
C76016LF	1" F1807 Brass PEX Tee	1.00"	1.00"	1.00"	25/100
C76124LF	1-1/4" F1807 Brass PEX Tee	1.25"	1.25"	1.25"	5/50
C76144LF	1-1/2" F1807 Brass PEX Tee	1.50"	1.50"	1.50"	5/50
C76162LF	2" F1807 Brass PEX Tee	2.00"	2.00"	2.00"	1/25

Tees-Reducing



Part Code	Description	A	B	C	CTN/MSTR
C76017LF	1/2" x 1/2" x 3/4" F1807 Brass PEX Reducing Tee	0.50"	0.50"	0.75"	50/300
C76018LF	3/4" x 1/2" x 1/2" F1807 Brass PEX Reducing Tee	0.75"	0.50"	0.50"	25/250
C76019LF	3/4" x 1/2" x 3/4" F1807 Brass PEX Reducing Tee	0.75"	0.50"	0.75"	25/250
C76020LF	3/4" x 3/4" x 1/2" F1807 Brass PEX Reducing Tee	0.75"	0.75"	0.50"	25/250
C76021LF	1" x 3/4" x 3/4" F1807 Brass PEX Reducing Tee	1.00"	0.75"	0.75"	25/200
C76022LF	1" x 1" x 1/2" F1807 Brass PEX Reducing Tee	1.00"	1.00"	0.50"	25/100
C76023LF	1" x 1" x 3/4" F1807 Brass PEX Reducing Tee	1.00"	1.00"	0.75"	25/200
C76120LF	1-1/4" x 1" x 1" F1807 Brass PEX Reducing Tee	1.25"	1.00"	1.00"	5/50
C76121LF	1-1/4" x 1-1/4" x 1/2" F1807 Brass PEX Reducing Tee	1.25"	1.25"	0.50"	5/50
C76122LF	1-1/4" x 1-1/4" x 3/4" F1807 Brass PEX Reducing Tee	1.25"	1.25"	0.75"	5/50
C76123LF	1-1/4" x 1-1/4" x 1" F1807 Brass PEX Reducing Tee	1.25"	1.25"	1.00"	5/50
C76136LF	1-1/2" x 1" x 1" F1807 Brass PEX Reducing Tee	1.50"	1.00"	1.00"	5/50
C76137LF	1-1/2" x 1-1/4" x 3/4" F1807 Brass PEX Reducing Tee	1.50"	1.25"	0.75"	5/50
C76138LF	1-1/2" x 1-1/4" x 1" F1807 Brass PEX Reducing Tee	1.50"	1.25"	1.00"	5/50
C76139LF	1-1/2" x 1-1/4" x 1-1/4" F1807 Brass PEX Reducing Tee	1.50"	1.25"	1.25"	5/50
C76140LF	1-1/2" x 1-1/2" x 1/2" F1807 Brass PEX Reducing Tee	1.50"	1.50"	0.50"	5/50
C76141LF	1-1/2" x 1-1/2" x 3/4" F1807 Brass PEX Reducing Tee	1.50"	1.50"	0.75"	5/50
C76142LF	1-1/2" x 1-1/2" x 1" F1807 Brass PEX Reducing Tee	1.50"	1.50"	1.00"	5/50
C76143LF	1-1/2" x 1-1/2" x 1- 1/4" F1807 Brass PEX Reducing Tee	1.50"	1.50"	1.25"	5/50
C76156LF	2" x 1-1/2" x 1" F1807 Brass PEX Reducing Tee	2.00"	1.50"	1.00"	1/25
C76157LF	2" x 1-1/2" x 1-1/2" F1807 Brass PEX Reducing Tee	2.00"	1.50"	1.50"	1/25
C76158LF	2" x 2" x 1/2" F1807 Brass PEX Reducing Tee	2.00"	2.00"	0.50"	1/25
C76159LF	2" x 2" x 3/4" F1807 Brass PEX Reducing Tee	2.00"	2.00"	0.75"	1/25
C76160LF	2" x 2" x 1" F1807 Brass PEX Reducing Tee	2.00"	2.00"	1.00"	1/25
C76161LF	2" x 2" x 1- 1/4" F1807 Brass PEX Reducing Tee	2.00"	2.00"	1.25"	1/25
C76163LF	2" x 2" x 1- 1/2" F1807 Brass PEX Reducing Tee	2.00"	2.00"	1.50"	1/25

F1807 Ball Valves

Ball Valves



Part Code	Description	A	B	CTN/MSTR
B64050LF	1/2" F1807 Brass PEX Ball Valve	0.50"	0.50"	10/120
B64075LF	3/4" F1807 Brass PEX Ball Valve	0.75"	0.75"	10/120
B64100LF	1" F1807 Brass PEX Ball Valve	1.00"	1.00"	6/60



Ball Valves with Drain

Part Code	Description	A	B	CTN/MSTR
B64050LFD	1/2" F1807 Brass PEX Ball Valve with Drop Ear and Drain	0.50"	0.50"	6/48
B64075LFD	3/4" F1807 Brass PEX Ball Valve with Drop Ear and Drain	0.75"	0.75"	6/48
B64100LFD	1" F1807 Brass PEX Ball Valve with Drop Ear and Drain	1.00"	1.00"	6/48

F2159 Poly Fittings



Adapters-MIP

Part Code	Description	A	B	CTN/MSTR
C76759	1/2" F2159 x MIP Poly PEX Adapter	0.50"	0.50"	50/500
C76760	3/4" F2159 x MIP Poly PEX Adapter	0.75"	0.75"	25/300
C76761	1" F2159 x MIP Poly PEX Adapter	1.00"	1.00"	10/150



Couplings

Part Code	Description	A	B	CTN/MSTR
C76754	1/2" F2159 Poly PEX Coupling	0.50"	0.50"	50/1000
C76755	3/4" F2159 Poly PEX Coupling	0.75"	0.75"	50/600
C76756	3/4" x 1/2" F2159 Poly PEX Coupling	0.75"	0.50"	50/600
C76757	1" F2159 Poly PEX Coupling	1.00"	1.00"	25/200
C76758	1" x 3/4" F2159 Poly PEX Coupling	1.00"	0.75"	25/300

Elbows-90°



Part Code	Description	A	B	CTN/MSTR
C76751	1/2" F2159 Poly PEX 90° Elbow	0.50"	0.50"	50/500
C76752	3/4" F2159 Poly PEX 90° Elbow	0.75"	0.75"	25/350
C76753	1" F2159 Poly PEX 90° Elbow	1.00"	1.00"	10/150



Plugs

Part Code	Description	A	CTN/MSTR
C76768	1/2" F2159 Poly PEX Plug	0.50"	100/2000
C76769	3/4" F2159 Poly PEX Plug	0.75"	100/1000
C76771	1" F2159 Poly PEX Plug	1.00"	100/1000



Tees-Equal

Part Code	Description	A	B	C	CTN/MSTR
C76762	1/2" F2159 Poly PEX Tee	0.50"	0.50"	0.50"	50/400
C76763	3/4" F2159 Poly PEX Tee	0.75"	0.75"	0.75"	25/200
C76773	1" F2159 Poly PEX Tee	1.00"	1.00"	1.00"	50/200



Reducing Tees

Part Code	Description	A	B	C	CTN/MSTR
C76764	1/2" x 1/2" x 3/4" F2159 Poly PEX Reducing Tee	0.50"	0.50"	0.75"	25/300
C76766	3/4" x 1/2" x 3/4" F2159 Poly PEX Reducing Tee	0.75"	0.50"	0.75"	25/300
C76765	3/4" x 1/2" x 1/2" F2159 Poly PEX Reducing Tee	0.75"	0.50"	0.50"	25/300
C76767	3/4" x 3/4" x 1/2" F2159 Poly PEX Reducing Tee	0.75"	0.75"	0.50"	25/300
C76774	3/4" x 3/4" x 1" F2159 Poly PEX Reducing Tee	0.75"	0.75"	1.00"	25/100
C76772	1" x 3/4" x 3/4" F2159 Poly PEX Reducing Tee	1.00"	0.75"	0.75"	25/300
C76776	1" x 3/4" x 1" F2159 Poly PEX Reducing Tee	1.00"	0.75"	1.00"	25/300
C76770	1" x 1" x 1/2" F2159 Poly PEX Reducing Tee	1.00"	1.00"	0.50"	25/300
C76775	1" x 1" x 3/4" F2159 Poly PEX Reducing Tee	1.00"	1.00"	0.75"	25/300

Crimp Rings and Clamps

Clamps



Part Code	Description	CTN/MSTR
C76074	3/8" Stainless Steel PEX Clamp	100/2000
C76075	1/2" Stainless Steel PEX Clamp	100/2000
C76076	3/4" Stainless Steel PEX Clamp	50/2000
C76077	1" Stainless Steel PEX Clamp	50/1000

Crimp Rings



Part Code	Description	CTN/MSTR
C76070	3/8" PEX Copper Crimp Ring	100/2000
C76071	1/2" PEX Copper Crimp Ring	100/2000
C76072	3/4" PEX Copper Crimp Ring	100/2000
C76073	1" PEX Copper Crimp Ring	100/1000
C76108	1-1/4" PEX Copper Crimp Ring	50/1000
C76109	1-1/2" PEX Copper Crimp Ring	25/400
C76110	2" PEX Copper Crimp Ring	25/400

Finishes may vary

Crimp Rings with Positioning Cap



Part Code	Description	CTN/MSTR
C76103	3/4" PEX Copper Crimp Ring with Positioning Cap	100/2000
C76102	1/2" PEX Copper Crimp Ring with Positioning Cap	100/2000
C76104	1" PEX Copper Crimp Ring with Positioning Cap	100/1000
C76105	1-1/4" PEX Copper Crimp Ring with Positioning Cap	50/1000
C76106	1-1/2" PEX Copper Crimp Ring with Positioning Cap	25/400
C76107	2" PEX Copper Crimp Ring with Positioning Cap	25/400

PEX TOOLS

To complete your PEX installation with confidence, Jones Stephens offers a rugged line of professional-grade PEX tools. From precision pipe cutters that ensure a clean, square cut to heavy-duty crimp and expansion tools designed for effortless operation, our selection is built for the daily demands of the jobsite. Engineered for reliability and ease of use, these tools provide the leverage and accuracy needed to create secure, leak-free connections every time.



Crimp Tools



Part Code	Description	CTN/MSTR
J40952	1/2" PEX Crimp Tool	1/10
J40954	1" PEX Crimp Tool	1/10
J40950	PEX Crimp Set with 3/8", 1/2", 3/4"	1/5

Clamp Tools



Part Code	Description	CTN/MSTR
J40965	One Hand PEX Stainless Steel Clamp Tool	1/20
J40966	PEX Stainless Steel Clamp Tool	1/30
J40967	Oetiker 3 Handle Ratcheting Clamp Tool	1/30

Pipe Cutters



Part Code	Description	CTN/MSTR
RAP60001	3/4" Pipe Cutter for PVC, PEX, CPVC	12/36
RAP60002	1-1/4" Pipe Cutter for PVC, PEX, CPVC	12/36
RAP60021	Replacement Blade for 3/4" Pipe Cutter	50/200
RAP60022	Replacement Blade for 1-1/4" Pipe Cutter	25/200

Crimp Ring Cutting Tool



Part Code	Description	CTN/MSTR
J40960	PEX Crimp Ring Cutter	1/1

PEX PLUS

PEX Plus by Jones Stephens means we have the PEX piping PLUS all the fittings and other materials to complete your PEX system.

Pros trust us for the products and accessories needed for consistent and dependable installation, including PEX bends, clamps, support brackets, stub outs, supply boxes, and more.



Bend Supports



Pipe Clamps



**PlumBite®
Push-On Fittings**



Stud Guards




Stub Outs



Supply Boxes



Supply Stops



Support Brackets

PEX PLUMBING SYSTEM TRAINING

Jones Stephens is dedicated to providing the tools professionals need to educate, install, build submittals, and more.

Contact training@jonesstephens.com to request your PEX field training today.



LEARN MORE ABOUT
JONES STEPHENS PEX

[JONESSTEPHENS.COM](https://www.jonesstephens.com)

©2026 Jones Stephens 0626 9095708